

# Paulo Cesar Ocheuse Trivelin

## List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/570459/paulo-cesar-ocheuse-trivelin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172

papers

3,140

citations

30

h-index

44

g-index

175

ext. papers

3,498

ext. citations

2.6

avg, IF

5.12

L-index

#	Paper	IF	Citations
172	Feasibility of early fertilization of maize with $15^{\text{N}}$ application to preceding cover crop. <i>European Journal of Agronomy</i> , <b>2022</b> , 135, 126485	5	0
171	Nitrogen accumulated and biologically fixed by uninoculated <i>Anadenanthera peregrina</i> (L.) Spec trees under monospecific stands in the Atlantic Forest biome. <i>Revista Brasileira De Botanica</i> , <b>2021</b> , 44, 503	1.2	1
170	Recovery of $15\text{N}$ fertilizer in intercropped maize, grass and legume and residual effect in black oat under tropical conditions. <i>Agriculture, Ecosystems and Environment</i> , <b>2021</b> , 310, 107226	5.7	6
169	Biological N Fixation and N Transfer in an Intercropping System between Legumes and Organic Cherry Tomatoes in Succession to Green Corn. <i>Agriculture (Switzerland)</i> , <b>2021</b> , 11, 690	3	2
168	Sugarcane straw preservation results in limited immobilization and improves crop N-fertilizer recovery. <i>Biomass and Bioenergy</i> , <b>2021</b> , 144, 105889	5.3	2
167	Nitrogen fertilizer effects on sugarcane growth, nutritional status, and productivity in tropical acid soils. <i>Nutrient Cycling in Agroecosystems</i> , <b>2020</b> , 117, 367-382	3.3	7
166	Closing the nitrogen budget of intercropped maize and palisadegrass. <i>European Journal of Agronomy</i> , <b>2020</b> , 119, 126093	5	1
165	Nitrogen transfer from green manure to organic cherry tomato in a greenhouse intercropping system. <i>Journal of Plant Nutrition</i> , <b>2020</b> , 43, 1119-1135	2.3	2
164	Co-addition of humic substances and humic acids with urea enhances foliar nitrogen use efficiency in sugarcane (L.). <i>Heliyon</i> , <b>2020</b> , 6, e05100	3.6	1
163	Nitrogen Fertilizer Recovery and Partitioning Related to Soybean Yield. <i>Journal of Soil Science and Plant Nutrition</i> , <b>2020</b> , 20, 2566-2578	3.2	1
162	15N-Fertilizer Recovery in Maize as an Additional Strategy for Understanding Nitrogen Fertilization Management with Blends of Controlled-Release and Conventional Urea. <i>Agronomy</i> , <b>2020</b> , 10, 1932	3.6	3
161	Nitrogen Fertilization Management with Blends of Controlled-Release and Conventional Urea Affects Common Bean Growth and Yield during Mild Winters in Brazil. <i>Agronomy</i> , <b>2020</b> , 10, 1935	3.6	4
160	Placement Effect of Controlled-release and Conventional Urea Blend in Maize. <i>Communications in Soil Science and Plant Analysis</i> , <b>2019</b> , 50, 2321-2329	1.5	7
159	Effect of nitrogen rates applying controlled-release and conventional urea blend in maize. <i>Journal of Plant Nutrition</i> , <b>2019</b> , 42, 2199-2208	2.3	7
158	Grain yield, efficiency and the allocation of foliar N applied to soybean canopies. <i>Scientia Agricola</i> , <b>2019</b> , 76, 305-310	2.5	3
157	Fate of $15\text{N}$ fertilizer applied to maize in rotation with tropical forage grasses. <i>Field Crops Research</i> , <b>2019</b> , 238, 35-44	5.5	16
156	Changes in Biological Nitrogen Fixation and Natural-Abundance N Isotopes of Sugarcane Under Molybdenum Fertilization. <i>Sugar Tech</i> , <b>2019</b> , 21, 925-935	1.9	5

155	Influence of nitrate - ammonium ratio on the growth, nutrition, and metabolism of sugarcane. <i>Plant Physiology and Biochemistry</i> , <b>2019</b> , 139, 246-255	5.4	17
154	Ammonia losses following surface application of enhanced-efficiency nitrogen fertilizers and urea. <i>Atmospheric Environment</i> , <b>2019</b> , 203, 242-251	5.3	30
153	15N-Urea Efficiency in Maize as Influenced by Humic Substances and Urease Inhibitors Treatments. <i>Communications in Soil Science and Plant Analysis</i> , <b>2019</b> , 50, 198-208	1.5	8
152	Effect of previous soil management on sugarcane response to nitrogen fertilization. <i>Scientia Agricola</i> , <b>2019</b> , 76, 72-81	2.5	5
151	Fertilization increases the functional specialization of fine roots in deep soil layers for young <i>Eucalyptus grandis</i> trees. <i>Forest Ecology and Management</i> , <b>2019</b> , 431, 6-16	3.9	16
150	Nitrogen source contribution in sugarcane-inoculated plants with diazotrophic bacterias under urea-N fertigation management. <i>Sugar Tech</i> , <b>2019</b> , 21, 462-470	1.9	5
149	Nitrogen fixation rate of <i>Acacia mangium</i> Wild at mid rotation in Brazil is higher in mixed plantations with <i>Eucalyptus grandis</i> Hill ex Maiden than in monocultures. <i>Annals of Forest Science</i> , <b>2018</b> , 75, 1	3.1	25
148	Aerobic rice system improves water productivity, nitrogen recovery and crop performance in Brazilian weathered lowland soil. <i>Field Crops Research</i> , <b>2018</b> , 218, 59-68	5.5	26
147	Nitrogen use efficiency and nutrient partitioning in maize as affected by blends of controlled-release and conventional urea. <i>Archives of Agronomy and Soil Science</i> , <b>2018</b> , 64, 1944-1962	2	22
146	Understanding N timing in corn yield and fertilizer N recovery: An insight from an isotopic labeled-N determination. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192776	3.7	10
145	Nitrogen recovery efficiency for corn intercropped with palisade grass. <i>Bragantia</i> , <b>2018</b> , 77, 557-566	1.2	3
144	Fertilizer Nitrogen and Corn Plants: Not all Volatilized Ammonia is Lost. <i>Agronomy Journal</i> , <b>2018</b> , 110, 1111-1118	2.2	5
143	Corn grain yield and 15N-fertilizer recovery as a function of urea sidedress timing. <i>Anais Da Academia Brasileira De Ciencias</i> , <b>2018</b> , 90, 3299-3312	1.4	8
142	â€œpreferentialâ€ ammonium uptake by sugarcane does not increase the 15N recovery of fertilizer sources. <i>Plant and Soil</i> , <b>2018</b> , 429, 253-269	4.2	16
141	Soil nitrogen availability indices as predictors of sugarcane nitrogen requirements. <i>European Journal of Agronomy</i> , <b>2017</b> , 89, 25-37	5	20
140	Palisadegrass effects on N fertilizer dynamic in intercropping systems with corn. <i>Anais Da Academia Brasileira De Ciencias</i> , <b>2017</b> , 89, 1917-1923	1.4	6
139	Herbicides Increase Emission of Ammonia by Pearl Millet and Congo Grass. <i>Agronomy Journal</i> , <b>2017</b> , 109, 1232-1239	2.2	3
138	Emissions of ammonia following glyphosate application on <i>Urochloa decumbens</i> . <i>Plant, Soil and Environment</i> , <b>2016</b> , 62, 467-473	2.2	0

137	Mineralisation and sorption of dissolved organic nitrogen compounds in litter and soil from sugarcane fields. <i>Soil Biology and Biochemistry</i> , 2016, 103, 522-532	7.5	25
136	Biomass and Nutrient Content by Sugarcane as Affected by Fertilizer Nitrogen Sources. <i>Crop Science</i> , 2016, 56, 1234-1244	2.4	16
135	Nitrogen Use Efficiency for Sugarcane-Biofuel Production: What Is Next?. <i>Bioenergy Research</i> , 2016, 9, 1272-1289	3.1	65
134	Fertigated Sugarcane Yield and Carbon Isotope Discrimination ( $\delta^{13}\text{C}$ ) Related to Nitrogen Nutrition. <i>Sugar Tech</i> , 2016, 18, 391-400	1.9	6
133	Mineral nitrogen forms alter $^{14}\text{C}$ -glucose mineralisation and nitrogen transformations in litter and soil from two sugarcane fields. <i>Applied Soil Ecology</i> , 2016, 107, 154-161	5	16
132	In situ $^{13}\text{CO}_2$ pulse labelling of field-grown eucalypt trees revealed the effects of potassium nutrition and throughfall exclusion on phloem transport of photosynthetic carbon. <i>Tree Physiology</i> , 2016, 36, 6-21	4.2	37
131	Root extracts of <i>Bracchiaria humidicola</i> and <i>Saccharum spontaneum</i> to increase N use by sugarcane. <i>Scientia Agricola</i> , 2016, 73, 34-42	2.5	4
130	Nutrient Partitioning and Stoichiometry in Unburnt Sugarcane Ratoon at Varying Yield Levels. <i>Frontiers in Plant Science</i> , 2016, 7, 466	6.2	20
129	Contribution of N from green harvest residues for sugarcane nutrition in Brazil. <i>GCB Bioenergy</i> , 2016, 8, 859-866	5.6	42
128	Leaching Methods Can Underestimate Mineralization Potential of Soils. <i>Communications in Soil Science and Plant Analysis</i> , 2016, 47, 1701-1708	1.5	5
127	Soil N Losses by Denitrification Evaluated Using the $^{15}\text{N}$ Tracer Method. <i>Communications in Soil Science and Plant Analysis</i> , 2016, 47, 1709-1719	1.5	
126	Uptake and allocation of nitrogen applied at low rates to soybean leaves. <i>Plant and Soil</i> , 2015, 393, 83-94	4.2	7
125	Evidence of short-term belowground transfer of nitrogen from <i>Acacia mangium</i> to <i>Eucalyptus grandis</i> trees in a tropical planted forest. <i>Soil Biology and Biochemistry</i> , 2015, 91, 99-108	7.5	48
124	Nutrient leaching in an Ultisol cultivated with sugarcane. <i>Agricultural Water Management</i> , 2015, 148, 141-149	5.9	29
123	Influence of Nitrogen Form Supply on Soil Mineral Nitrogen Dynamics, Nitrogen Uptake, and Productivity of Sugarcane. <i>Agronomy Journal</i> , 2015, 107, 641-650	2.2	21
122	NITROGEN LOSS BY EROSION FROM MECHANICALLY TILLED AND UNTILLED SOIL UNDER SUCCESSIVE SIMULATED RAINFALLS. <i>Revista Brasileira De Ciencia Do Solo</i> , 2015, 39, 1204-1211	1.5	5
121	Residual recovery and yield performance of nitrogen fertilizer applied at sugarcane planting. <i>Scientia Agricola</i> , 2015, 72, 528-534	2.5	14
120	Contribution of fertilizer nitrogen to the total nitrogen extracted by sugarcane under Brazilian field conditions. <i>Nutrient Cycling in Agroecosystems</i> , 2015, 101, 241-257	3.3	38

- 119 Chloride ion as nitrification inhibitor and its biocidal potential in soils. *Soil Biology and Biochemistry*, **2014**, 72, 84-87 7.5 17
- 118 Nitrogen fertilization (15NH<sub>4</sub>NO<sub>3</sub>) of palisadegrass and residual effect on subsequent no-tillage corn. *Revista Brasileira De Ciencia Do Solo*, **2014**, 38, 1457-1468 1.5 14
- 117 Contribution of nitrogen from agricultural residues of rye to Niagara Rosada grape nutrition. *Scientia Horticulturae*, **2014**, 169, 66-70 4.1 21
- 116 Absorption of 15NH<sub>3</sub> volatilized from urea by Citrus trees. *Plant and Soil*, **2013**, 365, 283-290 4.2 13
- 115 Quantifying soil nitrogen mineralization to improve fertilizer nitrogen management of sugarcane. *Biology and Fertility of Soils*, **2013**, 49, 893-904 6.1 46
- 114 Isotope Separation of Nitrogen by Ion Exchange Chromatography in a Cascade System. *Solvent Extraction and Ion Exchange*, **2013**, 31, 743-762 2.5 2
- 113 Impact of Nitrogen and Sulphur Fertilisers on Yield and Quality of Sugarcane Plant Crop. *Sugar Tech*, **2013**, 15, 424-428 1.9 9
- 112 Determining a critical nitrogen dilution curve for sugarcane. *Journal of Plant Nutrition and Soil Science*, **2013**, 176, 712-723 2.3 17
- 111 Stalk and sucrose yield in response to nitrogen fertilization of sugarcane under reduced tillage. *Pesquisa Agropecuaria Brasileira*, **2013**, 48, 88-96 1.8 23
- 110 Impact of sugarcane trash on fertilizer requirements for São Paulo, Brazil. *Scientia Agricola*, **2013**, 70, 345-352 2.5 60
- 109 Incubation methods for assessing mineralizable nitrogen in soils under sugarcane. *Revista Brasileira De Ciencia Do Solo*, **2013**, 37, 450-461 1.5 13
- 108 Contribution of nitrogen from sugarcane harvest residues and urea for crop nutrition. *Scientia Agricola*, **2013**, 70, 313-320 2.5 31
- 107 Input of sugarcane post-harvest residues into the soil. *Scientia Agricola*, **2013**, 70, 336-344 2.5 39
- 106 Long-term decomposition of sugarcane harvest residues in São Paulo state, Brazil. *Biomass and Bioenergy*, **2012**, 42, 189-198 5.3 83
- 105 MINERALIZATION AND CORN RECOVERY OF 15NITROGEN FROM BLACK OATS RESIDUES TREATED WITH HERBICIDES. *Journal of Plant Nutrition*, **2012**, 35, 1830-1842 2.3 4
- 104 Ammonia losses estimated by an open collector from urea applied to sugarcane straw. *Revista Brasileira De Ciencia Do Solo*, **2012**, 36, 411-419 1.5 21
- 103 Eficiência agronômica de adubos nitrogenados em soqueira de cana-de-açúcar colhida sem queima. *Pesquisa Agropecuaria Brasileira*, **2012**, 47, 1681-1690 1.8 10
- 102 Components of the water balance in soil with sugarcane crops. *Agricultural Water Management*, **2011**, 102, 1-7 5.9 25

101	Produtividade da cana-de-açúcar após o cultivo de leguminosas. <i>Bragantia</i> , 2011, 70, 810-818	1.2	24
100	15N-labeled nitrogen from green manure and ammonium sulfate utilization by the sugarcane ratoon. <i>Scientia Agricola</i> , 2011, 68, 361-368	2.5	22
99	New methods to quantify NH <sub>3</sub> volatilization from fertilized surface soil with urea. <i>Revista Brasileira De Ciencia Do Solo</i> , 2011, 35, 133-140	1.5	15
98	Nitrogen fertilizer leaching in an Oxisol cultivated with sugarcane. <i>Scientia Agricola</i> , 2011, 68, 86-93	2.5	21
97	Functional specialization of Eucalyptus fine roots: contrasting potential uptake rates for nitrogen, potassium and calcium tracers at varying soil depths. <i>Functional Ecology</i> , 2011, 25, 996-1006	5.6	64
96	Nitrogen in sugarcane derived from fertilizer under Brazilian field conditions. <i>Field Crops Research</i> , 2011, 121, 29-41	5.5	119
95	Sugarcane Response to Boron and Zinc in Southeastern Brazil. <i>Sugar Tech</i> , 2011, 13, 86-95	1.9	11
94	Recovery of Nitrogen (15N) by Sugarcane from Previous Crop Residues and Urea Fertilisation Under a Minimum Tillage System. <i>Sugar Tech</i> , 2011, 13, 42-46	1.9	25
93	N transfer from green manures to lettuce in an intercropping cultivation system. <i>Acta Scientiarum - Agronomy</i> , 2011, 33,	0.6	9
92	Nitrogênio proveniente da adubação nitrogenada e de resíduos culturais na nutrição da cana-planta. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 287-293	1.8	20
91	Crop rotation biomass and arbuscular mycorrhizal fungi effects on sugarcane yield. <i>Scientia Agricola</i> , 2010, 67, 692-701	2.5	13
90	Ammonium chloride as nitrogen source in sugarcane harvested without burning. <i>Revista Brasileira De Ciencia Do Solo</i> , 2010, 34, 1165-1174	1.5	11
89	Nitrogen(15N) loss in the soil-plant system after herbicide application on <i>Pennisetum glaucum</i> . <i>Plant and Soil</i> , 2010, 328, 245-252	4.2	10
88	Herbicide application increases nitrogen (15N) exudation and root detachment of <i>Brachiaria decumbens</i> Stapf. <i>Plant and Soil</i> , 2010, 334, 511-519	4.2	14
87	Sulfato de amônio e uréia em cobertura no milho em semeadura direta no Cerrado. <i>Revista Ceres</i> , 2010, 57, 817-824	0.7	3
86	Stalk yield and technological attributes of planted cane as related to nitrogen fertilization. <i>Scientia Agricola</i> , 2010, 67, 579-590	2.5	41
85	Tamanho da parcela para estudos de recuperação do fertilizante-15N por capim-tanzenha. <i>Revista Brasileira De Ciencia Do Solo</i> , 2009, 33, 363-370	1.5	
84	Root system distribution of sugar cane as related to nitrogen fertilization, evaluated by two methods: monolith and probes. <i>Revista Brasileira De Ciencia Do Solo</i> , 2009, 33, 601-611	1.5	47

83	Mineraliza <sup>^</sup> O <sub>2</sub> do nitrog <sup>^</sup> ñio da palhada de milheto dessecado com herbicidas. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 925-934	1.5	0
82	Aproveitamento pelo trigo do nitrog <sup>^</sup> ñio residual da crotal <sup>^</sup> flia ( <i>Crotalaria juncea</i> ) e da ur <sup>^</sup> flia aplicado ao solo em cultivo precedente. <i>Ciencia Rural</i> , <b>2009</b> , 39, 1715-1720	1.3	2
81	Utilization of Boron (10B) derived from fertilizer by sugar cane. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 1667-1674	1.5	5
80	Ac <sup>^</sup> ñulo de nitrog <sup>^</sup> ñio (15N) pelos gr <sup>^</sup> ños de milho em fun <sup>^</sup> O <sub>2</sub> da fonte nitrogenada em Latossolo Vermelho. <i>Bragantia</i> , <b>2009</b> , 68, 463-472	1.2	7
79	Estado nutricional da cultura de cana-de-a <sup>^</sup> ñcar (cana-planta) em experimentos com 15N. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 1919-1927	1.5	4
78	Leaching of nutrients from a sugarcane crop growing on an Ultisol in Brazil. <i>Agricultural Water Management</i> , <b>2009</b> , 96, 1443-1448	5.9	46
77	Fitomassa de ra <sup>^</sup> ñes e da parte a <sup>^</sup> flia da cana-de-a <sup>^</sup> ñcar relacionada ^ aduba <sup>^</sup> O <sub>2</sub> nitrogenada de plantio. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2009</b> , 44, 398-405	1.8	32
76	Nitrogen supply to corn from sunn hemp and velvet bean green manures. <i>Scientia Agricola</i> , <b>2009</b> , 66, 386-394	2.5	14
75	Recupera <sup>^</sup> O <sub>2</sub> de 15N-ureia no sistema solo-planta de pastagem de capim-tanz <sup>^</sup> flia. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 95-101	1.5	6
74	Absor <sup>^</sup> O <sub>2</sub> foliar pelo capim-tanz <sup>^</sup> flia da am <sup>^</sup> flia volatilizada do 15N-ureia aplicado ao solo. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 103-108	1.5	8
73	Spatial variation in the strength of mutualism between a jumping spider and a terrestrial bromeliad: Evidence from the stable isotope 15N. <i>Acta Oecologica</i> , <b>2008</b> , 33, 380-386	1.7	18
72	Mixed-species plantations of Acacia mangium and Eucalyptus grandis in Brazil: 2: Nitrogen accumulation in the stands and biological N <sub>2</sub> fixation. <i>Forest Ecology and Management</i> , <b>2008</b> , 255, 3918-3930	3.9	97
71	Mineraliza <sup>^</sup> O <sub>2</sub> da palhada e crescimento de ra <sup>^</sup> ñes de cana-de-a <sup>^</sup> ñcar relacionados com a aduba <sup>^</sup> O <sub>2</sub> nitrogenada de plantio. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2008</b> , 32, 2757-2762	1.5	20
70	Aproveitamento pela cana-de-a <sup>^</sup> ñcar da aduba <sup>^</sup> O <sub>2</sub> nitrogenada de plantio. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2008</b> , 32, 2763-2770	1.5	23
69	Utiliza <sup>^</sup> O <sub>2</sub> do nitrog <sup>^</sup> ñio da palha de milho e de adubos verdes pela cultura do milho. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2008</b> , 32, 2853-2861	1.5	18
68	Manejo da aduba <sup>^</sup> O <sub>2</sub> nitrogenada e utiliza <sup>^</sup> O <sub>2</sub> do nitrog <sup>^</sup> ñio (15N) pelo milho em Latossolo Vermelho. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2008</b> , 32, 161-171	1.5	30
67	Ammonia volatilisation from urease inhibitor-treated urea applied to sugarcane trash blankets. <i>Scientia Agricola</i> , <b>2008</b> , 65, 397-401	2.5	116
66	Recupera <sup>^</sup> O <sub>2</sub> do nitrog <sup>^</sup> ñio das fontes sulfato e nitrato de am <sup>^</sup> flio pelo milho em sistema semeadura direta. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2008</b> , 43, 123-130	1.8	8

65	Nitrogen loss in Brachiaria decumbens after application of glyphosate or glufosinate-ammonium. <i>Scientia Agricola</i> , 2008, 65, 402-407	2.5	20
64	Parcelamento da aduba <sup>15N</sup> nitrogenada na cultura do milho e utiliza <sup>15N</sup> do N residual pela sucessão aveia preta-milho. <i>Ciencia Rural</i> , 2008, 38, 1138-1141	1.3	5
63	Organic sulfur oxidation to sulfate in soil samples for total sulfur determination by turbidimetry. <i>Revista Brasileira De Ciencia Do Solo</i> , 2008, 32, 2547-2553	1.5	8
62	Perda de nitrogênio pela Brachiaria decumbens após a antese: relação com a umidade do solo. <i>Ciencia Rural</i> , 2008, 38, 96-102	1.3	3
61	The <sup>15</sup> N isotope to evaluate fertilizer nitrogen absorption efficiency by the coffee plant. <i>Anais Da Academia Brasileira De Ciencias</i> , 2007, 79, 767-76	1.4	6
60	Transporte do <sup>15</sup> N e produtividade do tomateiro enxertado irrigado com água carbonatada. <i>Horticultura Brasileira</i> , 2007, 25, 77-81	0.9	2
59	Influência do etil-trinexapac no acúmulo, na distribuição de nitrogênio ( <sup>15</sup> N) e na massa de grãos de arroz de terras altas. <i>Revista Brasileira De Ciencia Do Solo</i> , 2007, 31, 1487-1496	1.5	11
58	Balanço do nitrogênio ( <sup>15</sup> N) da urca nos componentes de uma pastagem de capim-marandu sob recuperação em diferentes épocas de calagem. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 1982-1989	1.2	13
57	Produtividade da cana-de-açúcar relacionada à localização de adubos nitrogenados aplicados sobre os resíduos culturais em canavial sem queima. <i>Revista Brasileira De Ciencia Do Solo</i> , 2007, 31, 491-498	1.5	25
56	Marcação da fitomassa de cana-de-açúcar com aplicação de solução de urca marcada com <sup>15</sup> N. <i>Pesquisa Agropecuaria Brasileira</i> , 2007, 42, 851-857	1.8	8
55	Enxertia e água de irrigação carbonatada no transporte de <sup>15</sup> N e na produção do tomateiro. <i>Revista Brasileira De Engenharia Agricola E Ambiental</i> , 2007, 11, 374-379	0.9	2
54	Volatilization of Ammonia Derived from Fertilizer and Its Reabsorption by Coffee Plants. <i>Communications in Soil Science and Plant Analysis</i> , 2007, 38, 1741-1751	1.5	18
53	Acúmulo de macronutrientes em cana-de-açúcar em função da adubação nitrogenada e dos resíduos culturais incorporados ao solo no plantio. <i>Bragantia</i> , 2007, 66, 669-674	1.2	8
52	Produtividade da cana-de-açúcar relacionada ao nitrogênio residual da adubação e do sistema radicular. <i>Pesquisa Agropecuaria Brasileira</i> , 2007, 42, 249-256	1.8	38
51	Acúmulo de nutrientes e destino do nitrogênio ( <sup>15</sup> N) aplicado em pomar jovem de laranjeira. <i>Revista Brasileira De Fruticultura</i> , 2007, 29, 600-605	1.2	6
50	Growth, development, and fertilizer- <sup>15</sup> N recovery by the coffee plant. <i>Scientia Agricola</i> , 2007, 64, 541-547	16	
49	Bromeliad-living spiders improve host plant nutrition and growth. <i>Ecology</i> , 2006, 87, 803-808	4.6	54
48	Balanço do nitrogênio da urca ( <sup>15</sup> N) no sistema solo-planta na implantação da semeadura direta na cultura do milho. <i>Bragantia</i> , 2006, 65, 477-486	1.2	22

47	Utiliza <sup>o</sup> de nitrogênio residual de coberturas de solo e da uréia pela cultura do milho. <i>Revista Brasileira De Ciencia Do Solo</i> , 2006, 30, 965-974	1.5	6
46	Aproveitamento do nitrogênio (15N) da crotalina e do milheto pelo milho sob plantio direto em Latossolo Vermelho de Cerrado. <i>Ciencia Rural</i> , 2006, 36, 739-746	1.3	31
45	Perda de nitrogênio pela parte aérea de plantas de trigo. <i>Ciencia Rural</i> , 2006, 36, 1106-1111	1.3	3
44	Absorção de nitrogênio nativo do solo pelo milho sob plantio direto em sucessão a plantas de cobertura. <i>Revista Brasileira De Ciencia Do Solo</i> , 2006, 30, 723-732	1.5	9
43	Manejo de nitrogênio no milho sob plantio direto com diferentes plantas de cobertura, em Latossolo Vermelho. <i>Pesquisa Agropecuaria Brasileira</i> , 2006, 41, 477-486	1.8	34
42	Quantificação de nitrógeno de rães metabolicamente ativas de cana-de-açúcar. <i>Pesquisa Agropecuaria Brasileira</i> , 2006, 41, 1007-1013	1.8	19
41	Urea and sugarcane straw nitrogen balance in a soil-sugarcane crop system. <i>Pesquisa Agropecuaria Brasileira</i> , 2005, 40, 689-695	1.8	33
40	Imobilização de nitrogênio da uréia e do sulfato de amônio aplicado em pradaria ou cobertura na cultura de milho, no sistema plantio direto. <i>Revista Brasileira De Ciencia Do Solo</i> , 2005, 29, 215-226	1.5	14
39	Fertilização com N e S na recuperação de pastagem de Brachiaria brizantha cv. Marandu em neossolo quartzarício. <i>Revista Brasileira De Zootecnia</i> , 2005, 34, 1121-1129	1.2	20
38	Utilização de nitrogênio pelo trigo cultivado em solo fertilizado com adubo verde ( <i>Crotalaria juncea</i> ) e/ou uréia. <i>Ciencia Rural</i> , 2005, 35, 284-289	1.3	10
37	Produção de sulfato de amônio duplamente marcado com os isótopos estóicos 15N e 34S. <i>Química Nova</i> , 2005, 28, 211-216	1.6	8
36	Utilization of nitrogen from green manure and mineral fertilizer by sugarcane. <i>Scientia Agricola</i> , 2005, 62, 534-542	2.5	26
35	Fate of nitrogen (15N) from velvet bean in the soil-plant system. <i>Scientia Agricola</i> , 2004, 61, 210-215	2.5	2
34	Fate of 15N-urea applied to wheat-soybean succession crop. <i>Bragantia</i> , 2004, 63, 265-274	1.2	7
33	Nitrogen recovery and loss in a fertilized elephant grass pasture. <i>Grass and Forage Science</i> , 2004, 59, 80-90	2.3	20
32	Perda de amônio por volatilização em pastagem de capim-tanzânia adubada com uréia no verão. <i>Revista Brasileira De Zootecnia</i> , 2004, 33, 2240-2247	1.2	19
31	Liming and fertilization to restore degraded Brachiaria decumbens pastures grown on an entisol. <i>Scientia Agricola</i> , 2003, 60, 125-131	2.5	16
30	Recuperação de nitrogênio (15N) da uréia e da palhada por soqueira de cana-de-açúcar ( <i>Saccharum</i> spp.). <i>Revista Brasileira De Ciencia Do Solo</i> , 2003, 27, 621-630	1.5	17

- 29 Leaf anatomy and carbon isotope composition in Coffea species related to photosynthetic pathway. *Brazilian Journal of Plant Physiology*, 2003, 15, 19-24 8
- 28 Efici^ h^cia da fertiliza^ l^b nitrogenada com ur^ l^a (15N) em Brachiaria brizantha cv. Marandu associada ao parcelamento de superfosfato simples e cloreto de pot^ sio. *Revista Brasileira De Ciencia Do Solo*, 2003, 27, 613-620 1.5 15
- 27 Management effects on nitrogen recovery in a sugarcane crop grown in Brazil. *Geoderma*, 2003, 116, 235-248 6.7 71
- 26 Transforma^ l^es do nitrog^ nio proveniente de mucuna-preta e ur^ l^a utilizados como adubo na cultura do milho. *Pesquisa Agropecuaria Brasileira*, 2003, 38, 1427-1433 1.8 13
- 25 Nitrogen mineralization in soils amended with sunnhemp, velvet bean and common bean residues. *Scientia Agricola*, 2003, 60, 133-137 2.5 10
- 24 Nitrogen-15 labeling of Crotalaria juncea green manure. *Scientia Agricola*, 2003, 60, 181-184 2.5 11
- 23 Disponibilidade h^ drica relacionada ao conte^ l^o de nitrog^ nio e ^ produtividade da alfafa (Medicago sativa L.). *Revista Brasileira De Zootecnia*, 2003, 32, 1275-1286 1.2 1
- 22 Leaching of nitrogen, potassium, calcium and magnesium in a sandy soil cultivated with sugarcane. *Pesquisa Agropecuaria Brasileira*, 2002, 37, 861-868 1.8 38
- 21 Produ^ l^b de am^ l^a anidra e aquam^ l^a enriquecida em 15N a partir de (15NH4)2SO4. *Scientia Agricola*, 2002, 59, 595-603 2.5 3
- 20 Sulfur utilization by rice and Crotalaria juncea from sulfate - 34S applied to the soil. *Scientia Agricola*, 2002, 59, 205-207 2.5 6
- 19 Utiliza^ l^b de nitrog^ nio e produtividade da cana-de-a^ l^car (cana-planta) em solo arenoso com incorpora^ l^b de res^ l^uos da cultura. *Revista Brasileira De Ciencia Do Solo*, 2002, 26, 637-646 1.5 23
- 18 Perdas do nitrog^ nio da ur^ l^a no sistema solo-planta em dois ciclos de cana-de-a^ l^car. *Pesquisa Agropecuaria Brasileira*, 2002, 37, 193-201 1.8 40
- 17 Reciclagem de cobre proveniente de analisador autom^ lico de carbono e nitrog^ nio. *Quimica Nova*, 2002, 25, 312-315 1.6 2
- 16 Nitrogen 15 abundance in protein fractions of beans fertilized with (15NH4)2SO4. *Scientia Agricola*, 2002, 59, 777-780 2.5
- 15 RADICULAR UPTAKE KINETICS OF 15NO3-, CO(15NH2)2, AND 15NH4+ IN WHOLE RICE PLANTS. *Journal of Plant Nutrition*, 2001, 24, 1695-1710 2.3 9
- 14 Crescimento e ac^ l^ulo de nitrog^ nio em cana-de-a^ l^car cultivada em solo coberto com palhada. *Pesquisa Agropecuaria Brasileira*, 2001, 36, 1347-1354 1.8 49
- 13 Nitrogen dynamics in a soil-sugar cane system. *Scientia Agricola*, 2000, 57, 467-472 2.5 15
- 12 Calibration of a semi-open static collector for determination of ammonia volatilization from nitrogen fertilizers. *Communications in Soil Science and Plant Analysis*, 1999, 30, 389-406 1.5 43

## LIST OF PUBLICATIONS

11	Decomposi^ão e libera^ão de nutrientes da palhada de cana-de-a^o car em campo. <i>Pesquisa Agropecuaria Brasileira</i> , <b>1999</b> , 34, 2359-2362	1.8	51
10	Degrada^ão da palhada de cana-de-a^o car. <i>Scientia Agricola</i> , <b>1999</b> , 56, 803-809	2.5	23
9	Sulfur isotope ratio (34S:32S) measurements in plant material by inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , <b>1998</b> , 13, 1065-1067	3.7	19
8	T^éCNICA PARA MARCA^ão DOS ADUBOS VERDES CROTAL^®IA J^®ICEA E MUCUNA-PRETA COM <sup>15</sup> N PARA ESTUDOS DE DIN^®MICA DO NITROG^®NIO. <i>Bragantia</i> , <b>1997</b> , 56, 219-224	1.2	9
7	The Use of Stable Isotopes in Studies of Nutrient Cycling: Carbon Isotope Composition of Amazon Varzea Sediments. <i>Biotropica</i> , <b>1992</b> , 24, 240	2.3	19
6	N natural abundance in plants of the Amazon River floodplain and potential atmospheric N fixation. <i>Oecologia</i> , <b>1992</b> , 90, 591-596	2.9	37
5	Redistribution of the nitrogen reserves of <sup>15</sup> N-enriched stem cuttings and dinitrogen fixed by 90-day-old sugarcane plants. <i>Plant and Soil</i> , <b>1988</b> , 108, 275-279	4.2	4
4	Yield and nutrient concentrations of organic cherry tomatoes and legumes grown in intercropping systems in rotation with maize. <i>Biological Agriculture and Horticulture</i> , 1-19	1.6	0
3	Effects of N Application Rate and Dicyandiamide on the Fate of <sup>15</sup> N Fertilizer and the Abundance of Microbial Genes in a Sandy Soil Amended with Sugarcane Litter. <i>Journal of Soil Science and Plant Nutrition</i> , 1	3.2	0
2	Exploring the forestry potential of two legume species with contrasting ecological strategies in a seasonally dry tropical region. <i>Trees - Structure and Function</i> , 1	2.6	0
1	Methods to quantify the nitrogen derived from the fertilizer in maize applying blends of controlled-release and NBPT-treated urea. <i>Journal of Plant Nutrition</i> , 1-11	2.3	