## **Andreas Clemens**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/570543/publications.pdf

Version: 2024-02-01

1040056 713466 22 700 9 21 citations h-index g-index papers 23 23 23 900 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Dabigatran etexilate for stroke prevention in patients with atrial fibrillation: Resolving uncertainties in routine practice. Thrombosis and Haemostasis, 2012, 107, 838-847.	3.4	201
2	Dabigatran: An Oral Novel Potent Reversible Nonpeptide Inhibitor of Thrombin. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 1885-1889.	2.4	198
3	Brolucizumab: A Newly Developed Anti-VEGF Molecule for the Treatment of Neovascular Age-Related Macular Degeneration. Ophthalmologica, 2021, 244, 93-101.	1.9	82
4	Residual inflammatory risk in coronary heart disease: incidence of elevated high-sensitive CRP in a real-world cohort. Clinical Research in Cardiology, 2020, 109, 315-323.	3.3	39
5	Inhaled corticosteroids in COPD and onset of type 2 diabetes and osteoporosis: matched cohort study. Npj Primary Care Respiratory Medicine, 2019, 29, 38.	2.6	27
6	Fluid as a critical biomarker in neovascular age-related macular degeneration management: literature review and consensus recommendations. Eye, 2021, 35, 2119-2135.	2.1	25
7	Differences in COPD Exacerbation Risk Between Women and Men. Chest, 2019, 156, 674-684.	0.8	19
8	Real-world outcomes with ranibizumab in branch retinal vein occlusion: The prospective, global, LUMINOUS study. PLoS ONE, 2020, 15, e0234739.	2.5	18
9	Real-world effectiveness and safety of ranibizumab for the treatment of myopic choroidal neovascularization: Results from the LUMINOUS study. PLoS ONE, 2020, 15, e0227557.	2.5	18
10	Clinical Impact and Healthcare Resource Utilization Associated with Early versus Late COPD Diagnosis in Patients from UK CPRD Database International Journal of COPD, 2020, Volume 15, 1729-1738.	2.3	11
11	Dabigatran etexilate for thromboprophylaxis in over 5000 hip or knee replacement patients in a real-world clinical setting. Thrombosis Journal, 2016, 14, 8.	2.1	10
12	Comparison of the Efficacy of Brolucizumab with Natural Disease Progression in Wet AMD Using Clinical Data from the Phase III HAWK and HARRIER Trials and Modelled Placebo Data. Current Eye Research, 2020, 45, 1298-1301.	1.5	9
13	Patient engagement impacts glycemic management with vildagliptin and vildagliptin/metformin (single) Tj ETQq1	1.0.78431 1.8	.4 rgBT /Ove
14	Application of machine learning methods to bridge the gap between non-interventional studies and randomized controlled trials in ophthalmic patients with neovascular age-related macular degeneration. Contemporary Clinical Trials, 2021, 104, 106364.	1.8	7
15	Early Changes in eDiary COPD Symptoms Predict Clinically Relevant Treatment Response at 12ÂWeeks: Analysis from the CRYSTAL Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2018, 15, 185-191.	1.6	6
16	Indacaterol and glycopyrronium versus indacaterol on body plethysmography measurements in COPDâ€"a randomised controlled study. Respiratory Research, 2017, 18, 13.	3.6	5
17	Does real-time artificial intelligence-based visual pathology enhancement of three-dimensional optical coherence tomography scans optimise treatment decision in patients with nAMD? Rationale and design of the RAZORBILL study. British Journal of Ophthalmology, 2023, 107, 96-101.	3.9	5
18	Observational study of dabigatran etexilate 150 mg in patients with moderate renal impairment undergoing elective total hip or knee replacement. Thrombosis Research, 2016, 143, 103-110.	1.7	4

#	Article	IF	CITATIONS
19	Effectiveness and safety of ranibizumab in patients with central retinal vein occlusion: results from the real-world, global, LUMINOUS study. Eye, 2022, 36, 1656-1661.	2.1	4
20	Real-World Study of Dabigatran Etexilate for Thromboprophylaxis in Over 5000 Hip or Knee Replacement Patients: Favourable Safety Profile in Subgroups with Different BMI, Renal Function and Age. Blood, 2012, 120, 1160-1160.	1.4	3
21	Dose-response analysis of ranibizumab as-needed regimens for visual improvement in patients with diabetic macular edema using a modelling approach. Contemporary Clinical Trials, 2019, 80, 34-39.	1.8	1
22	Brolucizumab 12- and 16-week fixed dosing potential in neovascular AMD: a post-hoc evaluation of data from the HAWK and HARRIER trials. Ophthalmologica, 2022, , .	1.9	0