

# Tanya K Ronson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5706220/publications.pdf>

Version: 2024-02-01

119  
papers

7,270  
citations

41258

49  
h-index

64668

79  
g-index

136  
all docs

136  
docs citations

136  
times ranked

4790  
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional Capsules via Subcomponent Self-Assembly. <i>Accounts of Chemical Research</i> , 2018, 51, 2423-2436.	7.6	380
2	Fast spin-flip enables efficient and stable organic electroluminescence from charge-transfer states. <i>Nature Photonics</i> , 2020, 14, 636-642.	15.6	331
3	Metal-organic container molecules through subcomponent self-assembly. <i>Chemical Communications</i> , 2013, 49, 2476.	2.2	294
4	Design and Applications of Water-Soluble Coordination Cages. <i>Chemical Reviews</i> , 2020, 120, 13480-13544.	23.0	291
5	Metal-organic cages for molecular separations. <i>Nature Reviews Chemistry</i> , 2021, 5, 168-182.	13.8	227
6	Two-stage directed self-assembly of a cyclic [3]catenane. <i>Nature Chemistry</i> , 2015, 7, 354-358.	6.6	175
7	Separation and Selective Formation of Fullerene Adducts within an $M_{12}L_8$ Cage. <i>Journal of the American Chemical Society</i> , 2017, 139, 75-78.	6.6	140
8	Luminescent PtII(bipyridyl)(diacetylide) Chromophores with Pendant Binding Sites as Energy Donors for Sensitized Near-Infrared Emission from Lanthanides: Structures and Photophysics of PtII/LnIII Assemblies. <i>Chemistry - A European Journal</i> , 2006, 12, 9299-9313.	1.7	134
9	Stellated polyhedral assembly of a topologically complicated $Pd_4L_4$ Solomon cube™. <i>Nature Chemistry</i> , 2009, 1, 212-216.	6.6	134
10	Ligand Aspect Ratio as a Decisive Factor for the Self-Assembly of Coordination Cages. <i>Journal of the American Chemical Society</i> , 2016, 138, 2046-2054.	6.6	133
11	Star-Burst Prisms with Cyclotrimeratrylene-Type Ligands: A $[Pd_6L_8]_{12}$ Stella Octangular Structure. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 9086-9088.	7.2	124
12	An antiaromatic-walled nanospace. <i>Nature</i> , 2019, 574, 511-515.	13.7	122
13	Selective Anion Extraction and Recovery Using a $Fe_{12}L_4$ Cage. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3717-3721.	7.2	117
14	Design Principles for the Optimization of Guest Binding in Aromatic-Paneled $Fe_{12}L_6$ Cages. <i>Journal of the American Chemical Society</i> , 2017, 139, 9698-9707.	6.6	107
15	Guest-Induced Transformation of a Porphyrin-Edged $Fe_{12}L_6$ Capsule into a $Cu_{12}Fe_2L_4$ Fullerene Receptor. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3988-3992.	7.2	104
16	Pyrene-Edged $Fe_{12}L_6$ Cages Adaptively Reconfigure During Guest Binding. <i>Journal of the American Chemical Society</i> , 2014, 136, 15615-15624.	6.6	98
17	High-Fidelity Stereochemical Memory in a $Fe_{12}L_4$ Tetrahedral Capsule. <i>Journal of the American Chemical Society</i> , 2013, 135, 17999-18006.	6.6	95
18	Anion Binding in Water Drives Structural Adaptation in an Azaphosphatrane-Functionalized $Fe_{12}L_4$ Tetrahedron. <i>Journal of the American Chemical Society</i> , 2017, 139, 6574-6577.	6.6	94

#	ARTICLE	IF	CITATIONS
19	Signal transduction in a covalent post-assembly modification cascade. <i>Nature Chemistry</i> , 2017, 9, 1276-1281.	6.6	88
20	Selective Encapsulation and Sequential Release of Guests Within a Self-Sorting Mixture of Three Tetrahedral Cages. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 4556-4560.	7.2	86
21	Cation- and Anion-Exchanges Induce Multiple Distinct Rearrangements within Metallosupramolecular Architectures. <i>Journal of the American Chemical Society</i> , 2014, 136, 9491-9498.	6.6	86
22	Solvent Effects upon Guest Binding and Dynamics of a Fe <sup>II</sup> <sub>4</sub> L <sub>4</sub> Cage. <i>Journal of the American Chemical Society</i> , 2014, 136, 14545-14553.	6.6	83
23	Enantiopure [Cs <sup>+</sup> /Xe <sup>+</sup> , Cryptophane] <sup>+</sup> Fe <sup>II</sup> <sub>4</sub> L <sub>4</sub> Hierarchical Superstructures. <i>Journal of the American Chemical Society</i> , 2019, 141, 8339-8345.	6.6	83
24	Luminescent complexes of Re(i) and Ru(ii) with appended macrocycle groups derived from 5,6-dihydroxyphenanthroline: cation and anion binding. <i>Dalton Transactions</i> , 2005, , 528.	1.6	82
25	An Octanuclear Metallosupramolecular Cage Designed To Exhibit Spin-Crossover Behavior. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4930-4935.	7.2	80
26	A Self-Assembled [Fe <sup>II</sup> <sub>12</sub> L <sub>12</sub> ] Capsule with an Icosahedral Framework. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 9027-9030.	7.2	78
27	Post-assembly Modification of Tetrazine-Edged Fe <sup>II</sup> <sub>4</sub> L <sub>6</sub> Tetrahedra. <i>Journal of the American Chemical Society</i> , 2015, 137, 10068-10071.	6.6	75
28	Designed Enclosure Enables Guest Binding Within the 4200 Å <sup>3</sup> Cavity of a Self-Assembled Cube. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 5636-5640.	7.2	75
29	Peripheral Templatation Generates an M <sup>II</sup> <sub>6</sub> L <sub>4</sub> Guest-Binding Capsule. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7958-7962.	7.2	75
30	Post-assembly Modification of Kinetically Metastable Fe <sup>II</sup> <sub>2</sub> L <sub>3</sub> Triple Helicates. <i>Journal of the American Chemical Society</i> , 2014, 136, 8201-8204.	6.6	74
31	Temperature Controls Guest Uptake and Release from Zn <sub>4</sub> L <sub>4</sub> Tetrahedra. <i>Journal of the American Chemical Society</i> , 2019, 141, 14534-14538.	6.6	74
32	Size-Selective Encapsulation of Hydrophobic Guests by Self-Assembled M <sub>4</sub> L <sub>6</sub> Cobalt and Nickel Cages. <i>Chemistry - A European Journal</i> , 2013, 19, 3374-3382.	1.7	73
33	Blockable Zn <sub>10</sub> L <sub>15</sub> Ion Channels through Subcomponent Self-Assembly. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 15388-15392.	7.2	73
34	Selective Separation of Polyaromatic Hydrocarbons by Phase Transfer of Coordination Cages. <i>Journal of the American Chemical Society</i> , 2019, 141, 18949-18953.	6.6	70
35	Bidirectional Regulation of Halide Binding in a Heterometallic Supramolecular Cube. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13439-13443.	7.2	69
36	M <sub>3</sub> L <sub>2</sub> metallo-cryptophanes: [2]catenane and simple cages. <i>Chemical Communications</i> , 2011, 47, 6560.	2.2	68

#	ARTICLE	IF	CITATIONS
37	Stacking Interactions Drive Selective Self-Assembly and Self-Sorting of Pyrene-Based M <sup>II</sup> <sub>4</sub> L <sub>6</sub> Architectures. <i>Journal of the American Chemical Society</i> , 2015, 137, 14502-14512.	6.6	67
38	Catenation and encapsulation induce distinct reconstitutions within a dynamic library of mixed-ligand Zn <sub>4</sub> L <sub>6</sub> cages. <i>Chemical Science</i> , 2016, 7, 2614-2620.	3.7	67
39	Tuning the Redox Properties of Fullerene Clusters within a Metal-Organic Capsule. <i>Journal of the American Chemical Society</i> , 2017, 139, 11008-11011.	6.6	67
40	Sequence-Dependent Guest Release Triggered by Orthogonal Chemical Signals. <i>Journal of the American Chemical Society</i> , 2016, 138, 2342-2351.	6.6	65
41	Pathway-Dependent Post-assembly Modification of an Anthracene-Edged M <sup>II</sup> <sub>4</sub> L <sub>6</sub> Tetrahedron. <i>Journal of the American Chemical Society</i> , 2016, 138, 10417-10420.	6.6	64
42	Transformations within a Network of Cadmium Architectures. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1017-1021.	7.2	63
43	An <i>S</i> <sub>10</sub> -Symmetric 5-Fold Interlocked [2]Catenane. <i>Journal of the American Chemical Society</i> , 2020, 142, 10267-10272.	6.6	60
44	Perfluorinated Ligands Induce Meridional Metal Stereochemistry to Generate M8L12, M10L15, and M12L18 Prisms. <i>Journal of the American Chemical Society</i> , 2016, 138, 6813-6821.	6.6	58
45	Symmetry breaking in self-assembled M4L6 cage complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10531-10535.	3.3	57
46	Covalent Post-assembly Modification Triggers Multiple Structural Transformations of a Tetrazine-Edged Fe <sub>4</sub> L <sub>6</sub> Tetrahedron. <i>Journal of the American Chemical Society</i> , 2018, 140, 9616-9623.	6.6	56
47	Polynuclear lanthanide complexes of a series of bridging ligands containing two tridentate N,N <sup>±</sup> ,O-donor units: structures and luminescence properties. <i>Dalton Transactions</i> , 2007, , 1006-1022.	1.6	54
48	Subcomponent Flexibility Enables Conversion between <i>D</i> <sub>4</sub> -Symmetric Cd <sup>II</sup> <sub>8</sub> L <sub>8</sub> and <i>T</i> -Symmetric Cd <sup>II</sup> <sub>4</sub> L <sub>4</sub> Assemblies. <i>Journal of the American Chemical Society</i> , 2016, 138, 1812-1815.	6.6	54
49	Metal and Organic Templates Together Control the Size of Covalent Macrocycles and Cages. <i>Journal of the American Chemical Society</i> , 2019, 141, 12147-12158.	6.6	54
50	Waterproof architectures through subcomponent self-assembly. <i>Chemical Science</i> , 2019, 10, 2006-2018.	3.7	54
51	Transformation networks of metal-organic cages controlled by chemical stimuli. <i>Chemical Society Reviews</i> , 2022, 51, 5101-5135.	18.7	50
52	The Dimeric <i>Hand</i> - <i>Shake</i> Motif in Complexes and Metallo-Supramolecular Assemblies of Cyclotrivenatrylene-Based Ligands. <i>Chemistry - A European Journal</i> , 2008, 14, 10286-10296.	1.7	49
53	A Cavity-Tailored Metal-Organic Cage Entraps Gases Selectively in Solution and the Amorphous Solid State. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11789-11792.	7.2	49
54	Controlling the shape and chirality of an eight-crossing molecular knot. <i>CheM</i> , 2021, 7, 1534-1543.	5.8	49

#	ARTICLE	IF	CITATIONS
55	Palladium-templated Subcomponent Self-assembly of Macrocycles, Catenanes, and Rotaxanes. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10701-10705.	7.2	48
56	Chain-Reaction Anion Exchange between Metal-Organic Cages. <i>Journal of the American Chemical Society</i> , 2013, 135, 5678-5684.	6.6	47
57	Improved Acid Resistance of a Metal-Organic Cage Enables Cargo Release and Exchange between Hosts. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 7435-7438.	7.2	47
58	Transformation Network Culminating in a Heteroleptic Cd <sub>6</sub> L <sub>6</sub> Λ <sup>2</sup> <sub>2</sub> Twisted Trigonal Prism. <i>Journal of the American Chemical Society</i> , 2020, 142, 9152-9157.	6.6	47
59	Bis-bidentate bridging ligands containing two N,O-chelating pyrazolyl-phenolate units; double helical complexes with Co(II), Cu(II) and Zn(II). <i>Inorganica Chimica Acta</i> , 2005, 358, 1943-1954.	1.2	46
60	Selective Anion Extraction and Recovery Using a Fe <sup>II</sup> <sub>4</sub> L <sub>4</sub> Cage. <i>Angewandte Chemie</i> , 2018, 130, 3779-3783.	1.6	45
61	Post-assembly Modification of Phosphine Cages Controls Host-Guest Behavior. <i>Journal of the American Chemical Society</i> , 2019, 141, 6837-6842.	6.6	45
62	Bow-tie metallo-cryptophanes from a carboxylate derived cavitand. <i>Chemical Communications</i> , 2011, 47, 176-178.	2.2	44
63	Chemical Signals Turn On Guest Binding through Structural Reconfiguration of Triangular Helicates. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 11273-11277.	7.2	44
64	Infrared Spectroscopic Study of Calcium and Phosphate Ion Coadsorption and of Brushite Crystallization on TiO <sub>2</sub> . <i>Langmuir</i> , 2002, 18, 5019-5022.	1.6	42
65	Cooperative Loading and Release Behavior of a Metal-Organic Receptor. <i>Journal of the American Chemical Society</i> , 2015, 137, 1770-1773.	6.6	41
66	Empirical and Theoretical Insights into the Structural Features and Host-Guest Chemistry of M <sub>8</sub> L <sub>4</sub> Tube Architectures. <i>Journal of the American Chemical Society</i> , 2014, 136, 3972-3980.	6.6	40
67	Subtle Ligand Modification Inverts Guest Binding Hierarchy in M <sup>II</sup> <sub>8</sub> L <sub>6</sub> Supramolecular Cubes. <i>Journal of the American Chemical Society</i> , 2016, 138, 7264-7267.	6.6	39
68	Dynamic optimization of guest binding in a library of diastereomeric heteroleptic coordination cages. <i>CheM</i> , 2022, 8, 557-568.	5.8	39
69	Tripodal 4-Pyridyl-Derived Host Ligands and Their Metallo-Supramolecular Chemistry: Stella Octangula and Bowl-Shaped Assemblies. <i>Inorganic Chemistry</i> , 2010, 49, 675-685.	1.9	38
70	Reversible reduction drives anion ejection and C <sub>60</sub> binding within an Fe <sub>4</sub> L <sub>6</sub> cage. <i>Chemical Science</i> , 2020, 11, 1097-1101.	3.7	38
71	Glucose Binding Drives Reconfiguration of a Dynamic Library of Urea-Containing Metal-Organic Assemblies. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 4485-4490.	7.2	38
72	La <sup>III</sup> and Zn <sup>II</sup> Cooperatively Template a Metal-Organic Capsule. <i>Journal of the American Chemical Society</i> , 2020, 142, 19856-19861.	6.6	37

#	ARTICLE	IF	CITATIONS
73	Coordination Cages Selectively Transport Molecular Cargoes Across Liquid Membranes. <i>Journal of the American Chemical Society</i> , 2021, 143, 12175-12180.	6.6	36
74	Extended 36 and 63 arrays of capsule motifs using ligand tris{4-(3-pyridyl)phenylester}cyclotriguiacylene. <i>CrystEngComm</i> , 2008, 10, 1731.	1.3	35
75	Sterics and Hydrogen Bonding Control Stereochemistry and Self-Sorting in BINOL-Based Assemblies. <i>Journal of the American Chemical Society</i> , 2021, 143, 9009-9015.	6.6	35
76	Anion Pairs Template a Trigonal Prism with Disilver Vertices. <i>Journal of the American Chemical Society</i> , 2019, 141, 11409-11413.	6.6	33
77	Mixed ligand helicates and mesocates. <i>New Journal of Chemistry</i> , 2006, 30, 26-28.	1.4	32
78	Predicting paramagnetic <sup>1</sup> H NMR chemical shifts and state-energy separations in spin-crossover host-guest systems. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 10620-10628.	1.3	32
79	Redox-Adaptable Copper Hosts. Pyridazine-Linked Cryptands Accommodate Copper in a Range of Redox States. <i>Inorganic Chemistry</i> , 2003, 42, 2764-2773.	1.9	30
80	Carbon Dioxide Fixation and Sulfate Sequestration by a Supramolecular Trigonal Bipyramid. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 11122-11127.	7.2	30
81	Selective Anion Binding Drives the Formation of Ag <sup>+</sup> <sub>8</sub> L <sub>6</sub> and Ag <sup>+</sup> <sub>12</sub> L <sub>6</sub> Six-Stranded Helicates. <i>Journal of the American Chemical Society</i> , 2021, 143, 664-670.	6.6	29
82	Copper coordination polymers from cavitand ligands: hierarchical spaces from cage and capsule motifs, and other topologies. <i>Chemical Science</i> , 2015, 6, 5779-5792.	3.7	28
83	Solvent Drives Switching between $\lambda$ and $\mu$ Metal Center Stereochemistry of M <sub>8</sub> L <sub>6</sub> Cubic Cages. <i>Journal of the American Chemical Society</i> , 2022, 144, 6136-6142.	6.6	27
84	Multiple $\mu$ -Porphyrin Functionalized Hexabenzocoronenes. <i>Chemistry - A European Journal</i> , 2019, 25, 15083-15090.	1.7	25
85	Peripheral Templatation Generates an M <sub>6</sub> L <sub>4</sub> Guest Binding Capsule. <i>Angewandte Chemie</i> , 2016, 128, 8090-8094.	1.6	24
86	A curved host and second guest cooperatively inhibit the dynamic motion of corannulene. <i>Nature Communications</i> , 2021, 12, 4079.	5.8	24
87	Different Modes of Anion Response Cause Circulatory Phase Transfer of a Coordination Cage with Controlled Directionality. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 12497-12501.	7.2	23
88	Templatation and Concentration Drive Conversion Between a Fe <sub>12</sub> L <sub>12</sub> Pseudoicosahedron, a Fe <sub>4</sub> L <sub>4</sub> Tetrahedron, and a Fe <sub>2</sub> L <sub>3</sub> Helicate. <i>Journal of the American Chemical Society</i> , 2022, 144, 1106-1112.	6.6	21
89	Mutual stabilisation between M <sub>4</sub> L <sub>6</sub> tetrahedra and M <sub>4</sub> X <sub>4</sub> <sup>2+</sup> metallate guests. <i>Chemical Science</i> , 2015, 6, 3533-3537.	3.7	20
90	Ein achtkerniger metallosupramolekularer W $\frac{1}{4}$ rfel mit Spin-Crossover-Eigenschaften. <i>Angewandte Chemie</i> , 2017, 129, 5012-5017.	1.6	19

#	ARTICLE	IF	CITATIONS
91	Controlled Access to Mixed-Metal Pyridazine-Linked Cryptates. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2570-2584.	1.0	18
92	New coordination polymers with extended arm cyclotriguaiacyclene ligands: 1D chains, and interpenetrating or polycatenating 2D (42.62)(4.62) <sub>2</sub> networks. <i>Dalton Transactions</i> , 2011, 40, 12217.	1.6	17
93	Blockable Zn <sub>10</sub> L <sub>15</sub> Ion Channels through Subcomponent Self-Assembly. <i>Angewandte Chemie</i> , 2017, 129, 15590-15594.	1.6	17
94	Twisted rectangular subunits self-assemble into a ferritin-like capsule. <i>CheM</i> , 2022, 8, 1099-1106.	5.8	17
95	Selective <i>Endo</i> and <i>Exo</i> Binding of Mono- and Ditopic Ligands to a Rhomboidal Diporphyrin Prism. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7539-7543.	7.2	15
96	AuCl-bound N-heterocyclic carbene ligands form MII <sub>4</sub> (LAuCl) <sub>6</sub> integrally gilded cages. <i>Chemical Science</i> , 2015, 6, 7326-7331.	3.7	15
97	Hierarchical Self-Assembly of Adhesive and Conductive Gels with Anion-Coordinated Triple Helicate Junctions. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	15
98	Mononuclear and Polynuclear Chain Complexes of a Series of Multinucleating N/S Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 4533-4549.	1.0	14
99	Lanthanide coordination polymers with pyridyl-N-oxide or carboxylate functionalised host ligands. <i>CrystEngComm</i> , 2014, 16, 3688-3693.	1.3	14
100	Glucose Binding Drives Reconfiguration of a Dynamic Library of Urea-Containing Metal-Organic Assemblies. <i>Angewandte Chemie</i> , 2021, 133, 4535-4540.	1.6	14
101	Metallo-cryptophane cages from <i>cis</i> -linked and <i>trans</i> -linked strategies. <i>Supramolecular Chemistry</i> , 2018, 30, 255-266.	1.5	12
102	A family of diastereomeric dodecanuclear coordination cages based on inversion of chirality of individual triangular cyclic helicate faces. <i>Chemical Science</i> , 2020, 11, 10167-10174.	3.7	12
103	Incorporation of a Phosphino(pyridine) Subcomponent Enables the Formation of Cages with Homobimetallic and Heterobimetallic Vertices. <i>Journal of the American Chemical Society</i> , 2022, 144, 8467-8473.	6.6	12
104	Improved Acid Resistance of a Metal-Organic Cage Enables Cargo Release and Exchange between Hosts. <i>Angewandte Chemie</i> , 2020, 132, 7505-7508.	1.6	11
105	Anion-Coordination-Driven Assembly of Anionic Hexagonal and Square Architectures and the Structural Interconversion. <i>CCS Chemistry</i> , 2022, 4, 2043-2052.	4.6	11
106	A Tris(3-pyridyl)stannane as a Building Block for Heterobimetallic Coordination Polymers and Supramolecular Cages. <i>Chemistry - A European Journal</i> , 2019, 25, 14003-14009.	1.7	10
107	A Cavity-Tailored Metal-Organic Cage Entraps Gases Selectively in Solution and the Amorphous Solid State. <i>Angewandte Chemie</i> , 2021, 133, 11895-11898.	1.6	9
108	Synthesis and structures of cadmium(II) complexes of a series of multinucleating N/S donor ligands. <i>Polyhedron</i> , 2007, 26, 2777-2785.	1.0	6

#	ARTICLE	IF	CITATIONS
109	Post-Assembly Reactivity of N-Aryl Iminoboronates: Reversible Radical Coupling and Unusual B <sup>III</sup> -N Dynamic Covalent Chemistry. <i>Chemistry - A European Journal</i> , 2018, 24, 12000-12005.	1.7	6
110	Coordination chemistry of a tris-bidentate bridging ligand: a 2-D coordination network and a T-symmetry hexanuclear coordination cage. <i>CrystEngComm</i> , 2006, 8, 497.	1.3	5
111	Dual stimuli-induced formation of a $\mu_4$ -hydroxido bridged [Zn <sub>9</sub> L <sub>5</sub> ( $\mu_4$ -OH) <sub>6</sub> ] <sup>12+</sup> half-pipe. <i>Chemical Science</i> , 2016, 7, 1702-1706.	3.7	5
112	Different Modes of Anion Response Cause Circulatory Phase Transfer of a Coordination Cage with Controlled Directionality. <i>Angewandte Chemie</i> , 2019, 131, 12627-12631.	1.6	5
113	Hierarchical Self-Assembly of Adhesive and Conductive Gels with Anion-Coordinated Triple Helicate Junctions. <i>Angewandte Chemie</i> , 0, , .	1.6	5
114	Reactions of Cp <sub>2</sub> M (M = Ni, V) with dilithium diamido-aryl reagents; retention and oxidation of the transition metal ions. <i>Dalton Transactions</i> , 2013, 42, 13923.	1.6	4
115	Trigonal (-3) symmetry octahedral lanthanide(III) complexes of zwitterionic tripodal ligands: luminescence and magnetism. <i>Supramolecular Chemistry</i> , 2016, 28, 125-140.	1.5	2
116	Frontispiece: An Octanuclear Metallosupramolecular Cage Designed To Exhibit Spin-Crossover Behavior. <i>Angewandte Chemie - International Edition</i> , 2017, 56, .	7.2	1
117	Innentitelbild: Peripheral Templatation Generates an M <sub>6</sub> L <sub>4</sub> Guest-Binding Capsule ( <i>Angew. Chem.</i> 28/2016). <i>Angewandte Chemie</i> , 2016, 128, 7996-7996.	1.6	0
118	Frontispiz: Ein achtkerniger metallosupramolekularer Warfel mit Spin-Crossover-Eigenschaften. <i>Angewandte Chemie</i> , 2017, 129, .	1.6	0
119	Innenraktitelbild: Hierarchical Self-Assembly of Adhesive and Conductive Gels with Anion-Coordinated Triple Helicate Junctions ( <i>Angew. Chem.</i> 22/2022). <i>Angewandte Chemie</i> , 2022, 134, .	1.6	0