Tanya K Ronson

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5706220/tanya-k-ronson-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 121
 5,061
 44
 66

 papers
 citations
 h-index
 g-index

 136
 6,253
 12.1
 6.26

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
121	Dynamic optimization of guest binding in a library of diastereomeric heteroleptic coordination cages. <i>CheM</i> , 2022 , 8, 557-568	16.2	1
120	Selective Anion Binding Drives the Formation of AgL and AgL Six-Stranded Helicates. <i>Journal of the American Chemical Society</i> , 2021 , 143, 664-670	16.4	9
119	A Cavity-Tailored Metal-Organic Cage Entraps Gases Selectively in Solution and the Amorphous Solid State. <i>Angewandte Chemie</i> , 2021 , 133, 11895-11898	3.6	2
118	A Cavity-Tailored Metal-Organic Cage Entraps Gases Selectively in Solution and the Amorphous Solid State. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 11789-11792	16.4	16
117	Controlling the shape and chirality of an eight-crossing molecular knot. <i>CheM</i> , 2021 , 7, 1534-1543	16.2	12
116	Sterics and Hydrogen Bonding Control Stereochemistry and Self-Sorting in BINOL-Based Assemblies. <i>Journal of the American Chemical Society</i> , 2021 , 143, 9009-9015	16.4	9
115	A curved host and second guest cooperatively inhibit the dynamic motion of corannulene. <i>Nature Communications</i> , 2021 , 12, 4079	17.4	8
114	Glucose Binding Drives Reconfiguration of a Dynamic Library of Urea-Containing Metal-Organic Assemblies. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 4485-4490	16.4	13
113	Glucose Binding Drives Reconfiguration of a Dynamic Library of Urea-Containing Metal®rganic Assemblies. <i>Angewandte Chemie</i> , 2021 , 133, 4535-4540	3.6	6
112	Coordination Cages Selectively Transport Molecular Cargoes Across Liquid Membranes. <i>Journal of the American Chemical Society</i> , 2021 , 143, 12175-12180	16.4	4
111	MetalBrganic cages for molecular separations. <i>Nature Reviews Chemistry</i> , 2021 , 5, 168-182	34.6	58
110	An -Symmetric 5-Fold Interlocked [2]Catenane. <i>Journal of the American Chemical Society</i> , 2020 , 142, 102	2675.140	2 <i>7</i> 27
109	Improved Acid Resistance of a Metal-Organic Cage Enables Cargo Release and Exchange between Hosts. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 7435-7438	16.4	21
108	Improved Acid Resistance of a MetalDrganic Cage Enables Cargo Release and Exchange between Hosts. <i>Angewandte Chemie</i> , 2020 , 132, 7505-7508	3.6	7
107	Transformation Network Culminating in a Heteroleptic CdLLRTwisted Trigonal Prism. <i>Journal of the American Chemical Society</i> , 2020 , 142, 9152-9157	16.4	21
106	Design and Applications of Water-Soluble Coordination Cages. <i>Chemical Reviews</i> , 2020 , 120, 13480-135	4 4 8.1	90
105	La and Zn Cooperatively Template a Metal-Organic Capsule. <i>Journal of the American Chemical Society</i> , 2020 , 142, 19856-19861	16.4	13

(2018-2020)

104	Fast spin-flip enables efficient and stable organic electroluminescence from charge-transfer states. <i>Nature Photonics</i> , 2020 , 14, 636-642	33.9	154
103	A family of diastereomeric dodecanuclear coordination cages based on inversion of chirality of individual triangular cyclic helicate faces. <i>Chemical Science</i> , 2020 , 11, 10167-10174	9.4	3
102	Temperature Controls Guest Uptake and Release from ZnL Tetrahedra. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14534-14538	16.4	29
101	Waterproof architectures through subcomponent self-assembly. <i>Chemical Science</i> , 2019 , 10, 2006-2018	9.4	35
100	Enantiopure [Cs/Xe?Cryptophane]?FeL Hierarchical Superstructures. <i>Journal of the American Chemical Society</i> , 2019 , 141, 8339-8345	16.4	52
99	Post-assembly Modification of Phosphine Cages Controls Host-Guest Behavior. <i>Journal of the American Chemical Society</i> , 2019 , 141, 6837-6842	16.4	31
98	Multiple-Porphyrin Functionalized Hexabenzocoronenes. <i>Chemistry - A European Journal</i> , 2019 , 25, 1508	3 3- 850	90 6
97	Different Modes of Anion Response Cause Circulatory Phase Transfer of a Coordination Cage with Controlled Directionality. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 12497-12501	16.4	16
96	Anion Pairs Template a Trigonal Prism with Disilver Vertices. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11409-11413	16.4	18
95	Metal and Organic Templates Together Control the Size of Covalent Macrocycles and Cages. Journal of the American Chemical Society, 2019 , 141, 12147-12158	16.4	31
94	Different Modes of Anion Response Cause Circulatory Phase Transfer of a Coordination Cage with Controlled Directionality. <i>Angewandte Chemie</i> , 2019 , 131, 12627-12631	3.6	5
93	A Tris(3-pyridyl)stannane as a Building Block for Heterobimetallic Coordination Polymers and Supramolecular Cages. <i>Chemistry - A European Journal</i> , 2019 , 25, 14003-14009	4.8	8
92	Reversible reduction drives anion ejection and C binding within an Fe L cage. <i>Chemical Science</i> , 2019 , 11, 1097-1101	9.4	21
91	Selective Separation of Polyaromatic Hydrocarbons by Phase Transfer of Coordination Cages. Journal of the American Chemical Society, 2019 , 141, 18949-18953	16.4	36
90	An antiaromatic-walled nanospace. <i>Nature</i> , 2019 , 574, 511-515	50.4	63
89	Selective Anion Extraction and Recovery Using a Fe L Cage. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3717-3721	16.4	83
88	Selective Anion Extraction and Recovery Using a Fell4L4 Cage. <i>Angewandte Chemie</i> , 2018 , 130, 3779-378	33 .6	31
87	Metallo-cryptophane cages from cis-linked and trans-linked strategies. <i>Supramolecular Chemistry</i> , 2018 , 30, 255-266	1.8	10

86	Covalent Post-assembly Modification Triggers Multiple Structural Transformations of a Tetrazine-Edged FeL Tetrahedron. <i>Journal of the American Chemical Society</i> , 2018 , 140, 9616-9623	16.4	45
85	Functional Capsules via Subcomponent Self-Assembly. <i>Accounts of Chemical Research</i> , 2018 , 51, 2423-2	436 .3	248
84	Post-Assembly Reactivity of N-Aryl Iminoboronates: Reversible Radical Coupling and Unusual B-N Dynamic Covalent Chemistry. <i>Chemistry - A European Journal</i> , 2018 , 24, 12000-12005	4.8	4
83	Ein achtkerniger metallosupramolekularer WEfel mit Spin-Crossover-Eigenschaften. <i>Angewandte Chemie</i> , 2017 , 129, 5012-5017	3.6	13
82	Frontispiece: An Octanuclear Metallosupramolecular Cage Designed To Exhibit Spin-Crossover Behavior. <i>Angewandte Chemie - International Edition</i> , 2017 , 56,	16.4	1
81	Anion Binding in Water Drives Structural Adaptation in an Azaphosphatrane-Functionalized FeL Tetrahedron. <i>Journal of the American Chemical Society</i> , 2017 , 139, 6574-6577	16.4	70
80	Design Principles for the Optimization of Guest Binding in Aromatic-Paneled FeL Cages. <i>Journal of the American Chemical Society</i> , 2017 , 139, 9698-9707	16.4	82
79	An Octanuclear Metallosupramolecular Cage Designed To Exhibit Spin-Crossover Behavior. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 4930-4935	16.4	59
78	Separation and Selective Formation of Fullerene Adducts within an M(II)(8)L(6) Cage. <i>Journal of the American Chemical Society</i> , 2017 , 139, 75-78	16.4	97
77	Blockable Zn L Ion Channels through Subcomponent Self-Assembly. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 15388-15392	16.4	43
76	Signal transduction in a covalent post-assembly modification cascade. <i>Nature Chemistry</i> , 2017 , 9, 1276-	1 28 16	74
75	Tuning the Redox Properties of Fullerene Clusters within a Metal-Organic Capsule. <i>Journal of the American Chemical Society</i> , 2017 , 139, 11008-11011	16.4	47
74	Blockable Zn10L15 Ion Channels through Subcomponent Self-Assembly. <i>Angewandte Chemie</i> , 2017 , 129, 15590-15594	3.6	12
73	Peripheral Templation Generates an M(II) 6 L4 Guest-Binding Capsule. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7958-62	16.4	59
72	Catenation and encapsulation induce distinct reconstitutions within a dynamic library of mixed-ligand ZnL cages. <i>Chemical Science</i> , 2016 , 7, 2614-2620	9.4	59
71	Subcomponent Flexibility Enables Conversion between D4-Symmetric Cd(II)8L8 and T-Symmetric Cd(II)4L4 Assemblies. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1812-5	16.4	42
70	Ligand Aspect Ratio as a Decisive Factor for the Self-Assembly of Coordination Cages. <i>Journal of the American Chemical Society</i> , 2016 , 138, 2046-54	16.4	103
69	Sequence-Dependent Guest Release Triggered by Orthogonal Chemical Signals. <i>Journal of the American Chemical Society</i> , 2016 , 138, 2342-51	16.4	52

(2015-2016)

68	Trigonal (-3) symmetry octahedral lanthanide(III) complexes of zwitterionic tripodal ligands: luminescence and magnetism. <i>Supramolecular Chemistry</i> , 2016 , 28, 125-140	1.8	2
67	Dual stimuli-induced formation of a Ehydroxido bridged [ZnL(EDH)] half-pipe. <i>Chemical Science</i> , 2016 , 7, 1702-1706	9.4	4
66	Innentitelbild: Peripheral Templation Generates an MII6L4 Guest-Binding Capsule (Angew. Chem. 28/2016). <i>Angewandte Chemie</i> , 2016 , 128, 7996-7996	3.6	
65	Peripheral Templation Generates an MII6L4 Guest-Binding Capsule. <i>Angewandte Chemie</i> , 2016 , 128, 809	0 9:8 09	420
64	Subtle Ligand Modification Inverts Guest Binding Hierarchy in M(II)8L6 Supramolecular Cubes. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7264-7	16.4	33
63	Perfluorinated Ligands Induce Meridional Metal Stereochemistry to Generate M8L12, M10L15, and M12L18 Prisms. <i>Journal of the American Chemical Society</i> , 2016 , 138, 6813-21	16.4	49
62	Pathway-Dependent Post-assembly Modification of an Anthracene-Edged M(II)4L6 Tetrahedron. Journal of the American Chemical Society, 2016 , 138, 10417-20	16.4	49
61	Post-assembly Modification of Tetrazine-Edged Fe(II)4L6 Tetrahedra. <i>Journal of the American Chemical Society</i> , 2015 , 137, 10068-71	16.4	64
60	Copper coordination polymers from cavitand ligands: hierarchical spaces from cage and capsule motifs, and other topologies. <i>Chemical Science</i> , 2015 , 6, 5779-5792	9.4	25
59	Designed enclosure enables guest binding within the 4200 (B) cavity of a self-assembled cube. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 5636-40	16.4	67
58	Two-stage directed self-assembly of a cyclic [3]catenane. <i>Nature Chemistry</i> , 2015 , 7, 354-8	17.6	150
57	Selective endo and exo binding of mono- and ditopic ligands to a rhomboidal diporphyrin prism. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 7539-43	16.4	13
56	Mutual stabilisation between ML tetrahedra and MX metallate guests. Chemical Science, 2015, 6, 3533-3	35347	15
55	AuCl-bound -heterocyclic carbene ligands form MII4(LAuCl) integrally gilded cages. <i>Chemical Science</i> , 2015 , 6, 7326-7331	9.4	13
54	Stacking Interactions Drive Selective Self-Assembly and Self-Sorting of Pyrene-Based M(II)4L6 Architectures. <i>Journal of the American Chemical Society</i> , 2015 , 137, 14502-12	16.4	53
53	Innenr©ktitelbild: Designed Enclosure Enables Guest Binding Within the 4200 B Cavity of a Self-Assembled Cube (Angew. Chem. 19/2015). <i>Angewandte Chemie</i> , 2015 , 127, 5887-5887	3.6	
52	Carbon dioxide fixation and sulfate sequestration by a supramolecular trigonal bipyramid. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 11122-7	16.4	29
51	Selective Endo and Exo Binding of Mono- and Ditopic Ligands to a Rhomboidal Diporphyrin Prism. Angewandte Chemie, 2015, 127, 7649-7653	3.6	3

50	Guest-Induced Transformation of a Porphyrin-Edged FeII4L6 Capsule into a CuIFeII2L4 Fullerene Receptor. <i>Angewandte Chemie</i> , 2015 , 127, 4060-4064	3.6	23
49	Designed Enclosure Enables Guest Binding Within the 4200 B Cavity of a Self-Assembled Cube. <i>Angewandte Chemie</i> , 2015 , 127, 5728-5732	3.6	28
48	Carbon Dioxide Fixation and Sulfate Sequestration by a Supramolecular Trigonal Bipyramid. <i>Angewandte Chemie</i> , 2015 , 127, 11274-11279	3.6	6
47	Guest-induced transformation of a porphyrin-edged Fe(II)4L6 capsule into a Cu(I)Fe(II)2L4 fullerene receptor. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 3988-92	16.4	87
46	Cooperative loading and release behavior of a metal-organic receptor. <i>Journal of the American Chemical Society</i> , 2015 , 137, 1770-3	16.4	33
45	Selective encapsulation and sequential release of guests within a self-sorting mixture of three tetrahedral cages. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 4556-60	16.4	76
44	Pyrene-edged Fe(II)4L6 cages adaptively reconfigure during guest binding. <i>Journal of the American Chemical Society</i> , 2014 , 136, 15615-24	16.4	76
43	Predicting paramagnetic 1H NMR chemical shifts and state-energy separations in spin-crossover host-guest systems. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 10620-8	3.6	31
42	Cation- and anion-exchanges induce multiple distinct rearrangements within metallosupramolecular architectures. <i>Journal of the American Chemical Society</i> , 2014 , 136, 9491-8	16.4	76
41	Palladium-templated subcomponent self-assembly of macrocycles, catenanes, and rotaxanes. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 10701-5	16.4	42
40	Empirical and theoretical insights into the structural features and host-guest chemistry of M8L4 tube architectures. <i>Journal of the American Chemical Society</i> , 2014 , 136, 3972-80	16.4	28
39	Solvent effects upon guest binding and dynamics of a Fe(II)4L4 cage. <i>Journal of the American Chemical Society</i> , 2014 , 136, 14545-53	16.4	59
38	Post-assembly modification of kinetically metastable Fe(II)2L3 triple helicates. <i>Journal of the American Chemical Society</i> , 2014 , 136, 8201-4	16.4	59
37	Selective Encapsulation and Sequential Release of Guests Within a Self-Sorting Mixture of Three Tetrahedral Cages. <i>Angewandte Chemie</i> , 2014 , 126, 4644-4648	3.6	21
36	Palladium-Templated Subcomponent Self-Assembly of Macrocycles, Catenanes, and Rotaxanes. <i>Angewandte Chemie</i> , 2014 , 126, 10877-10881	3.6	12
35	Lanthanide coordination polymers with pyridyl-N-oxide or carboxylate functionalised host ligands. <i>CrystEngComm</i> , 2014 , 16, 3688-3693	3.3	14
34	Chemical signals turn on guest binding through structural reconfiguration of triangular helicates. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 11273-7	16.4	40
33	A self-assembled [Fe(II)12L12] capsule with an icosahedral framework. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 9027-30	16.4	65

(2008-2013)

32	High-fidelity stereochemical memory in a Fe(II)4L4 tetrahedral capsule. <i>Journal of the American Chemical Society</i> , 2013 , 135, 17999-8006	16.4	76
31	Reactions of Cp2M (M = Ni, V) with dilithium diamido-aryl reagents; retention and oxidation of the transition metal ions. <i>Dalton Transactions</i> , 2013 , 42, 13923-30	4.3	4
30	Metal-organic container molecules through subcomponent self-assembly. <i>Chemical Communications</i> , 2013 , 49, 2476-90	5.8	276
29	Transformations within a network of cadmium architectures. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 1017-21	16.4	62
28	Transformations within a Network of Cadmium Architectures. <i>Angewandte Chemie</i> , 2013 , 125, 1051-105	5 5 .6	24
27	Chain-reaction anion exchange between metal-organic cages. <i>Journal of the American Chemical Society</i> , 2013 , 135, 5678-84	16.4	42
26	Bidirectional regulation of halide binding in a heterometallic supramolecular cube. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 13439-43	16.4	58
25	Symmetry breaking in self-assembled M4L6 cage complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 10531-5	11.5	55
24	A Self-Assembled [FeII12L12] Capsule with an Icosahedral Framework. <i>Angewandte Chemie</i> , 2013 , 125, 9197-9200	3.6	21
23	Bidirectional Regulation of Halide Binding in a Heterometallic Supramolecular Cube. <i>Angewandte Chemie</i> , 2013 , 125, 13681-13685	3.6	13
22	Chemical Signals Turn On Guest Binding through Structural Reconfiguration of Triangular Helicates. <i>Angewandte Chemie</i> , 2013 , 125, 11483-11487	3.6	5
21	Size-selective encapsulation of hydrophobic guests by self-assembled M4L6 cobalt and nickel cages. <i>Chemistry - A European Journal</i> , 2013 , 19, 3374-82	4.8	66
20	New coordination polymers with extended arm cyclotriguaiacyclene ligands: 1D chains, and interpenetrating or polycatenating 2D (4(2).6(2))(4.6(2))2 networks. <i>Dalton Transactions</i> , 2011 , 40, 1221	1 27	15
19	M3L2 metallo-cryptophanes: [2]catenane and simple cages. <i>Chemical Communications</i> , 2011 , 47, 6560-2	5.8	66
18	Bow-tie metallo-cryptophanes from a carboxylate derived cavitand. <i>Chemical Communications</i> , 2011 , 47, 176-8	5.8	40
17	Tripodal 4-pyridyl-derived host ligands and their metallo-supramolecular chemistry: stella octangula and bowl-shaped assemblies. <i>Inorganic Chemistry</i> , 2010 , 49, 675-85	5.1	36
16	Stellated polyhedral assembly of a topologically complicated Pd4L4 ®olomon cube® <i>Nature Chemistry</i> , 2009 , 1, 212-6	17.6	114
15	Extended 36 and 63 arrays of capsule motifs using ligand tris{4-(3-pyridyl)phenylester}cyclotriguaiacylene. <i>CrystEngComm</i> , 2008 , 10, 1731	3.3	34

14	The dimeric "hand-shake" motif in complexes and metallo-supramolecular assemblies of cyclotriveratrylene-based ligands. <i>Chemistry - A European Journal</i> , 2008 , 14, 10286-96	4.8	47
13	Polynuclear lanthanide complexes of a series of bridging ligands containing two tridentate N,NRO-donor units: structures and luminescence properties. <i>Dalton Transactions</i> , 2007 , 1006-22	4.3	50
12	Star-burst prisms with cyclotriveratrylene-type ligands: a [Pd6L8]12+ stella octangular structure. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 9086-8	16.4	115
11	Synthesis and structures of cadmium(II) complexes of a series of multinucleating N/S donor ligands. <i>Polyhedron</i> , 2007 , 26, 2777-2785	2.7	5
10	Luminescent Pt(II)(bipyridyl)(diacetylide) chromophores with pendant binding sites as energy donors for sensitised near-infrared emission from lanthanides: structures and photophysics of Pt(II)/Ln(III) assemblies. <i>Chemistry - A European Journal</i> , 2006 , 12, 9299-313	4.8	130
9	Coordination chemistry of a tris-bidentate bridging ligand: a 2-D coordination network and a T-symmetry hexanuclear coordination cage. <i>CrystEngComm</i> , 2006 , 8, 497	3.3	5
8	Mixed ligand helicates and mesocates. New Journal of Chemistry, 2006, 30, 26-28	3.6	29
7	Luminescent complexes of Re(I) and Ru(II) with appended macrocycle groups derived from 5,6-dihydroxyphenanthroline: cation and anion binding. <i>Dalton Transactions</i> , 2005 , 528-36	4.3	78
6	Bis-bidentate bridging ligands containing two N,O-chelating pyrazolyl-phenolate units; double helical complexes with Co(II), Cu(II) and Zn(II). <i>Inorganica Chimica Acta</i> , 2005 , 358, 1943-1954	2.7	44
5	Mononuclear and Polynuclear Chain Complexes of a Series of Multinucleating N/S Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 4533-4549	2.3	13
4	Controlled Access to Mixed-Metal Pyridazine-Linked Cryptates. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 2570-2584	2.3	18
3	Redox-adaptable copper hosts. Pyridazine-linked cryptands accommodate copper in a range of redox States. <i>Inorganic Chemistry</i> , 2003 , 42, 2764-73	5.1	28
2	Infrared Spectroscopic Study of Calcium and Phosphate Ion Coadsorption and of Brushite Crystallization on TiO2. <i>Langmuir</i> , 2002 , 18, 5019-5022	4	39
1	Anion-Coordination-Driven Assembly of Anionic Hexagonal and Square Architectures and the Structural Interconversion. <i>CCS Chemistry</i> ,1990-1999	7.2	1