Jonathan D Power

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5708494/jonathan-d-power-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50	19,790	35	54
papers	citations	h-index	g-index
54	25,065 ext. citations	8.3	6.97
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
50	An effort-based social feedback paradigm reveals aversion to popularity in socially anxious participants and increased motivation in adolescents. <i>PLoS ONE</i> , 2021 , 16, e0249326	3.7	1
49	On measuring head motion and effects of head molds during fMRI. NeuroImage, 2021, 225, 117494	7.9	5
48	Remote Liaison to Families: a Psychiatric Response to Medical Care Gaps Created by Pandemic Surge Conditions in New York City. <i>Academic Psychiatry</i> , 2021 , 45, 619-622	1.1	О
47	A Critical, Event-Related Appraisal of Denoising in Resting-State fMRI Studies. <i>Cerebral Cortex</i> , 2020 , 30, 5544-5559	5.1	13
46	Resting-State fMRI: Preclinical Foundations 2020 , 47-63		Ο
45	Prevalent and sex-biased breathing patterns modify functional connectivity MRI in young adults. <i>Nature Communications</i> , 2020 , 11, 5290	17.4	9
44	Rapid Precision Functional Mapping of Individuals Using Multi-Echo fMRI. <i>Cell Reports</i> , 2020 , 33, 108540	0 10.6	32
43	Characteristics of respiratory measures in young adults scanned at rest, including systematic changes and "missed" deep breaths. <i>NeuroImage</i> , 2020 , 204, 116234	7.9	27
42	Distinctions among real and apparent respiratory motions in human fMRI data. <i>NeuroImage</i> , 2019 , 201, 116041	7.9	59
41	Reply to Spreng et al.: Multiecho fMRI denoising does not remove global motion-associated respiratory signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 19243-19244	11.5	7
40	Customized head molds reduce motion during resting state fMRI scans. <i>NeuroImage</i> , 2019 , 189, 141-14	9 7.9	44
39	Reward-related regions form a preferentially coupled system at rest. <i>Human Brain Mapping</i> , 2019 , 40, 361-376	5.9	15
38	Ridding fMRI data of motion-related influences: Removal of signals with distinct spatial and physical bases in multiecho data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E2105-E2114	11.5	163
37	Neural plasticity across the lifespan. Wiley Interdisciplinary Reviews: Developmental Biology, 2017, 6, e27	165.9	34
36	Benchmarking of participant-level confound regression strategies for the control of motion artifact in studies of functional connectivity. <i>Neurolmage</i> , 2017 , 154, 174-187	7.9	501
35	Neural correlates of preferred activities: development of an interest-specific go/nogo task. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1890-1901	4	3
34	Temporal interpolation alters motion in fMRI scans: Magnitudes and consequences for artifact detection. <i>PLoS ONE</i> , 2017 , 12, e0182939	3.7	43

(2013-2017)

33	Brain Network Theory Can Predict Whether Neuropsychological Outcomes Will Differ from Clinical Expectations. <i>Archives of Clinical Neuropsychology</i> , 2017 , 32, 40-52	2.7	7
32	On Global fMRI Signals and Simulations. <i>Trends in Cognitive Sciences</i> , 2017 , 21, 911-913	14	49
31	Sources and implications of whole-brain fMRI signals in humans. <i>NeuroImage</i> , 2017 , 146, 609-625	7.9	302
30	A simple but useful way to assess fMRI scan qualities. <i>NeuroImage</i> , 2017 , 154, 150-158	7.9	69
29	Evaluation of Denoising Strategies to Address Motion-Correlated Artifacts in Resting-State Functional Magnetic Resonance Imaging Data from the Human Connectome Project. <i>Brain Connectivity</i> , 2016 , 6, 669-680	2.7	153
28	Recent progress and outstanding issues in motion correction in resting state fMRI. <i>NeuroImage</i> , 2015 , 105, 536-51	7.9	652
27	Accurate age classification of 6 and 12 month-old infants based on resting-state functional connectivity magnetic resonance imaging data. <i>Developmental Cognitive Neuroscience</i> , 2015 , 12, 123-33	5.5	40
26	Developmental changes in the organization of functional connections between the basal ganglia and cerebral cortex. <i>Journal of Neuroscience</i> , 2014 , 34, 5842-54	6.6	66
25	Parcellating an individual subject's cortical and subcortical brain structures using snowball sampling of resting-state correlations. <i>Cerebral Cortex</i> , 2014 , 24, 2036-54	5.1	92
24	Studying brain organization via spontaneous fMRI signal. <i>Neuron</i> , 2014 , 84, 681-96	13.9	167
23	Intrinsic and task-evoked network architectures of the human brain. <i>Neuron</i> , 2014 , 83, 238-51	13.9	933
22	Network measures predict neuropsychological outcome after brain injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 14247-52	11.5	170
21	Statistical improvements in functional magnetic resonance imaging analyses produced by censoring high-motion data points. <i>Human Brain Mapping</i> , 2014 , 35, 1981-96	5.9	321
20	Methods to detect, characterize, and remove motion artifact in resting state fMRI. <i>NeuroImage</i> , 2014 , 84, 320-41	7.9	1793
19	Control-related systems in the human brain. Current Opinion in Neurobiology, 2013, 23, 223-8	7.6	222
18	Multi-task connectivity reveals flexible hubs for adaptive task control. <i>Nature Neuroscience</i> , 2013 , 16, 1348-55	25.5	982
17	Evidence for hubs in human functional brain networks. <i>Neuron</i> , 2013 , 79, 798-813	13.9	499
16	Functional network architecture of reading-related regions across development. <i>Brain and Language</i> , 2013 , 125, 231-43	2.9	53

15	Steps toward optimizing motion artifact removal in functional connectivity MRI; a reply to Carp. <i>NeuroImage</i> , 2013 , 76, 439-41	7.9	248
14	Resting-state fMRI in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 144-68	7.9	865
13	Resting state functional connectivity of the ventral attention network in children with a history of depression or anxiety. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 132	26-133	6.e5
12	Spurious but systematic correlations in functional connectivity MRI networks arise from subject motion. <i>NeuroImage</i> , 2012 , 59, 2142-54	7.9	4817
11	Parcellation in left lateral parietal cortex is similar in adults and children. <i>Cerebral Cortex</i> , 2012 , 22, 114	8 5 5£	30
10	Functional network organization of the human brain. <i>Neuron</i> , 2011 , 72, 665-78	13.9	2477
9	Modulation of the brain's functional network architecture in the transition from wake to sleep. <i>Progress in Brain Research</i> , 2011 , 193, 277-94	2.9	93
8	Identifying Basal Ganglia divisions in individuals using resting-state functional connectivity MRI. <i>Frontiers in Systems Neuroscience</i> , 2010 , 4, 18	3.5	95
7	Prediction of individual brain maturity using fMRI. Science, 2010, 329, 1358-61	33.3	1424
6	A parcellation scheme for human left lateral parietal cortex. <i>Neuron</i> , 2010 , 67, 156-70	13.9	297
5	The development of human functional brain networks. <i>Neuron</i> , 2010 , 67, 735-48	13.9	543
4	Development of the brain's functional network architecture. <i>Neuropsychology Review</i> , 2010 , 20, 362-75	7.7	94
3	Functional brain networks develop from a "local to distributed" organization. <i>PLoS Computational Biology</i> , 2009 , 5, e1000381	5	1040
2	Effects of adsorption to aluminum salt adjuvants on the structure and stability of model protein antigens. <i>Journal of Biological Chemistry</i> , 2005 , 280, 13406-14	5.4	141
1	Distinctions among real and apparent respiratory motions in human fMRI data		1