

Eric Croiset

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5709191/publications.pdf>

Version: 2024-02-01

151
papers

6,804
citations

61857

43
h-index

64668

79
g-index

152
all docs

152
docs citations

152
times ranked

6353
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Surface Properties of Nanostructured Ceria-Based Catalysts on Their Stability Performance. <i>Nanomaterials</i> , 2022, 12, 392.	1.9	5
2	New mechanistic insights into CO ₂ reduction in solid oxide electrolysis cell through a multi-scale modelling approach. <i>Journal of Power Sources</i> , 2021, 490, 229488.	4.0	12
3	Production of Carbon Neutral Methanol Using Co-Electrolysis of CO ₂ and Steam in Solid Oxide Electrolysis Cell in Tandem with Direct Air Capture. <i>ECS Transactions</i> , 2021, 103, 663-676.	0.3	0
4	Reducing sintering temperature while maintaining high conductivity for SOFC electrolyte: Copper as sintering aid for Samarium Doped Ceria. <i>Ceramics International</i> , 2020, 46, 1148-1157.	2.3	29
5	Techno-Economic Analysis of Pressurized Oxy-Fuel Combustion of Petroleum Coke. <i>Energies</i> , 2020, 13, 3463.	1.6	13
6	The Demonstration of the Superiority of the Dual Ni-Based Catalytic System for the Adjustment of the H ₂ /CO Ratio in Syngas for Green Fuel Technologies. <i>Catalysts</i> , 2020, 10, 1056.	1.6	4
7	A theoretical study on CO ₂ electrolysis through synergistic manipulation of Ni/Mn doping and oxygen vacancies in La(Sr)FeO ₃ . <i>Journal of Catalysis</i> , 2020, 383, 273-282.	3.1	25
8	Modeling study of the heat of absorption and solid precipitation for CO ₂ capture by chilled ammonia. <i>RSC Advances</i> , 2019, 9, 20075-20086.	1.7	3
9	Mechanistic study of site blocking catalytic deactivation through accelerated kinetic Monte Carlo. <i>Journal of Catalysis</i> , 2019, 378, 176-183.	3.1	6
10	Theoretical Investigation of CO ₂ Reduction at Ni/SDC and La(Sr)FeO _{3-δ} Cathodes in Solid Oxide Electrolysis Cells. <i>ECS Transactions</i> , 2019, 91, 2673-2682.	0.3	3
11	Reactive Fe-O-Ce Sites in Ceria Catalysts for Soot Oxidation. <i>Catalysts</i> , 2019, 9, 815.	1.6	12
12	Shrinkage Dynamics of Stainless Steel 430-L and Yttrium Stabilized Zirconia and Its Application in Co-Sintering for MS-SOFCs. <i>ECS Transactions</i> , 2019, 91, 921-929.	0.3	1
13	Real-Time Observation of Carbon Oxidation by Driven Motion of Catalytic Ceria Nanoparticles within Low Pressure Oxygen. <i>Scientific Reports</i> , 2019, 9, 8082.	1.6	4
14	Electrospun cellulose acetate nanofibers for airborne nanoparticle filtration. <i>Textile Research Journal</i> , 2019, 89, 3137-3149.	1.1	16
15	Numerical analysis of effects of iron pentacarbonyl as fuel additive for reducing NO and soot precursors from methane/air diffusion flame. <i>Fuel</i> , 2018, 216, 768-780.	3.4	9
16	Orbital Interactions in Biâ€Sn Bimetallic Electrocatalysts for Highly Selective Electrochemical CO ₂ Reduction toward Formate Production. <i>Advanced Energy Materials</i> , 2018, 8, 1802427.	10.2	259
17	Carbon Dioxide Electroreduction: Orbital Interactions in Biâ€Sn Bimetallic Electrocatalysts for Highly Selective Electrochemical CO ₂ Reduction toward Formate Production (Adv. Energy) Tj ETQq1 1 0.78430.4 rgBT / Overlock 1	10.2	259
18	First-Principles Based Microkinetic Modeling of CO ₂ Reduction at the Ni/SDC Cathode of a Solid Oxide Electrolysis Cell. <i>Journal of Physical Chemistry C</i> , 2018, 122, 21151-21161.	1.5	43

#	ARTICLE	IF	CITATIONS
19	On the particle evolution in iron pentacarbonyl loaded counterflow methane-air flame. <i>Combustion and Flame</i> , 2018, 194, 1-14.	2.8	7
20	Ni-samarium-doped ceria (Ni-SDC) anode-supported solid oxide fuel cell (SOFC) operating with CO. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9180-9187.	3.8	32
21	Direct-methane solid oxide fuel cell (SOFC) with Ni-SDC anode-supported cell. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 23118-23129.	3.8	43
22	Fabrication of Metal Supported Solid Oxide Fuel Cells (MS-SOFC) with Ceria and Zirconia Based Electrolytes. <i>ECS Transactions</i> , 2017, 78, 2051-2058.	0.3	1
23	Effects of SO ₂ on CO ₂ capture using chilled ammonia solvent. <i>International Journal of Greenhouse Gas Control</i> , 2017, 63, 442-448.	2.3	2
24	Two-dimensional mechanistic Solid Oxide Fuel Cell model with revised detailed methane reforming mechanism. <i>Electrochimica Acta</i> , 2017, 249, 216-226.	2.6	6
25	Kinetics of the absorption of carbon dioxide into aqueous ammonia solutions. <i>AIChE Journal</i> , 2016, 62, 3673-3684.	1.8	12
26	Reduced-order modelling of flexible CCS and assessment using short-term resource scheduling approach. <i>International Journal of Greenhouse Gas Control</i> , 2016, 48, 253-274.	2.3	8
27	A two-dimensional modeling of solid oxide fuel cell button cells with detailed electrochemistry mechanism. <i>Journal of Power Sources</i> , 2016, 333, 164-172.	4.0	13
28	New composite sustainability indices for the assessment of a chemical process in the conceptual design stage: case study on hydrogenation plant. <i>Journal of Cleaner Production</i> , 2016, 124, 132-141.	4.6	12
29	Dynamic Optimization of Lurgi Type Methanol Reactor Using Hybrid GA-GPS Algorithm: The Optimal Shell Temperature Trajectory and Carbon Dioxide Utilization. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 1164-1173.	1.8	24
30	Theoretical investigation of the methane cracking reaction pathways on Ni (1 1 1) surface. <i>Chemical Physics Letters</i> , 2015, 639, 205-210.	1.2	24
31	Using short-term resource scheduling for assessing effectiveness of CCS within electricity generation subsector. <i>AIChE Journal</i> , 2015, 61, 4210-4234.	1.8	2
32	Stability and electrochemical performance of Ni/YSZ pattern anodes in H ₂ /H ₂ O atmosphere. <i>Canadian Journal of Chemical Engineering</i> , 2015, 93, 2157-2167.	0.9	6
33	Multiobjective Optimization of Methanol Synthesis Loop from Synthesis Gas via a Multibed Adiabatic Reactor with Additional Interstage CO ₂ Quenching. <i>Energy & Fuels</i> , 2015, 29, 530-537.	2.5	12
34	Effects of Copper Oxide Addition on the Electrochemical Properties of Samarium Doped Ceria Electrolyte for Intermediate Temperature Solid Oxide Fuel Cells. <i>ECS Transactions</i> , 2015, 68, 387-394.	0.3	4
35	Effect of socio-economic factors on EV/HEV/PHEV adoption rate in Ontario. <i>Technological Forecasting and Social Change</i> , 2015, 98, 93-104.	6.2	21
36	Multi-Period Optimization Model for Electricity Generation Planning Considering Plug-in Hybrid Electric Vehicle Penetration. <i>Energies</i> , 2015, 8, 3978-4002.	1.6	8

#	ARTICLE	IF	CITATIONS
37	Carbon nanotube growth: First-principles-based kinetic Monte Carlo model. <i>Journal of Catalysis</i> , 2015, 326, 15-25.	3.1	44
38	Synthesis and Characterization of Fe_2O_3 for H_2S Removal at Low Temperature. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 8469-8478.	1.8	105
39	Effects of an Iron Pentacarbonyl Additive on Counterflow Natural Gas and Ethanol Flames. <i>Energy & Fuels</i> , 2015, 29, 5361-5371.	2.5	10
40	Effect of interactions between Ni and Mo on catalytic properties of a bimetallic Ni-Mo/Al ₂ O ₃ propane reforming catalyst. <i>Applied Catalysis A: General</i> , 2015, 490, 80-92.	2.2	62
41	Dynamic Modelling and Controllability Studies of a Commercial-scale MEA Absorption Processes for CO ₂ Capture from Coal-fired Power Plants. <i>Energy Procedia</i> , 2014, 63, 1595-1600.	1.8	13
42	Performance characteristics of Mo-Ni/Al ₂ O ₃ catalysts in LPG oxidative steam reforming for hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 10061-10073.	3.8	38
43	Dynamic modelling and control of MEA absorption processes for CO ₂ capture from power plants. <i>Fuel</i> , 2014, 116, 672-691.	3.4	122
44	Design of a Sorbent to Enhance Reactive Adsorption of Hydrogen Sulfide. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 21167-21177.	4.0	67
45	Effects of metal elements in catalytic growth of carbon nanotubes/graphene: A first principles DFT study. <i>Applied Surface Science</i> , 2014, 317, 923-928.	3.1	18
46	Catalytic reforming of glycerol in supercritical water with nickel-based catalysts. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 14739-14750.	3.8	36
47	Hydrogen production from supercritical water reforming of glycerol in an empty Inconel 625 reactor. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 159-170.	3.8	24
48	Dynamic modelling of a CO ₂ capture and purification unit for an oxy-coal-fired power plant. <i>International Journal of Greenhouse Gas Control</i> , 2014, 22, 111-122.	2.3	26
49	Modelling and Ni/Yttria-Stabilized-Zirconia pattern anode experimental validation of a new charge transfer reactions mechanism for hydrogen electrochemical oxidation on solid oxide fuel cell anodes. <i>Journal of Power Sources</i> , 2014, 248, 777-788.	4.0	13
50	Dynamic Modeling and Evaluation of an Industrial-Scale CO ₂ Capture Plant Using Monoethanolamine Absorption Processes. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 11411-11426.	1.8	49
51	Effect of carbon on the Ni catalyzed methane cracking reaction: A DFT study. <i>Applied Surface Science</i> , 2014, 311, 435-442.	3.1	52
52	Evaluation of an Inconel-625 Reactor and its Wall Effects on Ethanol Reforming in Supercritical Water. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 2121-2129.	1.8	12
53	Carbon clusters on the Ni(111) surface: a density functional theory study. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 2954.	1.3	31
54	Enhanced adsorption of hydrogen sulfide and regeneration ability on the composites of zinc oxide with reduced graphite oxide. <i>Chemical Engineering Journal</i> , 2014, 253, 264-273.	6.6	45

#	ARTICLE	IF	CITATIONS
55	Control of An Oxy-fuel Capture and Purification Unit For Coal-Based Power Plants. Energy Procedia, 2014, 63, 476-483.	1.8	7
56	Synthesis Gas Production via Partial Oxidation, CO ₂ Reforming, and Oxidative CO ₂ Reforming of CH ₄ over a Ni/Mg-Al Hydrotalcite-type Catalyst. Clean Technology, 2014, 20, 189-201.	0.1	6
57	Hydrogen sulfide adsorption on nano-sized zinc oxide/reduced graphite oxide composite at ambient condition. Applied Surface Science, 2013, 276, 646-652.	3.1	71
58	Hydrogen production from catalytic supercritical water reforming of glycerol with cobalt-based catalysts. International Journal of Hydrogen Energy, 2013, 38, 4368-4379.	3.8	51
59	Steady-State Simulation of a Novel Annular Multitubular Reactor for Enhanced Methanol Production. Industrial & Engineering Chemistry Research, 2013, 52, 15387-15393.	1.8	8
60	Effect of Metal-Support Interface During CH ₄ and H ₂ Dissociation on Ni/Al ₂ O ₃ : A Density Functional Theory Study. Journal of Physical Chemistry C, 2013, 117, 16907-16920.	1.5	72
61	Ni/YSZ pattern anodes fabrication and their microstructure and electrochemical behavior changes in H ₂ -H ₂ O environments. Journal of Power Sources, 2013, 226, 162-172.	4.0	19
62	Effect of active zinc oxide dispersion on reduced graphite oxide for hydrogen sulfide adsorption at mid-temperature. Applied Surface Science, 2013, 280, 360-365.	3.1	28
63	Simulation of methane catalytic cracking in a bubbling fluidised bed. Canadian Journal of Chemical Engineering, 2013, 91, 1928-1935.	0.9	4
64	Investigation of H ₂ , CO and Syngas Electrochemical Performance Using Ni/YSZ Pattern Anodes. ECS Transactions, 2013, 53, 163-172.	0.3	1
65	Impact of PHEVs Penetration on Ontario's Electricity Grid and Environmental Considerations. Energies, 2012, 5, 5019-5037.	1.6	12
66	Hydrogen production by methane cracking using Ni-supported catalysts in a fluidized bed. International Journal of Hydrogen Energy, 2012, 37, 10690-10701.	3.8	43
67	CLEAN ENERGY AND CO ₂ CAPTURE, TRANSPORT AND STORAGE. Advances in Process Systems Engineering, 2012, , 351-398.	0.3	0
68	Dynamic simulation of MEA absorption process for CO ₂ capture from power plants. International Journal of Greenhouse Gas Control, 2012, 10, 295-309.	2.3	109
69	Methane dissociation on Ni (100), Ni (111), and Ni (553): A comparative density functional theory study. Journal of Molecular Catalysis A, 2012, 365, 103-114.	4.8	91
70	Selective Dibenzothiophene Adsorption on Graphene Prepared Using Different Methods. Industrial & Engineering Chemistry Research, 2012, 51, 10259-10264.	1.8	51
71	Thermodynamic analysis of hydrogen production from glycerol at energy self-sufficient conditions. Canadian Journal of Chemical Engineering, 2012, 90, 1112-1119.	0.9	4
72	Methane cracking using Ni supported on porous and non-porous alumina catalysts. International Journal of Hydrogen Energy, 2012, 37, 9038-9048.	3.8	44

#	ARTICLE	IF	CITATIONS
73	Lanthanum promoted NiOâ€“SDC anode for low temperature solid oxide fuel cells fueled with methane. Journal of Power Sources, 2012, 210, 374-380.	4.0	46
74	Reaction and Deactivation Rates of Methane Catalytic Cracking over Nickel. Industrial & Engineering Chemistry Research, 2011, 50, 12460-12470.	1.8	30
75	A Decentralized Control Structure for a CO2 Compression, Capture and Purification process: An Uncertain Relative Gain Array Approach. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 8558-8563.	0.4	4
76	A multi-level simulation platform of natural gas internal reforming solid oxide fuel cellâ€“gas turbine hybrid generation system â€“ Part II. Balancing units model library and system simulation. Journal of Power Sources, 2011, 196, 8424-8434.	4.0	30
77	Dynamic Simulation of MEA Absorption Processes for CO2 Capture from Fossil Fuel Power Plant. Energy Procedia, 2011, 4, 1478-1485.	1.8	29
78	Review of methane catalytic cracking for hydrogen production. International Journal of Hydrogen Energy, 2011, 36, 2904-2935.	3.8	341
79	Reforming of bioethanol over Ni/Al2O3 and Ni/CeZrO2/Al2O3 catalysts in supercritical water for hydrogen production. International Journal of Hydrogen Energy, 2011, 36, 2877-2886.	3.8	38
80	An analytical model of view factors for radiation heat transfer in planar and tubular solid oxide fuel cells. Journal of Power Sources, 2011, 196, 3223-3232.	4.0	17
81	Hydrogen production from bioethanol reforming in supercritical water. Journal of Supercritical Fluids, 2011, 57, 58-65.	1.6	26
82	Investigation of MgO Promoted NiO: SDC Anode Material for Intermediate Temperatures Solid Oxide Fuel Cells. ECS Transactions, 2011, 35, 1683-1688.	0.3	4
83	The use of step and pulse tests to design activated carbon adsorption columns for recovery of copper ions from aqueous industrial effluents. International Journal of Environmental Engineering, 2010, 2, 362.	0.1	0
84	A multi-period optimization model for energy planning with CO2 emission consideration. Journal of Environmental Management, 2010, 91, 1063-1070.	3.8	69
85	Optimal implementation of CO2 capture technology in power and hydrogen production for oil sands operations. Canadian Journal of Chemical Engineering, 2010, 88, n/a-n/a.	0.9	4
86	A multi-level simulation platform of natural gas internal reforming solid oxide fuel cellâ€“gas turbine hybrid generation system: Part I. Solid oxide fuel cell model library. Journal of Power Sources, 2010, 195, 4871-4892.	4.0	46
87	Effect of mode of operation on hydrogen production from glycerol at thermal neutral conditions: Thermodynamic analysis. International Journal of Hydrogen Energy, 2010, 35, 10257-10270.	3.8	11
88	Energy supply planning for the introduction of carbon dioxide (CO2) capture technologies. , 2010, , 93-152.		0
89	Forecasting the Impact of Plug-In Hybrid Electric Vehicles Penetration on Ontarioâ€™s Electricity Grid. , 2010, , .		0
90	Long-term electricity demand forecasting for power system planning using economic, demographic and climatic variables. European Journal of Industrial Engineering, 2009, 3, 277.	0.5	24

#	ARTICLE	IF	CITATIONS
91	An Integrated Approach for Carbon Mitigation in the Electric Power Generation Sector. , 2009, , 277-312.		0
92	Optimization of energy usage for fleet-wide power generating system under carbon mitigation options. AICHE Journal, 2009, 55, 3168-3190.	1.8	24
93	Experimental investigation of the catalytic cracking of methane over a supported Ni catalyst. Canadian Journal of Chemical Engineering, 2009, 87, 99-105.	0.9	10
94	Evaluation of Foam Nickel for the Catalytic Partial Oxidation of Methane. Catalysis Letters, 2009, 128, 144-153.	1.4	20
95	Design of a thermally integrated bioethanol-fueled solid oxide fuel cell system integrated with a distillation column. Journal of Power Sources, 2009, 187, 190-203.	4.0	6
96	Optimizing energy production with integrated CCS technology for CO ₂ emissions mitigation in the Canadian oil sands industry. Energy Procedia, 2009, 1, 3985-3992.	1.8	10
97	A multi-period optimization model for energy planning with CO ₂ emission considerations. Energy Procedia, 2009, 1, 4339-4346.	1.8	27
98	Ni/Mg-Al mixed oxide catalyst for the steam reforming of ethanol. Applied Catalysis A: General, 2009, 363, 52-63.	2.2	111
99	An environmentally conscious robust optimisation approach for planning power generating systems. International Journal of Global Warming, 2009, 1, 307.	0.2	4
100	Methane Internal Reforming over Ni _{1-x} Co _x Mg _y O-SDC Anode Material at Intermediate Temperatures. ECS Transactions, 2009, 25, 1975-1984.	0.3	0
101	Process analysis of CO ₂ capture from flue gas using carbonation/calcination cycles. AICHE Journal, 2008, 54, 1912-1925.	1.8	80
102	Energy Optimization Model with CO ₂ -Emission Constraints for the Canadian Oil Sands Industry. Energy & Fuels, 2008, 22, 2660-2670.	2.5	34
103	An Optimization Approach for Integrating Planning and CO ₂ Emission Reduction in the Petroleum Refining Industry. Industrial & Engineering Chemistry Research, 2008, 47, 760-776.	1.8	55
104	Simulation of Electrochemical Impedance Spectra of Solid Oxide Fuel Cells Using Transient Physical Models. Journal of the Electrochemical Society, 2008, 155, B270.	1.3	33
105	Dynamic Measurement of Copper (II) Ion Adsorption in Activated Carbon Fixed Bed Columns. American Journal of Environmental Sciences, 2008, 4, 412-419.	0.3	4
106	Analysis and Optimization of Carbon Dioxide Emission Mitigation Options in the Cement Industry. American Journal of Environmental Sciences, 2008, 4, 482-490.	0.3	25
107	A General Approach for Electrochemical Impedance Spectroscopy Simulation using Transient Mechanistic SOFC Model. ECS Transactions, 2007, 7, 1889-1899.	0.3	5
108	Techno-Economic Study of CO ₂ Capture from an Existing Cement Plant Using MEA Scrubbing. International Journal of Green Energy, 2007, 4, 197-220.	2.1	40

#	ARTICLE	IF	CITATIONS
109	Performance Assessment of Bioethanol-Fed Solid Oxide Fuel Cell System Integrated with Distillation Column. ECS Transactions, 2007, 7, 1475-1482.	0.3	5
110	Simulation and Modeling Study of Anode-Supported Planar SOFC Operating with Synthesis Gas. ECS Transactions, 2007, 7, 1945-1953.	0.3	0
111	Gas Chromatography Method for the Characterization of Ethanol Steam Reforming Products. Journal of Chromatographic Science, 2007, 45, 153-157.	0.7	4
112	A mixed-integer non-linear programming model for CO ₂ emission reduction in the power generation sector. International Journal of Environment and Pollution, 2007, 29, 254.	0.2	12
113	Modeling the Energy Demands and Greenhouse Gas Emissions of the Canadian Oil Sands Industry. Energy & Fuels, 2007, 21, 2098-2111.	2.5	51
114	Performance of ethanol-fuelled solid oxide fuel cells: Proton and oxygen ion conductors. Chemical Engineering Journal, 2007, 133, 187-194.	6.6	42
115	Modeling of an anode-supported Ni-YSZ Ni-ScSZ ScSZ LSM-ScSZ multiple layers SOFC cell. Journal of Power Sources, 2007, 172, 246-252.	4.0	32
116	Thermodynamic assessment of solid oxide fuel cell system integrated with bioethanol purification unit. Journal of Power Sources, 2007, 174, 191-198.	4.0	15
117	Techno-economic study of CO ₂ capture from natural gas based hydrogen plants. International Journal of Greenhouse Gas Control, 2007, 1, 55-61.	2.3	51
118	Modelling of a cathode-supported tubular solid oxide fuel cell operating with biomass-derived synthesis gas. Journal of Power Sources, 2007, 166, 386-399.	4.0	39
119	Modeling of an anode-supported Ni-YSZ Ni-ScSZ ScSZ LSM-ScSZ multiple layers SOFC cell. Journal of Power Sources, 2007, 172, 235-245.	4.0	75
120	Characterization of Copper Foam as Catalytic Material in Ethanol Dehydrogenation. Canadian Journal of Chemical Engineering, 2007, 85, 917-924.	0.9	24
121	Combustion characteristics of coal in a mixture of oxygen and recycled flue gas. Fuel, 2006, 85, 507-512.	3.4	352
122	Mechanistic modelling of a cathode-supported tubular solid oxide fuel cell. Journal of Power Sources, 2006, 154, 74-85.	4.0	51
123	Experimental and modeling study of solid oxide fuel cell operating with syngas fuel. Journal of Power Sources, 2006, 161, 308-322.	4.0	149
124	Catalytic Decomposition of Methane for Hydrogen Production. Topics in Catalysis, 2006, 37, 137-145.	1.3	60
125	Technoeconomic evaluation of IGCC power plants for CO ₂ avoidance. Energy Conversion and Management, 2006, 47, 2250-2259.	4.4	115
126	Simulation of a tubular solid oxide fuel cell stack using AspenPlus™ unit operation models. Energy Conversion and Management, 2005, 46, 181-196.	4.4	173

#	ARTICLE	IF	CITATIONS
127	Simulation of CO ₂ capture using MEA scrubbing: a flowsheet decomposition method. Energy Conversion and Management, 2005, 46, 475-487.	4.4	271
128	A New Numerical Approach for a Detailed Multicomponent Gas Separation Membrane Model and AspenPlus Simulation. Chemical Engineering and Technology, 2005, 28, 773-782.	0.9	70
129	Design and simulation of membrane based gas separation processes in AspenPlus, for capturing CO ₂ from flue gases. , 2005, , 1937-1940.		0
130	Oxidation of SO ₂ and Recovery of SO ₃ Using Nonaqueous Solvents. Industrial & Engineering Chemistry Research, 2005, 44, 5950-5954.	1.8	1
131	Optimization Model for Energy Planning with CO ₂ Emission Considerations. Industrial & Engineering Chemistry Research, 2005, 44, 879-890.	1.8	93
132	Techno-economic evaluation of IGCC power plants with CO ₂ capture. , 2005, , 1193-1198.		5
133	An optimal fleet-wide CO ₂ emission strategy for Ontario. , 2005, , 1427-1432.		1
134	Simulation of a coal hydrogasification process with integrated CO ₂ capture. , 2005, , 1941-1945.		4
135	Techno-economic assessment of geological CO ₂ sequestration in Ontario. , 2005, , 1221-1227.		0
136	CO ₂ sequestration in Ontario, Canada. Part I: storage evaluation of potential reservoirs. Energy Conversion and Management, 2004, 45, 2645-2659.	4.4	59
137	CO ₂ sequestration in Ontario, Canada. Part II: cost estimation. Energy Conversion and Management, 2004, 45, 3207-3217.	4.4	19
138	Production of Hydrogen from the Noncatalytic Partial Oxidation of Ethanol. Industrial & Engineering Chemistry Research, 2004, 43, 2636-2642.	1.8	14
139	Techno-economic study of CO ₂ capture from an existing coal-fired power plant: MEA scrubbing vs. O ₂ /CO ₂ recycle combustion. Energy Conversion and Management, 2003, 44, 3073-3091.	4.4	461
140	Performance comparison of Fick's, dusty-gas and Stefan-Maxwell models to predict the concentration overpotential of a SOFC anode. Journal of Power Sources, 2003, 122, 9-18.	4.0	360
141	Economics of CO ₂ Capture from a Coal-Fired Power Plant – a Sensitivity Analysis. , 2003, , 1735-1738.		5
142	Oxidation of Simple Alcohols in Supercritical Water III. Formation of Intermediates from Ethanol. Industrial & Engineering Chemistry Research, 2001, 40, 86-93.	1.8	60
143	NO _x and SO ₂ emissions from O ₂ /CO ₂ recycle coal combustion. Fuel, 2001, 80, 2117-2121.	3.4	273
144	Coal combustion in O ₂ /CO ₂ mixtures compared with air. Canadian Journal of Chemical Engineering, 2000, 78, 402-407.	0.9	127

#	ARTICLE	IF	CITATIONS
145	Heterogeneous formation of nitrous oxide from char-bound nitrogen. Combustion and Flame, 1999, 117, 140-154.	2.8	45
146	Coal combustion with flue gas recirculation for CO2 recovery. , 1999, , 581-586.		15
147	Influence of pressure on the heterogeneous formation and destruction of nitrogen oxides during char combustion. Combustion and Flame, 1998, 112, 33-44.	2.8	25
148	Direct Observation of H2O2 during Alcohol Oxidation by O2 in Supercritical Water. Industrial & Engineering Chemistry Research, 1998, 37, 1755-1760.	1.8	31
149	Hydrogen peroxide decomposition in supercritical water. AIChE Journal, 1997, 43, 2343-2352.	1.8	169
150	High-Yield Biomass Charcoal. Energy & Fuels, 1996, 10, 652-658.	2.5	147
151	The influence of pressure on char combustion kinetics. Proceedings of the Combustion Institute, 1996, 26, 3095-3102.	0.3	14