## Craig M Young

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5709302/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Distributions of microplastics and larger anthropogenic debris in Norfolk Canyon, Baltimore Canyon, and the adjacent continental slope (Western North Atlantic Margin, U.S.A.). Marine Pollution Bulletin, 2022, 174, 113047.	5.0	11
2	Methane Seeps on the US Atlantic Margin and Their Potential Importance to Populations of the Commercially Valuable Deep-Sea Red Crab, Chaceon quinquedens. Frontiers in Marine Science, 2020, 7, .	2.5	15
3	A report on two large collections of the squat lobster Munidopsis platirostris (Decapoda, Anomura,) Tj ETQq1 1 Journal of Natural History, 2019, 53, 159-169.	0.784314 0.5	rgBT /Overlo 0
4	Oceanographic and biological influences on recruitment of benthic invertebrates to hard substrata on the Oregon shelf. Estuarine, Coastal and Shelf Science, 2018, 208, 1-8.	2.1	6
5	Consumption of terrestrial organic matter in the rocky intertidal zone along the central Oregon coast. Ecosphere, 2018, 9, e02138.	2.2	5
6	Recruitment of benthic invertebrates in high Arctic fjords: Relation to temperature, depth, and season. Limnology and Oceanography, 2017, 62, 2732-2744.	3.1	15
7	Sponge Grounds as Key Marine Habitats: A Synthetic Review of Types, Structure, Functional Roles, and Conservation Concerns. , 2017, , 145-183.		72
8	The influence of larval migration and dispersal depth on potential larval trajectories of a deep-sea bivalve. Deep-Sea Research Part I: Oceanographic Research Papers, 2017, 127, 57-64.	1.4	19
9	SyPRID sampler: A large-volume, high-resolution, autonomous, deep-ocean precision plankton sampling system. Deep-Sea Research Part II: Topical Studies in Oceanography, 2017, 137, 297-306.	1.4	28
10	Megafauna of the UKSRL exploration contract area and eastern Clarion-Clipperton Zone in the Pacific Ocean: Annelida, Arthropoda, Bryozoa, Chordata, Ctenophora, Mollusca. Biodiversity Data Journal, 2017, 5, e14598.	0.8	22
11	<i>Hyalinoecia artifex</i> : Field notes on a charismatic and abundant epifaunal polychaete on the US Atlantic continental margin. Invertebrate Biology, 2016, 135, 211-224.	0.9	16
12	Salinity and Temperature Tolerance of the Nemertean Worm <i>Carcinonemertes errans</i> , an Egg Predator of the Dungeness Crab. Biological Bulletin, 2015, 228, 163-169.	1.8	2
13	Estimating dispersal distance in the deep sea: challenges and applications to marine reserves. Frontiers in Marine Science, 2015, 2, .	2.5	127
14	Burrow forms, growth rates and feeding rates of wood-boring Xylophagaidae bivalves revealed by micro-computed tomography. Frontiers in Marine Science, 2015, 2, .	2.5	20
15	Environmental factors structuring Arctic megabenthosââ,¬â€a case study from a shelf and two fjords. Frontiers in Marine Science, 2015, 2, .	2.5	20
16	Sponge Grounds as Key Marine Habitats: A Synthetic Review of Types, Structure, Functional Roles, and Conservation Concerns. , 2015, , 1-39.		52
17	Larval settlement of the nemertean egg predator <i>Carcinonemertes errans</i> on the Dungeness crab, <i>Metacarcinus magister</i> . Invertebrate Biology, 2014, 133, 201-212.	0.9	6
18	Impacts of an endoparasitic copepod, Ismaila belciki, on the reproduction, growth and survivorship of its nudibranch host, Janolus fuscus. International Journal for Parasitology, 2014, 44, 391-401.	3.1	4

#	Article	IF	CITATIONS
19	Effects of the oophagous bivalve <i><scp>A</scp>cesta oophaga</i> on the morphology and fecundity of its deepâ€sea tubeworm host, <i><scp>L</scp>amellibrachia luymesi</i> . Marine Ecology, 2014, 35, 106-111.	1.1	0
20	Larvae from deep-sea methane seeps disperse in surface waters. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20133276.	2.6	78
21	Deep Sequencing of Myxilla (Ectyomyxilla) methanophila, an Epibiotic Sponge on Cold-Seep Tubeworms, Reveals Methylotrophic, Thiotrophic, and Putative Hydrocarbon-Degrading Microbial Associations. Microbial Ecology, 2013, 65, 450-461.	2.8	25
22	Finding refuge: The estuarine distribution of the nemertean egg predator Carcinonemertes errans on the Dungeness crab, Cancer magister. Estuarine, Coastal and Shelf Science, 2013, 135, 201-208.	2.1	6
23	Spermatozoon structure ofAcesta oophaga(Limidae), a cold-seep bivalve. Invertebrate Reproduction and Development, 2013, 57, 70-73.	0.8	1
24	Fixed, free, and fixed: The fickle phylogeny of extant Crinoidea (Echinodermata) and their Permian–Triassic origin. Molecular Phylogenetics and Evolution, 2013, 66, 161-181.	2.7	93
25	A paradoxical mismatch of fecundity and recruitment in deep-sea opportunists: Cocculinid and pseudococculinid limpets colonizing vascular plant remains on the Bahamian Slope. Deep-Sea Research Part II: Topical Studies in Oceanography, 2013, 92, 36-45.	1.4	11
26	Temperature tolerance of the deep-sea coral Lophelia pertusa from the southeastern United States. Deep-Sea Research Part II: Topical Studies in Oceanography, 2013, 92, 240-248.	1.4	65
27	Larval Development and Metamorphosis of the Deep-Sea Cidaroid Urchin Cidaris blakei. Biological Bulletin, 2012, 222, 105-117.	1.8	21
28	Complete Development of the Northeast Pacific Arminacean Nudibranch Janolus fuscus. Biological Bulletin, 2012, 222, 137-149.	1.8	10
29	Dispersal of Deep-Sea Larvae from the Intra-American Seas: Simulations of Trajectories using Ocean Models. Integrative and Comparative Biology, 2012, 52, 483-496.	2.0	103
30	Reproduction, development, growth, and the length of larval life of <i><scp>P</scp>hascolosoma turnerae</i> , a woodâ€dwelling deepâ€sea sipunculan. Invertebrate Biology, 2012, 131, 204-215.	0.9	8
31	Environmental cues and seasonal reproduction in a temperate estuary: a case study of <i>Owenia collaris</i> (Annelida: Polychaeta, Oweniidae). Marine Ecology, 2012, 33, 290-301.	1.1	7
32	Temperature and salinity tolerances of embryos and larvae of the deep-sea mytilid mussel "Bathymodiolus―childressi. Marine Biology, 2011, 158, 2481-2493.	1.5	19
33	New Molluscan Larval Form: Brooding and Development in a Hydrothermal Vent Gastropod, <i>Ifremeria nautilei</i> (Provannidae). Biological Bulletin, 2010, 219, 7-11.	1.8	16
34	Spotlight: Vailulu'u Seamount. Oceanography, 2010, 23, 164-165.	1.0	1
35	Biological Bulletin Virtual Symposium: Biology of Marine Invertebrate Larvae. Biological Bulletin, 2009, 216, 201-202.	1.8	3
36	Sperm ultrastructure and spermatogenesis in the hydrothermal vent gastropod Rhynchopelta concentrica (Peltospiridae). Journal of Molluscan Studies, 2009, 75, 159-165.	1.2	3

#	Article	IF	CITATIONS
37	Spawning and development in Osedax boneworms (Siboglinidae, Annelida). Marine Biology, 2009, 156, 395-405.	1.5	59
38	Where do the embryos of Riftia pachyptila develop? Pressure tolerances, temperature tolerances, and buoyancy during prolonged embryonic dispersal. Deep-Sea Research Part II: Topical Studies in Oceanography, 2009, 56, 1599-1606.	1.4	21
39	Communities on Deep-Sea Hard Bottoms. Ecological Studies, 2009, , 39-60.	1.2	9
40	Spawning, Development, and the Duration of Larval Life in a Deep-Sea Cold-Seep Mussel. Biological Bulletin, 2009, 216, 149-162.	1.8	83
41	Reproduction of Gastropods from Vents on the East Pacific Rise and the Mid-Atlantic Ridge. Journal of Shellfish Research, 2008, 27, 107-118.	0.9	22
42	Similar reproductive cycles and life-history traits in congeneric limid bivalves with different modes of nutrition. Marine Ecology, 2007, 28, 183-192.	1.1	9
43	Physiological and behavioral responses of Bathynerita naticoidea (Gastropoda: Neritidae) and Methanoaricia dendrobranchiata (Polychaeta: Orbiniidae) to hypersaline conditions at a brine pool cold seep. Marine Ecology, 2007, 28, 199-207.	1.1	11
44	Advances in Vent, Seep, Whale- and Wood-Fall Biology. Marine Ecology, 2007, 28, 1-2.	1.1	39
45	Gametogenic periodicity in the chemosynthetic cold-seep mussel "Bathymodiolus―childressi. Marine Biology, 2007, 150, 829-840.	1.5	55
46	Four genes, morphology and ecology: distinguishing a new species of Acesta (Mollusca; Bivalvia) from the Gulf of Mexico. Marine Biology, 2007, 152, 43-55.	1.5	36
47	The natural diet of a hexactinellid sponge: Benthic–pelagic coupling in a deep-sea microbial food web. Deep-Sea Research Part I: Oceanographic Research Papers, 2006, 53, 1148-1156.	1.4	89
48	Consumption of bacteria by larvae of a deep-sea polychaete. Marine Ecology, 2006, 27, 15-19.	1.1	4
49	Feeding habits and phenotypic changes in proboscis length in the southern oyster drill, Stramonita haemastoma (Gastropoda: Muricidae), on Florida sabellariid worm reefs. Marine Biology, 2006, 148, 1021-1029.	1.5	15
50	Physiological response of the cold-seep mussel Bathymodiolus childressi to acutely elevated temperature. Marine Biology, 2006, 149, 1397-1402.	1.5	9
51	Vailulu'u Seamount, Samoa: Life and death on an active submarine volcano. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 6448-6453.	7.1	81
52	Sperm Storage, Internal Fertilization, and Embryonic Dispersal in Vent and Seep Tubeworms (Polychaeta: Siboglinidae: Vestimentifera). Biological Bulletin, 2005, 208, 20-28.	1.8	59
53	Influence of environmental conditions on early development of the hydrothermal vent polychaete Alvinella pompejana. Journal of Experimental Biology, 2005, 208, 1551-1561.	1.7	33
54	Egg Predation Fuels Unique Species Association at Deep-Sea Hydrocarbon Seeps. Biological Bulletin, 2005, 209, 87-93.	1.8	21

#	Article	IF	CITATIONS
55	Siliceous sponges as a silicon sink: An overlooked aspect of benthopelagic coupling in the marine silicon cycle. Limnology and Oceanography, 2005, 50, 799-809.	3.1	140
56	Dispersal at hydrothermal vents: a summary of recent progress. Hydrobiologia, 2003, 503, 9-19.	2.0	56
57	Reproductive ecology of a deep-water scleractinian coral, Oculina varicosa, from the southeast Florida shelf. Continental Shelf Research, 2003, 23, 847-858.	1.8	57
58	Dispersal at hydrothermal vents: a summary of recent progress. , 2003, , 9-19.		8
59	Larval dispersal potential of the tubeworm Riftia pachyptila at deep-sea hydrothermal vents. Nature, 2001, 411, 77-80.	27.8	207
60	Developmental arrest in vent worm embryos. Nature, 2001, 413, 698-699.	27.8	102
61	Effects of low salinity on metamorphosis in estuarine colonial ascidians. Invertebrate Biology, 2000, 119, 433-444.	0.9	23
62	Effects of the duration of larval life on postlarval stages of the demosponge Sigmadocia caerulea. Journal of Experimental Marine Biology and Ecology, 1999, 232, 9-21.	1.5	72
63	Temperature limits to fertilization and early development in the tropical sea urchin Echinometra lucunter. Journal of Experimental Marine Biology and Ecology, 1999, 236, 291-305.	1.5	72
64	Plankton availability and retention efficiencies of coldâ€seep symbiotic mussels. Limnology and Oceanography, 1999, 44, 1833-1839.	3.1	58
65	Thermal tolerances of embryos and planktotrophic larvae of Archaeopneustes hystrix (A. Agassiz) (Spatangoidea) and Stylocidaris lineata (Mortensen) (Cidaroidea), bathyal echinoids from the Bahamian Slope. Journal of Experimental Marine Biology and Ecology, 1998, 223, 65-76.	1.5	17
66	Ontogenetic changes in phototaxis during larval life of the Ascidian Polyandrocarpa zorritensis (). Journal of Experimental Marine Biology and Ecology, 1998, 231, 267-277.	1.5	16
67	Sperm Morphology and Spermiogenesis in the Methane-Seep Mollusc Bathynerita naticoidea (Gastropoda: Neritacea) from the Louisiana Slope. Invertebrate Biology, 1998, 117, 199.	0.9	10
68	A New Species of Poecilosclerid Sponge (Porifera) from Bathyal Methane Seeps in the Gulf Of Mexico. Journal of the Marine Biological Association of the United Kingdom, 1998, 78, 795-806.	0.8	12
69	Title is missing!. Biodiversity and Conservation, 1997, 6, 1507-1522.	2.6	41
70	Invertebrate Reproduction and Development Reproduction and Development of Marine Invertebrates W. Herbert Wilson, Jr. Stephen A. Stricker George L. Shinn. BioScience, 1996, 46, 460-461.	4.9	6
71	Bathymetric patterns of sponge distribution on the Bahamian slope. Deep-Sea Research Part I: Oceanographic Research Papers, 1996, 43, 897-915.	1.4	47
72	Embryology of vestimentiferan tube worms from deep-sea methane/sulphide seeps. Nature, 1996, 381, 514-516.	27.8	108

#	Article	IF	CITATIONS
73	Smart collagen in sea lilies. Nature, 1993, 366, 519-520.	27.8	27
74	Ovarian ultrastructure and vitellogenesis in ten species of shallow-water and bathyal sea cucumbers (Echinodermata: Holothuroidea). Journal of the Marine Biological Association of the United Kingdom, 1992, 72, 759-781.	0.8	24
75	Sensory Structures in Tadpole Larvae of the Ascidians <i>Microcosmus exasperatus</i> Heller and <i>Herdmania momus</i> (Savigny). Acta Zoologica, 1991, 72, 129-135.	0.8	25
76	Larval predation by epifauna on temperate reefs: scale, power and the scarcity of measurable effects. Austral Ecology, 1990, 15, 413-426.	1.5	19
77	Larval ecology of marine invertebrates: A sesquicentennial history. Ophelia, 1990, 32, 1-48.	0.3	114
78	Selection of predator-free settlement sites by larval ascidians. Ophelia, 1989, 30, 131-140.	0.3	20
79	Ascidian cannibalism correlates with larval behavior and adult distribution. Journal of Experimental Marine Biology and Ecology, 1988, 117, 9-26.	1.5	37
80	Larval Predation by Barnacles: Effects on Patch Colonization in a Shallow Subtidal Community. Ecology, 1988, 69, 624-634.	3.2	61
81	Novelty of "Supply-Side Ecology". Science, 1987, 235, 415-416.	12.6	1
82	LABORATORY EVIDENCE FOR DELAY OF LARVAL SETTLEMENT IN RESPONSE TO A DOMINANT COMPETITOR. International Journal of Invertebrate Reproduction, 1981, 3, 221-226.	0.6	79
83	Larval behavior and post-settling morphology in the ascidian, Chelyosoma productum Stimpson. Journal of Experimental Marine Biology and Ecology, 1980, 42, 157-169.	1.5	41
84	ORIENTATION AND CURRENT-INDUCED FLOW IN THE STALKED ASCIDIANSTYELA MONTEREYENSIS. Biological Bulletin, 1980, 159, 428-440.	1.8	35
85	Foresight Workshop on Advances in Ocean Biological Observations: a sustained system for deep-ocean meroplankton. Research Ideas and Outcomes, 0, 6, .	1.0	5

86

Dominance of  $\langle i \rangle$  Sulfurospirillum $\langle i \rangle$  in Metagenomes Associated with the Methane Ice Worm (Sirsoe) Tj ETQq0 0.0 rgBT /Oyerlock 10 2 rgBT /