Annie Joubert

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5713089/annie-joubert-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers8,351
citations22
h-index91
g-index108
ext. papers9,351
ext. citations4.6
avg, IF5.1
L-index

#	Paper	IF	Citations
100	The immuno-oncological implications of insulin. <i>Life Sciences</i> , 2021 , 264, 118716	6.8	1
99	Characterization of Signalling Pathways That Link Apoptosis and Autophagy to Cell Death Induced by Estrone Analogues Which Reversibly Depolymerize Microtubules. <i>Molecules</i> , 2021 , 26,	4.8	3
98	Apoptotic profiling of chronic myeloid leukaemia patients latelets ex vivo before and after treatment with Imatinib. <i>Cell Biochemistry and Function</i> , 2021 , 39, 562-570	4.2	1
97	In vitro quantification: Long-term effect of glucose deprivation on various cancer cell lines. <i>Nutrition</i> , 2020 , 74, 110748	4.8	3
96	Sulphamoylated Estradiol Analogue Induces Reactive Oxygen Species Generation to Exert Its Antiproliferative Activity in Breast Cancer Cell Lines. <i>Molecules</i> , 2020 , 25,	4.8	2
95	Warburg effect and its role in tumourigenesis. Archives of Pharmacal Research, 2019, 42, 833-847	6.1	54
94	Effects of glutamine deprivation on oxidative stress and cell survival in breast cell lines. <i>Biological Research</i> , 2019 , 52, 15	7.6	25
93	Comparison of structures and cytotoxicity of mupirocin and batumin against melanoma and several other cancer cell lines. <i>Future Medicinal Chemistry</i> , 2019 , 11, 677-691	4.1	1
92	A Combination of an Antimitotic and a Bromodomain 4 Inhibitor Synergistically Inhibits the Metastatic MDA-MB-231 Breast Cancer Cell Line. <i>BioMed Research International</i> , 2019 , 2019, 1850462	3	2
91	Novel sulphamoylated 2-methoxy estradiol derivatives inhibit breast cancer migration by disrupting microtubule turnover and organization. <i>Cancer Cell International</i> , 2019 , 19, 1	6.4	65
90	A Novel 2-Methoxyestradiol Analogue Is Responsible for Vesicle Disruption and Lysosome Aggregation in Breast Cancer Cells. <i>Pharmacology</i> , 2018 , 102, 9-16	2.3	
89	Crosstalk between the Warburg effect, redox regulation and autophagy induction in tumourigenesis. <i>Cellular and Molecular Biology Letters</i> , 2018 , 23, 20	8.1	48
88	Modes of cell death induced by tetrahydroisoquinoline-based analogs in MDA-MB-231 breast and A549 lung cancer cell lines. <i>Drug Design, Development and Therapy</i> , 2018 , 12, 1881-1904	4.4	6
87	An in vitro and in vivo study on the properties of hollow polycaprolactone cell-delivery particles. <i>PLoS ONE</i> , 2018 , 13, e0198248	3.7	6
86	Deoxyribonucleic Acid Damage and Repair: Capitalizing on Our Understanding of the Mechanisms of Maintaining Genomic Integrity for Therapeutic Purposes. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	10
85	Eryptosis: An Erythrocyteld Suicidal Type of Cell Death. <i>BioMed Research International</i> , 2018 , 2018, 940	56317	32
84	The in vitro effects of a novel estradiol analog on cell proliferation and morphology in human epithelial cervical carcinoma. <i>Cellular and Molecular Biology Letters</i> , 2018 , 23, 10	8.1	1

(2015-2018)

83	Promising anticancer activity of batumin: a natural polyene antibiotic produced by Pseudomonas batumici. <i>Future Medicinal Chemistry</i> , 2018 , 10, 2187-2199	4.1	2
82	A novel non-sulphamoylated 2-methoxyestradiol derivative causes detachment of breast cancer cells by rapid disassembly of focal adhesions. <i>Cancer Cell International</i> , 2018 , 18, 188	6.4	1
81	Exposure of Breast and Lung Cancer Cells to a Novel Estrone Analog Prior to Radiation Enhances Bcl-2-Mediated Cell Death. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
80	An overview of the role of platelets in angiogenesis, apoptosis and autophagy in chronic myeloid leukaemia. <i>Cancer Cell International</i> , 2017 , 17, 89	6.4	21
79	A bis-sulphamoylated estradiol derivative induces ROS-dependent cell cycle abnormalities and subsequent apoptosis. <i>PLoS ONE</i> , 2017 , 12, e0176006	3.7	8
78	In vitro assessment of a computer-designed potential anticancer agent in cervical cancer cells. <i>Biological Research</i> , 2016 , 49, 43	7.6	4
77	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
76	Effects of environmental endocrine disruptors, including insecticides used for malaria vector control on reproductive parameters of male rats. <i>Reproductive Toxicology</i> , 2016 , 61, 19-27	3.4	15
75	Autophagy induced by a sulphamoylated estrone analogue contributes to its cytotoxic effect on breast cancer cells. <i>Cancer Cell International</i> , 2016 , 16, 91	6.4	4
74	Novel in silico-designed estradiol analogues are cytotoxic to a multidrug-resistant cell line at nanomolar concentrations. <i>Cancer Chemotherapy and Pharmacology</i> , 2015 , 75, 431-7	3.5	10
73	Limitations of the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl-2H-tetrazolium bromide (MTT) assay when compared to three commonly used cell enumeration assays. <i>BMC Research Notes</i> , 2015 , 8, 47	2.3	212
72	Synergistic anticancer potential of dichloroacetate and estradiol analogue exerting their effect via ROS-JNK-Bcl-2-mediated signalling pathways. <i>Cellular Physiology and Biochemistry</i> , 2015 , 35, 1499-526	3.9	19
71	Ex vivo Determination of an Estradiol Analogue-Induced Changes on Platelet Morphology and Angiogenic Biomarkers. <i>Microscopy and Microanalysis</i> , 2015 , 21, 1491-1503	0.5	
70	Piperine alleviates osteoclast formation through the p38/c-Fos/NFATc1 signaling axis. <i>BioFactors</i> , 2015 , 41, 403-13	6.1	24
69	Ex vivo apoptotic and autophagic influence of an estradiol analogue on platelets. <i>Experimental Hematology and Oncology</i> , 2015 , 5, 18	7.8	1
68	Influence of partial and complete glutamine-and glucose deprivation of breast-and cervical tumorigenic cell lines. <i>Cell and Bioscience</i> , 2015 , 5, 37	9.8	13
67	A 2-methoxyestradiol bis-sulphamoylated derivative induces apoptosis in breast cell lines. <i>Cell and Bioscience</i> , 2015 , 5, 19	9.8	8
66	Antimitotic drugs in the treatment of cancer. Cancer Chemotherapy and Pharmacology, 2015 , 76, 1101-1	123.5	106

65	Novel estradiol analogue induces apoptosis and autophagy in esophageal carcinoma cells. <i>Cellular and Molecular Biology Letters</i> , 2014 , 19, 98-115	8.1	16
64	An estrogen analogue and promising anticancer agent refrains from inducing morphological damage and reactive oxygen species generation in erythrocytes, fibrin and platelets: a pilot study. <i>Cancer Cell International</i> , 2014 , 14, 48	6.4	2
63	Differential cellular interaction of Sutherlandia frutescens extracts on tumorigenic and non-tumorigenic breast cells. <i>South African Journal of Botany</i> , 2014 , 90, 59-67	2.9	6
62	Effects of B- and B-polyunsaturated fatty acids on RANKL-induced osteoclast differentiation of RAW264.7 cells: a comparative in vitro study. <i>Nutrients</i> , 2014 , 6, 2584-601	6.7	51
61	Ultrastructural changes of erythrocytes in whole blood after exposure to prospective in silico-designed anticancer agents: a qualitative case study. <i>Biological Research</i> , 2014 , 47, 39	7.6	3
60	17-beta-estradiol analog inhibits cell proliferation by induction of apoptosis in breast cell lines. <i>Microscopy Research and Technique</i> , 2014 , 77, 236-42	2.8	14
59	Induction of the intrinsic apoptotic pathway via a new antimitotic agent in an esophageal carcinoma cell line. <i>Cell and Bioscience</i> , 2014 , 4, 68	9.8	2
58	Tumor cell culture survival following glucose and glutamine deprivation at typical physiological concentrations. <i>Nutrition</i> , 2014 , 30, 218-27	4.8	16
57	Molecular crosstalk between apoptosis and autophagy induced by a novel 2-methoxyestradiol analogue in cervical adenocarcinoma cells. <i>Cancer Cell International</i> , 2013 , 13, 87	6.4	19
56	In vitro changes in mitochondrial potential, aggresome formation and caspase activity by a novel 17-Eestradiol analogue in breast adenocarcinoma cells. <i>Cell Biochemistry and Function</i> , 2013 , 31, 566-74	4.2	14
55	Anthracene-polyamine conjugates inhibit in vitro proliferation of intraerythrocytic Plasmodium falciparum parasites. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 2874-7	5.9	9
54	Signaling pathways of ESE-16, an antimitotic and anticarbonic anhydrase estradiol analog, in breast cancer cells. <i>PLoS ONE</i> , 2013 , 8, e53853	3.7	16
53	Sulphamoylated 2-methoxyestradiol analogues induce apoptosis in adenocarcinoma cell lines. <i>PLoS ONE</i> , 2013 , 8, e71935	3.7	18
52	Sulphamoylated estradiol analogue induces antiproliferative activity and apoptosis in breast cell lines. <i>Cellular and Molecular Biology Letters</i> , 2012 , 17, 549-58	8.1	11
51	Differential signaling involved in Sutherlandia frutescens-induced cell death in MCF-7 and MCF-12A cells. <i>Journal of Ethnopharmacology</i> , 2012 , 140, 123-30	5	12
50	2-Methoxyestradiol-bis-sulphamate refrains from inducing apoptosis and autophagy in a non-tumorigenic breast cell line. <i>Cancer Cell International</i> , 2012 , 12, 37	6.4	5
49	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-	5 44 .2	2783
48	In vitro osteoclast-like and osteoblast cellstresponse to electrospun calcium phosphate biphasic candidate scaffolds for bone tissue engineering. <i>Journal of Materials Science: Materials in Medicine</i> , 2012 , 23, 3029-40	4.5	17

(2009-2012)

47	In vitro evaluation of ESE-15-ol, an estradiol analogue with nanomolar antimitotic and carbonic anhydrase inhibitory activity. <i>PLoS ONE</i> , 2012 , 7, e52205	3.7	21
46	The apoptosis inducing effects of Sutherlandia spp. extracts on an oesophageal cancer cell line. Journal of Ethnopharmacology, 2011 , 137, 1250-60	5	15
45	In vitro effects of an in silico-modelled 17E stradiol derivative in combination with dichloroacetic acid on MCF-7 and MCF-12A cells. <i>Cell Proliferation</i> , 2011 , 44, 567-81	7.9	15
44	Docking, synthesis, and in vitro evaluation of antimitotic estrone analogs. <i>Chemical Biology and Drug Design</i> , 2011 , 77, 173-81	2.9	44
43	2-Methoxyestradiol-bis-sulfamate induces apoptosis and autophagy in a tumorigenic breast epithelial cell line. <i>Molecular and Cellular Biochemistry</i> , 2011 , 357, 343-52	4.2	27
42	In vitro effects of 2-methoxyestradiol-bis-sulphamate on reactive oxygen species and possible apoptosis induction in a breast adenocarcinoma cell line. <i>Cancer Cell International</i> , 2011 , 11, 43	6.4	17
41	Characterization of Carbonic Anhydrase Isozyme Specific Inhibition by Sulfamated 2-Ethylestra Compounds. <i>Letters in Drug Design and Discovery</i> , 2011 , 8, 678-684	0.8	8
40	Effects of non-thermal mobile phone radiation on breast adenocarcinoma cells. <i>South African Journal of Science</i> , 2011 , 107,	1.3	2
39	In vitro effects of 2-methoxyestradiol on morphology, cell cycle progression, cell death and gene expression changes in the tumorigenic MCF-7 breast epithelial cell line. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 119, 149-60	5.1	33
38	The in vitro effects of 2-methoxyestradiol-bis-sulphamate on cell numbers, membrane integrity and cell morphology, and the possible induction of apoptosis and autophagy in a non-tumorigenic breast epithelial cell line. <i>Cellular and Molecular Biology Letters</i> , 2010 , 15, 564-81	8.1	17
37	In vitro effects of 2-methoxyestradiol-bis-sulphamate on the non-tumorigenic MCF-12A cell line. <i>Cell Biochemistry and Function</i> , 2010 , 28, 412-9	4.2	11
36	In vitro effects of 2-methoxyestradiol-bis-sulphamate on cell growth, morphology and cell cycle dynamics in the MCF-7 breast adenocarcinoma cell line. <i>Biocell</i> , 2010 , 34, 71-80	1.9	8
35	In vitro effects of 2-methoxyestradiol-bis-sulphamate on cell growth, morphology and cell cycle dynamics in the MCF-7 breast adenocarcinoma cell line. <i>Biocell</i> , 2010 , 34, 71-9	1.9	7
34	Influence of estradiol analogue on cell growth, morphology and death in esophageal carcinoma cells. <i>Biocell</i> , 2010 , 34, 113-20	1.9	8
33	In vitro effects of 2-methoxyestradiol on cell numbers, morphology, cell cycle progression, and apoptosis induction in oesophageal carcinoma cells. <i>Cell Biochemistry and Function</i> , 2009 , 27, 205-10	4.2	13
32	In vitro effects of Sutherlandia frutescens water extracts on cell numbers, morphology, cell cycle progression and cell death in a tumorigenic and a non-tumorigenic epithelial breast cell line. <i>Journal of Ethnopharmacology</i> , 2009 , 124, 45-60	5	36
31	Brief Note: Influence of 2-methoxyestradiol on MCF-7 cells: An improved differential interference contrasting technique and Bcl-2 and Bax protein expression levels. <i>Biocell</i> , 2009 , 33, 67-70	1.9	7
30	Influence of 2-methoxyestradiol on MCF-7 cells: an improved differential interference contrasting technique and Bcl-2 and Bax protein expression levels. <i>Biocell</i> , 2009 , 33, 67-70	1.9	6

29	C2- and C4-position 17beta-estradiol metabolites and their relation to breast cancer. <i>Biocell</i> , 2009 , 33, 137-40	1.9	5
28	In vitro effects of 2-methoxyestradiol on MCF-12A and MCF-7 cell growth, morphology and mitotic spindle formation. <i>Cell Biochemistry and Function</i> , 2008 , 26, 632-42	4.2	29
27	Hydroxyapatite-coated polyurethane for auricular cartilage replacement: an in vitro study. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 84, 475-82	5.4	21
26	In vitro effects of 2-methoxyestradiol on cell morphology and Cdc2 kinase activity in SNO oesophageal carcinoma cells. <i>Cell Biochemistry and Function</i> , 2007 , 25, 357-62	4.2	8
25	Identification of plumbagin epoxide as a germination inhibitory compound through a rapid bioassay on TLC. <i>South African Journal of Botany</i> , 2007 , 73, 654-656	2.9	12
24	Effects of arachidonic acid, docosahexaenoic acid and prostaglandin E(2) on cell proliferation and morphology of MG-63 and MC3T3-E1 osteoblast-like cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007 , 76, 35-45	2.8	26
23	Influence of Sutherlandia frutescens extracts on cell numbers, morphology and gene expression in MCF-7 cells. <i>Journal of Ethnopharmacology</i> , 2007 , 112, 312-8	5	29
22	Influence of 2-methoxyestradiol on cell morphology and cdc2 kinase activity in WHCO3 esophageal carcinoma cells. <i>Biomedical Research</i> , 2007 , 28, 9-16	1.5	6
21	Influence of prostaglandin A2 on Bax, Bcl-2 and PCNA expression in MCF-7 cells. <i>Biomedical Research</i> , 2006 , 27, 157-62	1.5	7
20	Bax/Bcl-2 expression levels of 2-methoxyestradiol-exposed esophageal cancer cells. <i>Biomedical Research</i> , 2005 , 26, 131-4	1.5	21
19	Influence of prostaglandin A2 and 2-methoxyestradiol on Bax and Bcl-2 expression levels in cervical carcinoma cells. <i>Biomedical Research</i> , 2005 , 26, 87-90	1.5	11
18	Influence of chelidonine, an inhibitor of tubulin polymerisation on tyrosine kinase activity in normal, transformed and malignant cell lines. <i>Biomedical Research</i> , 2004 , 25, 27-33	1.5	2
17	Influence of prostaglandin A2 and 2-methoxyestradiol on mitogen-activated protein kinase (MAPK) expression levels in malignant cell lines. <i>Biomedical Research</i> , 2004 , 25, 133-139	1.5	3
16	2-methoxyestradiol strongly inhibits human uterine sarcomatous cell growth. <i>Gynecologic Oncology</i> , 2003 , 91, 299-308	4.9	11
15	The effects of prostaglandin A2 on cell growth, cell cycle status and apoptosis induction in HeLa and MCF-7 cells. <i>Cancer Letters</i> , 2003 , 191, 203-9	9.9	15
14	Influence of Prostaglandin A2 and 2-Methoxyestradiel on Telemerase Activity in Cancer Cell Lines and a Non-tumorigenic Epithelial Breast Cell Line. <i>Biomedical Research</i> , 2003 , 24, 125-131	1.5	1
13	A pulsed DC electric field affects P2-purinergic receptor functions by altering the ATP levels in in vitro and in vivo systems. <i>Medical Hypotheses</i> , 2002 , 58, 171-6	3.8	14
12	Adenosine Triphosphate (ATP) in the MCF-12A Epithelial Cell: Square Wave (150 Hz Pulsed Saw Tooth-like Waveform) versus AC Electric Stimulation in vitro. <i>Biomedical Research</i> , 2002 , 23, 249-253	1.5	

LIST OF PUBLICATIONS

11	The effects of chelidonine on tubulin polymerisation, cell cycle progression and selected signal transmission pathways. <i>European Journal of Cell Biology</i> , 2001 , 80, 111-8	6.1	50
10	Identification of a tyrosine kinase-phosphorylated protein in arachidonic acid- and prostaglandin A(2)-treated cells in vitro. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2001 , 65, 173-7	2.8	6
9	Ukrain(TM), a semisynthetic Chelidonium majus alkaloid derivative, acts by inhibition of tubulin polymerization in normal and malignant cell lines. <i>Cancer Letters</i> , 2000 , 160, 149-57	9.9	19
8	Chemical analyses of Ukrain, a semi-synthetic Chelidonium majus alkaloid derivative, fail to confirm its trimeric structure. <i>Cancer Letters</i> , 2000 , 160, 237-41	9.9	8
7	The antimitotic effects of Ukrain, a Chelidonium majus alkaloid derivative, are reversible in vitro. <i>Cancer Letters</i> , 2000 , 150, 85-92	9.9	22
6	Fumonisin B1 influenced the effects of arachidonic acid, prostaglandins E2 and A2 on cell cycle progression, apoptosis induction, tyrosine- and CDC2-kinase activity in oesophageal cancer cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2000 , 62, 75-84	2.8	13
5	Comparative study of the effects of polyunsaturated fatty acids and their metabolites on cell growth and tyrosine kinase activity in oesophageal carcinoma cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1999 , 61, 171-82	2.8	12
4	Cloning, nucleotide sequence and expression of the gene encoding factor Xa inhibitor from the salivary glands of the tick, Ornithodoros savignyi. <i>Experimental and Applied Acarology</i> , 1998 , 22, 603-19	2.1	52
3	Isolation and characterization of an anticoagulant from the salivary glands of the tick, Ornithodoros savignyi (Acari: Argasidae). <i>Experimental and Applied Acarology</i> , 1996 , 20, 583-98	2.1	43
2	Isolation and characterization of an anticoagulant present in the salivary glands of the bont-legged tick, Hyalomma truncatum. <i>Experimental and Applied Acarology</i> , 1995 , 19, 79-92	2.1	34
1	The identification of a shared immunogen present in the salivary glands and gut of ixodid and argasid ticks. <i>Experimental and Applied Acarology</i> , 1992 , 15, 205-10	2.1	3