

Zhida Sun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/571342/zhida-sun-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

1,060
citations

22
h-index

30
g-index

53
ext. papers

1,290
ext. citations

5.4
avg, IF

4.67
L-index

#	Paper	IF	Citations
52	Phenolic profiles and bioactivities of different milling fractions of rice bran from black rice.. <i>Food Chemistry</i> , 2022 , 378, 132035	8.5	2
51	Inhibitory effects of lotus seedpod procyanidins against lipid and protein oxidation and spoilage organisms in chilled-storage beef. <i>LWT - Food Science and Technology</i> , 2022 , 160, 113247	5.4	1
50	Structures, physicochemical properties, and hypoglycemic activities of soluble dietary fibers from white and black glutinous rice bran: a comparative study. <i>Food Research International</i> , 2022 , 111423	7	1
49	Influence of Lactic Acid Bacteria Fermentation on Physicochemical Properties and Antioxidant Activity of Chickpea Yam Milk. <i>Journal of Food Quality</i> , 2021 , 2021, 1-9	2.7	6
48	Anion carboxymethylated β glucan alleviates undesirable binding between procyanidins and β galactosidase. <i>Food Chemistry</i> , 2021 , 344, 128686	8.5	3
47	Fabrication and characterization of whey protein isolates- lotus seedpod proanthocyanin conjugate: Its potential application in oxidizable emulsions. <i>Food Chemistry</i> , 2021 , 346, 128680	8.5	10
46	The improvement of carboxymethyl β glucan on the antibacterial activity and intestinal flora regulation ability of lotus seedpod procyanidins. <i>LWT - Food Science and Technology</i> , 2021 , 137, 110441	5.4	4
45	Quality parameters and bioactive compound bioaccessibility changes in probiotics fermented mango juice using ultraviolet-assisted ultrasonic pre-treatment during cold storage. <i>LWT - Food Science and Technology</i> , 2021 , 137, 110438	5.4	14
44	Diabetes diminishes a typical metabolite of litchi pericarp oligomeric procyanidins (LPOPC) in urine mediated by imbalanced gut microbiota. <i>Food and Function</i> , 2021 , 12, 5375-5386	6.1	3
43	Metabolites of Procyanidins From Pericarp With Xanthine Oxidase Inhibitory Effect and Antioxidant Activity. <i>Frontiers in Nutrition</i> , 2021 , 8, 676346	6.2	1
42	Effect of ultrasound combined with ultraviolet treatment on microbial inactivation and quality properties of mango juice. <i>Ultrasonics Sonochemistry</i> , 2020 , 64, 105000	8.9	31
41	Oligomeric Procyanidin Nanoliposomes Prevent Melanogenesis and UV Radiation-Induced Skin Epithelial Cell (HFF-1) Damage. <i>Molecules</i> , 2020 , 25,	4.8	5
40	Flavonoid compounds and antibacterial mechanisms of different parts of white guava (L. cv. Pearl). <i>Natural Product Research</i> , 2020 , 34, 1621-1625	2.3	5
39	Lotus seedpod proanthocyanidin-whey protein complexes: Impact on physical and chemical stability of β carotene-nanoemulsions. <i>Food Research International</i> , 2020 , 127, 108738	7	25
38	Proanthocyanidins and probiotics combination supplementation ameliorated intestinal injury in Enterotoxigenic Escherichia coli infected diarrhea mice. <i>Journal of Functional Foods</i> , 2019 , 62, 103521	5.1	12
37	Potential TSPO Ligand and Photooxidation Quencher Isorenieratene from Arctic Ocean sp. B7740. <i>Marine Drugs</i> , 2019 , 17,	6	6
36	Oligomer Procyanidins from Lotus Seedpod Regulate Lipid Homeostasis Partially by Modifying Fat Emulsification and Digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 4524-4534	5.7	7

35	Interaction between carboxymethyl pachyman and lotus seedpod oligomeric procyanidins with superior synergistic antibacterial activity. <i>Carbohydrate Polymers</i> , 2019 , 212, 11-20	10.3	11
34	Effect of Thermo-Sonication and Ultra-High Pressure on the Quality and Phenolic Profile of Mango Juice. <i>Foods</i> , 2019 , 8,	4.9	20
33	Antiglycation and antioxidant activities of mogroside extract from (Swingle) fruits. <i>Journal of Food Science and Technology</i> , 2018 , 55, 1880-1888	3.3	28
32	Dietary supplementation of A-type procyanidins from litchi pericarp improves glucose homeostasis by modulating mTOR signaling and oxidative stress in diabetic ICR mice. <i>Journal of Functional Foods</i> , 2018 , 44, 155-165	5.1	11
31	Phytochemical profiling of the ripening of Chinese mango (<i>Mangifera indica</i> L.) cultivars by real-time monitoring using UPLC-ESI-QTOF-MS and its potential benefits as prebiotic ingredients. <i>Food Chemistry</i> , 2018 , 256, 171-180	8.5	35
30	Isorenieratene interaction with human serum albumin: Multi-spectroscopic analyses and docking simulation. <i>Food Chemistry</i> , 2018 , 258, 393-399	8.5	23
29	Identification of microbial carotenoids and isoprenoid quinones from <i>Rhodococcus</i> sp. B7740 and its stability in the presence of iron in model gastric conditions. <i>Food Chemistry</i> , 2018 , 240, 204-211	8.5	13
28	Synergistic effect of B-type oligomeric procyanidins from lotus seedpod in combination with water-soluble <i>Poria cocos</i> polysaccharides against <i>E. coli</i> and mechanism. <i>Journal of Functional Foods</i> , 2018 , 48, 134-143	5.1	14
27	(-)-Epigallocatechin-3-gallate (EGCG) inhibits starch digestion and improves glucose homeostasis through direct or indirect activation of PXR/CAR-mediated phase II metabolism in diabetic mice. <i>Food and Function</i> , 2018 , 9, 4651-4663	6.1	44
26	Characterization of MK[H] from sp. B7740 and Its Potential Antiglycation Capacity Measurements. <i>Marine Drugs</i> , 2018 , 16,	6	5
25	Analysis of distribution and pharmacokinetics of litchi pericarp procyanidins in rat plasma and organs by using liquid chromatography tandem mass spectrometry. <i>European Food Research and Technology</i> , 2017 , 243, 167-176	3.4	6
24	Attenuated mTOR Signaling and Enhanced Glucose Homeostasis by Dietary Supplementation with Lotus Seedpod Oligomeric Procyanidins in Streptozotocin (STZ)-Induced Diabetic Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 3801-3810	5.7	24
23	Separation and Identification of Anthocyanins Extracted from Blueberry Wine Lees and Pigment Binding Properties toward α -Glucosidase. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 216-223	5.7	12
22	Antibacterial activity and mechanism of B-type oligomeric procyanidins from lotus seedpod on enterotoxigenic <i>Escherichia coli</i> . <i>Journal of Functional Foods</i> , 2017 , 38, 454-463	5.1	30
21	Characterization and preparation of oligomeric procyanidins from Litchi chinensis pericarp. <i>Phytotherapy Research</i> , 2016 , 112, 168-74	3.2	28
20	A-type procyanidins from litchi pericarp ameliorate hyperglycaemia by regulating hepatic and muscle glucose metabolism in streptozotocin (STZ)-induced diabetic mice fed with high fat diet. <i>Journal of Functional Foods</i> , 2016 , 27, 711-722	5.1	33
19	In vitro antioxidant activities of proanthocyanidins extracted from the lotus seedpod and ameliorative effects on learning and memory impairment in scopolamine-induced amnesia mice. <i>Food Science and Biotechnology</i> , 2015 , 24, 1487-1494	3	11
18	Inhibition of Advanced Glycation Endproduct Formation by Lotus Seedpod Oligomeric Procyanidins through RAGE-MAPK Signaling and NF- κ B Activation in High-Fat-Diet Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 6989-98	5.7	35

17	Combination of Procyanidins Extracted from Lotus Seedpod and N-acetyl Cysteine Ameliorates Scopolamine-induced Memory Impairment in Mice. <i>Journal of Food and Nutrition Research (Newark, Del)</i> , 2015 , 3, 464-470	1.9	4
16	A significant inhibitory effect on advanced glycation end product formation by catechin as the major metabolite of lotus seedpod oligomeric procyanidins. <i>Nutrients</i> , 2014 , 6, 3230-44	6.7	17
15	Lactobacillus casei-01 facilitates the ameliorative effects of proanthocyanidins extracted from lotus seedpod on learning and memory impairment in scopolamine-induced amnesia mice. <i>PLoS ONE</i> , 2014 , 9, e112773	3.7	28
14	Combination of proanthocyanidins extracted from lotus seedpod and l-cysteine ameliorates memory impairment induced by alcohol and scopolamine in mice. <i>European Food Research and Technology</i> , 2013 , 236, 671-679	3.4	4
13	Absorption and urinary excretion of A-type procyanidin oligomers from Litchi chinensis pericarp in rats by selected ion monitoring liquid chromatography-mass spectrometry. <i>Food Chemistry</i> , 2013 , 138, 1536-42	8.5	22
12	Oligomeric procyanidins of lotus seedpod inhibits the formation of advanced glycation end-products by scavenging reactive carbonyls. <i>Food Chemistry</i> , 2013 , 138, 1493-502	8.5	48
11	Increasing antioxidant activity of procyanidin extracts from the pericarp of Litchi chinensis processing waste by two probiotic bacteria bioconversions. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 2506-12	5.7	37
10	Identification of A-series oligomeric procyanidins from pericarp of Litchi chinensis by FT-ICR-MS and LC-MS. <i>Food Chemistry</i> , 2012 , 135, 31-38	8.5	70
9	Changes in the nitric oxide system contribute to effect of procyanidins extracted from the lotus seedpod ameliorating memory impairment in cognitively impaired aged rats. <i>Rejuvenation Research</i> , 2011 , 14, 33-43	2.6	12
8	Memory impairment in cognitively impaired aged rats associated with decreased hippocampal CREB phosphorylation: reversal by procyanidins extracted from the lotus seedpod. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 933-40	6.4	36
7	Procyanidins extracted from the lotus seedpod ameliorate age-related antioxidant deficit in aged rats. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 236-41	6.4	30
6	Supercritical fluid extraction and identification of isoquinoline alkaloids from leaves of <i>Nelumbo nucifera</i> Gaertn. <i>European Food Research and Technology</i> , 2010 , 231, 407-414	3.4	32
5	Procyanidins extracted from the lotus seedpod ameliorate scopolamine-induced memory impairment in mice. <i>Phytotherapy Research</i> , 2009 , 23, 1742-7	6.7	20
4	Rejuvenation of antioxidant and cholinergic systems contributes to the effect of procyanidins extracted from the lotus seedpod ameliorating memory impairment in cognitively impaired aged rats. <i>European Neuropsychopharmacology</i> , 2009 , 19, 851-60	1.2	39
3	Ameliorative effects of lotus seedpod proanthocyanidins on cognitive deficits and oxidative damage in senescence-accelerated mice. <i>Behavioural Brain Research</i> , 2008 , 194, 100-7	3.4	69
2	Evaluation of antioxidant activity and preventing DNA damage effect of pomegranate extracts by chemiluminescence method. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3134-40	5.7	62
1	Determination of Procymidone, Pentachloroaniline and Methyl-pentachloro-phenylsulfide Residues in Wine by MSPD-GC-ECD. <i>Chromatographia</i> , 2007 , 65, 625-628	2.1	10