

Woo-Baek Chung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5713857/publications.pdf>

Version: 2024-02-01

22
papers

228
citations

1162889

8
h-index

1058333

14
g-index

23
all docs

23
docs citations

23
times ranked

433
citing authors

#	ARTICLE	IF	CITATIONS
1	The First Application of Transcatheter Caval Valve Implantation for Severe Tricuspid Regurgitation in a Patient With High Surgical Risk. <i>Korean Circulation Journal</i> , 2022, 52, 246.	0.7	0
2	Change of right ventricular systolic pressure can indicate dasatinib-induced pulmonary arterial hypertension in chronic myeloid leukemia. <i>Cancer Medicine</i> , 2021, 10, 1515-1524.	1.3	1
3	Candesartan and carvedilol for primary prevention of subclinical cardiotoxicity in breast cancer patients without a cardiovascular risk treated with doxorubicin. <i>Cancer Medicine</i> , 2021, 10, 3964-3973.	1.3	14
4	Efficacy and Tolerability of Pitavastatin Versus Pitavastatin/Fenofibrate in High-risk Korean Patients with Mixed Dyslipidemia: A Multicenter, Randomized, Double-blinded, Parallel, Therapeutic Confirmatory Clinical Trial. <i>Clinical Therapeutics</i> , 2020, 42, 2021-2035.e3.	1.1	6
5	Cardiovascular disease burden in adult patients with cancer: An 11-year nationwide population-based cohort study. <i>International Journal of Cardiology</i> , 2020, 317, 167-173.	0.8	25
6	<p>Effect of Fimasartan versus Valsartan and Olmesartan on Office and Ambulatory Blood Pressure in Korean Patients with Mild-to-Moderate Essential Hypertension: A Randomized, Double-Blind, Active Control, Three-Parallel Group, Forced Titration, Multicenter, Phase IV Study (Fimasartan Achieving Systolic Blood Pressure Target (FAST) Study)</p>. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 347-360.	2.0	6
7	Cardiovascular Complications of Novel Anti-Cancer Immunotherapy: Old Problems from New Agents?. <i>Korean Circulation Journal</i> , 2020, 50, 743.	0.7	6
8	A case of early diagnosis of pulmonary capillary hemangiomatosis in a worker with exposure to silica. <i>BMC Pulmonary Medicine</i> , 2019, 19, 133.	0.8	2
9	Three-dimensional EchoNavigator System Guided Transcatheter Closure of Paravalvular Leakage. <i>Journal of Cardiovascular Imaging</i> , 2019, 27, 227.	0.2	6
10	Prehypertension is a comorbid state with autonomic and metabolic dysfunction. <i>Journal of Clinical Hypertension</i> , 2018, 20, 273-279.	1.0	15
11	Visit-to-visit variability of systolic blood pressure predicts all-cause mortality in patients received percutaneous coronary intervention with drug-eluting stents. <i>Heart and Vessels</i> , 2018, 33, 489-497.	0.5	8
12	Diagnosis, Treatment, and Prevention of Cardiovascular Toxicity Related to Anti-Cancer Treatment in Clinical Practice: An Opinion Paper from the Working Group on Cardio-Oncology of the Korean Society of Echocardiography. <i>Journal of Cardiovascular Imaging</i> , 2018, 26, 1.	0.8	24
13	Efficacy and Tolerability of Combination Therapy Versus Monotherapy with Candesartan and/or Amlodipine for Dose Finding in Essential Hypertension: A Phase II Multicenter, Randomized, Double-blind Clinical Trial. <i>Clinical Therapeutics</i> , 2017, 39, 1628-1638.	1.1	9
14	Prehypertension is associated with early complications of atherosclerosis but not with exercise capacity. <i>International Journal of Cardiology</i> , 2017, 227, 387-392.	0.8	15
15	High coronary calcium score and post-procedural CK-MB are noninvasive predictors of coronary stent restenosis. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 399-404.	1.3	3
16	Pathophysiology and preventive strategies of anthracycline-induced cardiotoxicity. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 625-633.	0.7	42
17	Effects of candesartan cilexetil and amlodipine orotate on receptor for advanced glycation end products expression in the aortic wall of Otsuka Long-Evans Tokushima Fatty (OETF) type 2 diabetic rats. <i>Archives of Pharmacal Research</i> , 2016, 39, 565-576.	2.7	4
18	Efficacy and Safety Study of Olmesartan Medoxomil, Amlodipine, and Hydrochlorothiazide Combination Therapy in Patients with Hypertension Not Controlled with Olmesartan Medoxomil and Hydrochlorothiazide Combination Therapy: Results of a Randomized, Double-Blind, Multicenter Trial. <i>American Journal of Cardiovascular Drugs</i> , 2016, 16, 129-138.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Carotid intima-media thickness is not related with clinical outcomes in young hypertensives. <i>Clinical Hypertension</i> , 2015, 21, 15.	0.7	3
20	Effects of adriamycin and candesartan on the collagen and elastin of the aorta in rats. <i>Clinical Hypertension</i> , 2014, 20, 8.	0.7	7
21	Early Cardiac Function Monitoring for Detection of Subclinical Doxorubicin Cardiotoxicity in Young Adult Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2013, 16, 178.	0.8	21
22	The Expression of Cardiac Ankyrin Repeat Protein in an Animal Model of Adriamycin-Induced Cardiomyopathy. <i>Korean Circulation Journal</i> , 2008, 38, 455.	0.7	3