

Johan Åslund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5713936/publications.pdf>

Version: 2024-02-01

384
papers

140,004
citations

2423

97
h-index

100

352
g-index

397
all docs

397
docs citations

397
times ranked

150011
citing authors

#	ARTICLE	IF	CITATIONS
1	Addition of cystatin C predicts cardiovascular death better than creatinine in intensive care. <i>Heart</i> , 2022, 108, 279-284.	1.2	7
2	The association between length of stay in the emergency department and short-term mortality. <i>Internal and Emergency Medicine</i> , 2022, 17, 233-240.	1.0	15
3	Association between albuminuria, incident cardiovascular events, and mortality in persons without hypertension, diabetes, and cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e4-e6.	0.8	1
4	Effect of General Adiposity and Central Body Fat Distribution on the Circulating Metabolome: A Multicohort Nontargeted Metabolomics Observational and Mendelian Randomization Study. <i>Diabetes</i> , 2022, 71, 329-339.	0.3	14
5	Genetically Predicted Circulating Copper and Risk of Chronic Kidney Disease: A Mendelian Randomization Study. <i>Nutrients</i> , 2022, 14, 509.	1.7	12
6	Metabolic Profiling of Obesity With and Without the Metabolic Syndrome: A Multisample Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	1.8	9
7	Therapeutic Targets for Heart Failure Identified Using Proteomics and Mendelian Randomization. <i>Circulation</i> , 2022, 145, 1205-1217.	1.6	50
8	Diabetes, sarcopenia and chronic kidney disease; the Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2022, 22, 254.	1.1	10
9	Genetic loci and prioritization of genes for kidney function decline derived from a meta-analysis of 62 longitudinal genome-wide association studies. <i>Kidney International</i> , 2022, 102, 624-639.	2.6	18
10	The association between short-term, chronic localized and chronic widespread pain and risk for cardiovascular disease in the UK Biobank. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1994-2002.	0.8	19
11	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022, 5, .	2.0	17
12	Plasma proteomics and lung function in four community-based cohorts. <i>Respiratory Medicine</i> , 2021, 176, 106282.	1.3	2
13	Estimated salt intake and risk of atrial fibrillation in a prospective community-based cohort. <i>Journal of Internal Medicine</i> , 2021, 289, 700-708.	2.7	14
14	Patterns of multimorbidity and pharmacotherapy: a total population cross-sectional study. <i>Family Practice</i> , 2021, 38, 132-139.	0.8	28
15	Multicohort Metabolomics Analysis Discloses 9-Decenoylcarnitine to Be Associated With Incident Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2021, 10, e017579.	1.6	12
16	A longitudinal study over 40 years to study the metabolic syndrome as a risk factor for cardiovascular diseases. <i>Scientific Reports</i> , 2021, 11, 2978.	1.6	24
17	Response to letter about "Estimated salt intake and risk of atrial fibrillation in a prospective community-based cohort"; <i>Journal of Internal Medicine</i> , 2021, 289, 593-594.	2.7	1
18	Albumin Urinary Excretion Is Associated with Increased Levels of Urinary Chemokines, Cytokines, and Growth Factors Levels in Humans. <i>Biomolecules</i> , 2021, 11, 396.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Cystatin C predicts long term mortality better than creatinine in a nationwide study of intensive care patients. <i>Scientific Reports</i> , 2021, 11, 5882.	1.6	22
20	Life-Time Covariation of Major Cardiovascular Diseases. <i>Circulation Genomic and Precision Medicine</i> , 2021, 14, e002963.	1.6	5
21	Poorly controlled ambulatory blood pressure in outpatients with peripheral arterial disease. <i>Upsala Journal of Medical Sciences</i> , 2021, 126, .	0.4	1
22	Plasma Protein Profile of Carotid Artery Atherosclerosis and Atherosclerotic Outcomes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1777-1788.	1.1	18
23	Plasma Protein Profile of Incident Myocardial Infarction, Ischemic Stroke, and Heart Failure in 2 Cohorts. <i>Journal of the American Heart Association</i> , 2021, 10, e017900.	1.6	10
24	Strong Associations between Plasma Osteopontin and Several Inflammatory Chemokines, Cytokines, and Growth Factors. <i>Biomedicines</i> , 2021, 9, 908.	1.4	1
25	Association between Cardiorespiratory Fitness and Circulating Proteins in 50-Year-Old Swedish Men and Women: a Cross-Sectional Study. <i>Sports Medicine - Open</i> , 2021, 7, 52.	1.3	4
26	“Concerns regarding the “meta-analysis” by A. S. Bhagavathula and J. Rahmani”. <i>Clinical Nutrition</i> , 2021, 40, 4859-4860.	2.3	0
27	Strong Associations Between Early Tubular Damage and Urinary Cytokine, Chemokine, and Growth Factor Levels in Elderly Males and Females. <i>Journal of Interferon and Cytokine Research</i> , 2021, 41, 283-290.	0.5	2
28	A screening method to spot biomarkers that may warn of serious events in a chronic disease” illustrated by cardiological CLARICOR trial data. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1852-1860.	1.4	0
29	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 870-905.	6.3	229
30	The genomics of heart failure: design and rationale of the HERMES consortium. <i>ESC Heart Failure</i> , 2021, 8, 5531-5541.	1.4	11
31	The association between BMI and 90-day mortality in patients with and without diabetes seeking care at the emergency department. <i>Upsala Journal of Medical Sciences</i> , 2021, 126, .	0.4	1
32	Impact of risk factors for major cardiovascular diseases: a comparison of life-time observational and Mendelian randomisation findings. <i>Open Heart</i> , 2021, 8, e001735.	0.9	14
33	Plasma calprotectin in the emergency department: a potential clinical biomarker for patients with infectious diseases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 593-597.	0.6	5
34	Global, regional, and national burden of stroke and its risk factors, 1990”2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology, The</i> , 2021, 20, 795-820.	4.9	2,308
35	Albuminuria Testing in Hypertension and Diabetes: An Individual-Participant Data Meta-Analysis in a Global Consortium. <i>Hypertension</i> , 2021, 78, 1042-1052.	1.3	52
36	Estimating tubular damage for predicting progression of chronic kidney disease” what are the implications for clinical practice and public health?. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1769-1770.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 1593-1618.	6.3	92
38	Large-scale Plasma Protein Profiling of Incident Myocardial Infarction, Ischemic Stroke, and Heart Failure. <i>Journal of the American Heart Association</i> , 2021, 10, e023330.	1.6	14
39	Proteins associated with incident metabolic syndrome in population-based cohorts. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 131.	1.2	2
40	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. <i>Nature Communications</i> , 2021, 12, 7173.	5.8	8
41	Meta-analyses identify DNA methylation associated with kidney function and damage. <i>Nature Communications</i> , 2021, 12, 7174.	5.8	30
42	Endostatin predicts mortality in patients with acute dyspnea – A cohort study of patients seeking care in emergency departments. <i>Clinical Biochemistry</i> , 2020, 75, 35-39.	0.8	4
43	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. <i>Nature Communications</i> , 2020, 11, 163.	5.8	466
44	A Multi-Cohort Metabolomics Analysis Discloses Sphingomyelin (32:1) Levels to be Inversely Related to Incident Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104476.	0.7	14
45	Growth differentiation factor 15 (GDF-15) is a potential biomarker of both diabetic kidney disease and future cardiovascular events in cohorts of individuals with type 2 diabetes: a proteomics approach. <i>Uppsala Journal of Medical Sciences</i> , 2020, 125, 37-43.	0.4	40
46	Changes in Proteomic Profiles are Related to Changes in BMI and Fat Distribution During 10 Years of Aging. <i>Obesity</i> , 2020, 28, 178-186.	1.5	13
47	Associations Between Apolipoprotein A1, High-Density Lipoprotein Cholesterol, and Urinary Cytokine Levels in Elderly Males and Females. <i>Journal of Interferon and Cytokine Research</i> , 2020, 40, 71-74.	0.5	8
48	Chronic kidney disease in the context of multimorbidity patterns: the role of physical performance. <i>BMC Geriatrics</i> , 2020, 20, 350.	1.1	15
49	Impaired kidney function is associated with lower quality of life among community-dwelling older adults. <i>BMC Geriatrics</i> , 2020, 20, 340.	1.1	13
50	Is kidney function associated with cognition and mood in late life?. <i>BMC Geriatrics</i> , 2020, 20, 297.	1.1	4
51	Genomic and drug target evaluation of 90 cardiovascular proteins in 30,931 individuals. <i>Nature Metabolism</i> , 2020, 2, 1135-1148.	5.1	327
52	Endothelial dysfunction and the risk of heart failure in a community-based study: the Multi-Ethnic Study of Atherosclerosis. <i>ESC Heart Failure</i> , 2020, 7, 4231-4240.	1.4	13
53	Non-targeted urine metabolomics and associations with prevalent and incident type 2 diabetes. <i>Scientific Reports</i> , 2020, 10, 16474.	1.6	11
54	Kidney function and other factors and their association with falls. <i>BMC Geriatrics</i> , 2020, 20, 320.	1.1	5

#	ARTICLE	IF	CITATIONS
55	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	6.3	7,664
56	Association between kidney function, nutritional status and anthropometric measures in older people. <i>BMC Geriatrics</i> , 2020, 20, 366.	1.1	14
57	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	6.3	3,928
58	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950â€“2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	6.3	890
59	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	6.3	335
60	Prevalence of sarcopenia in community-dwelling older adults using the updated EWGSOP2 definition according to kidney function and albuminuria. <i>BMC Geriatrics</i> , 2020, 20, 327.	1.1	20
61	Atherosclerotic Aortic Calcification-Associated Polymorphism in HDAC9 and Associations with Mortality, Cardiovascular Disease, and Kidney Disease. <i>IScience</i> , 2020, 23, 101253.	1.9	3
62	A cross-omics integrative study of metabolic signatures of chronic obstructive pulmonary disease. <i>BMC Pulmonary Medicine</i> , 2020, 20, 193.	0.8	15
63	The association between plasma proteomics and incident cardiovascular disease identifies MMP-12 as a promising cardiovascular risk marker in patients with chronic kidney disease. <i>Atherosclerosis</i> , 2020, 307, 11-15.	0.4	15
64	Kidney Disease Biomarkers Improve Heart Failure Risk Prediction in the General Population. <i>Circulation: Heart Failure</i> , 2020, 13, e006904.	1.6	22
65	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	6.3	330
66	Prognostic value of 12 novel cardiological biomarkers in stable coronary artery disease. A 10-year follow-up of the placebo group of the Copenhagen CLARICOR trial. <i>BMJ Open</i> , 2020, 10, e033720.	0.8	2
67	Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€“2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.	1.2	4,468
68	Incorporating kidney disease measures into cardiovascular risk prediction: Development and validation in 9 million adults from 72 datasets. <i>EClinicalMedicine</i> , 2020, 27, 100552.	3.2	50
69	Impact of the Definition of Metabolically Healthy Obesity on the Association with Incident Cardiovascular Disease. <i>Metabolic Syndrome and Related Disorders</i> , 2020, 18, 302-307.	0.5	4
70	Global Plasma Metabolomics to Identify Potential Biomarkers of Blood Pressure Progression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, e227-e237.	1.1	34
71	Plant-based diets, insulin sensitivity and inflammation in elderly men with chronic kidney disease. <i>Journal of Nephrology</i> , 2020, 33, 1091-1101.	0.9	18
72	Prognosis and Reclassification by YKLâ€40 in Stable Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2020, 9, e014634.	1.6	20

#	ARTICLE	IF	CITATIONS
73	Targeted multiplex proteomics for prediction of all-cause mortality during long-term follow-up in outpatients with peripheral arterial disease. <i>Atherosclerosis</i> , 2020, 311, 143-149.	0.4	3
74	TNFR1 is associated with short-term mortality in patients with diabetes and acute dyspnea seeking care at the emergency department. <i>Acta Diabetologica</i> , 2020, 57, 1145-1150.	1.2	2
75	Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2020, 395, 709-733.	6.3	2,858
76	The plasma protein profile and cardiovascular risk differ between intima-media thickness of the common carotid artery and the bulb: A meta-analysis and a longitudinal evaluation. <i>Atherosclerosis</i> , 2020, 295, 25-30.	0.4	18
77	Pregnancy Associated Plasma Protein-A as a Cardiovascular Risk Marker in Patients with Stable Coronary Heart Disease During 10 Years Follow-Up—A CLARICOR Trial Sub-Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 265.	1.0	7
78	Serum osteoprotegerin as a long-term predictor for patients with stable coronary artery disease and its association with diabetes and statin treatment: A CLARICOR trial 10-year follow-up substudy. <i>Atherosclerosis</i> , 2020, 301, 8-14.	0.4	9
79	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	15.2	47
80	Clinical Implications of Estimating Glomerular Filtration Rate with Three Different Equations among Older People. Preliminary Results of the Project “Screening for Chronic Kidney Disease among Older People across Europe (SCOPE)”. <i>Journal of Clinical Medicine</i> , 2020, 9, 294.	1.0	6
81	Plasma potassium ranges associated with mortality across stages of chronic kidney disease: the Stockholm CREATinine Measurements (SCREAM) project. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1534-1541.	0.4	40
82	Massive open online courses (MOOCs) for long-distance education in geriatric medicine across Europe. <i>European Geriatric Medicine</i> , 2019, 10, 989-994.	1.2	10
83	In search of causal pathways in diabetes: a study using proteomics and genotyping data from a cross-sectional study. <i>Diabetologia</i> , 2019, 62, 1998-2006.	2.9	27
84	Cathepsin D improves the prediction of undetected diabetes in patients with myocardial infarction. <i>Uppsala Journal of Medical Sciences</i> , 2019, 124, 187-192.	0.4	1
85	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , 2019, 10, 4130.	5.8	133
86	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019, 51, 1459-1474.	9.4	251
87	Proteomic Analysis of Longitudinal Changes in Blood Pressure. <i>Journal of Clinical Medicine</i> , 2019, 8, 1585.	1.0	3
88	The metabolites urobilin and sphingomyelin (30:1) are associated with incident heart failure in the general population. <i>ESC Heart Failure</i> , 2019, 6, 764-773.	1.4	23
89	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972.	9.4	549
90	Longitudinal effects of aging on plasma proteins levels in older adults – associations with kidney function and hemoglobin levels. <i>PLoS ONE</i> , 2019, 14, e0212060.	1.1	15

#	ARTICLE	IF	CITATIONS
91	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 439-458.	4.9	2,005
92	Estimated Glomerular Filtration Rate and the Risk of Cancer. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 530-539.	2.2	46
93	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 459-480.	4.9	2,625
94	Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. <i>Atherosclerosis</i> , 2019, 284, 202-208.	0.4	11
95	Albuminuria as a Predictor of Cardiovascular Outcomes in Patients With Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2019, 8, e010546.	1.6	25
96	End-Stage Kidney Diseases in Immigrant Groups: A Nationwide Cohort Study in Sweden. <i>American Journal of Nephrology</i> , 2019, 49, 186-192.	1.4	3
97	Proteomic profiling of endothelium-dependent vasodilation. <i>Journal of Hypertension</i> , 2019, 37, 216-222.	0.3	2
98	Life expectancy and disease burden in the Nordic countries: results from the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet Public Health</i> , The, 2019, 4, e658-e669.	4.7	56
99	Trans-ethnic kidney function association study reveals putative causal genes and effects on kidney-specific disease aetiologies. <i>Nature Communications</i> , 2019, 10, 29.	5.8	113
100	Atrial fibrillation in immigrants under the age of 45 y in Sweden. <i>International Health</i> , 2019, 11, 193-202.	0.8	3
101	Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , the, 2019, 7, 115-127.	5.5	199
102	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217.	2.1	49
103	Circulating proteins as predictors of cardiovascular mortality in end-stage renal disease. <i>Journal of Nephrology</i> , 2019, 32, 111-119.	0.9	42
104	Survival and incidence of cardiovascular diseases in participants in a long-distance ski race (Vasaloppet, Sweden) compared with the background population. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 91-97.	1.8	20
105	The association between circulating endostatin and a disturbed circadian blood pressure pattern in patients with type 2 diabetes. <i>Blood Pressure</i> , 2018, 27, 215-221.	0.7	1
106	Levels of soluble tumor necrosis factor receptor 1 and 2, gender, and risk of myocardial infarction in Northern Sweden. <i>Atherosclerosis</i> , 2018, 272, 41-46.	0.4	14
107	The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , 2018, 3, 375.	3.0	271
108	Different rates of progression and mortality in patients with chronic kidney disease at outpatient nephrology clinics across Europe. <i>Kidney International</i> , 2018, 93, 1432-1441.	2.6	36

#	ARTICLE	IF	CITATIONS
109	The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2018, 72, 26-32.	0.8	22
110	Impact of Aging on the Strength of Cardiovascular Risk Factors: A Longitudinal Study Over 40 Years. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	85
111	10-Year Associations Between Tumor Necrosis Factor Receptors 1 and 2 and Cardiovascular Events in Patients With Stable Coronary Heart Disease: A CLARICOR (Effect of Clarithromycin on Mortality and) Tj ETQq1 1 0,784314 rgBT /Over Association. 2018, 7, .	1.6	88
112	Lower serum calcium is independently associated with CKD progression. <i>Scientific Reports</i> , 2018, 8, 5148.	1.6	24
113	Targeted proteomic analysis of habitual coffee consumption. <i>Journal of Internal Medicine</i> , 2018, 283, 200-211.	2.7	9
114	Circulating proteins as predictors of incident heart failure in the elderly. <i>European Journal of Heart Failure</i> , 2018, 20, 55-62.	2.9	87
115	Burden of obesity in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 165-176.	1.0	50
116	Mortality in patients with atrial fibrillation and common co-morbidities – a cohort study in primary care. <i>Annals of Medicine</i> , 2018, 50, 156-163.	1.5	9
117	Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 137-149.	1.0	63
118	Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 63-77.	1.0	15
119	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 79-96.	1.0	17
120	Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 177-186.	1.0	30
121	Prognostic value of routinely available data in patients with stable coronary heart disease. A 10-year follow-up of patients sampled at random times during their disease course. <i>Open Heart</i> , 2018, 5, e000808.	0.9	7
122	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	6.3	716
123	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	6.3	4,989
124	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	6.3	3,269
125	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	6.3	294
126	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	6.3	8,569

#	ARTICLE	IF	CITATIONS
127	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	6.3	335
128	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	6.3	2,123
129	The association between circulating endostatin levels and incident myocardial infarction. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 315-319.	0.4	5
130	Heart failure in immigrant groups: a cohort study of adults aged 45 years and over in Sweden. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 292-300.	0.4	15
131	A Mendelian randomization study of the effects of blood lipids on breast cancer risk. <i>Nature Communications</i> , 2018, 9, 3957.	5.8	121
132	Cathepsin B and S as markers for cardiovascular risk and all-cause mortality in patients with stable coronary heart disease during 10 years: a CLARICOR trial sub-study. <i>Atherosclerosis</i> , 2018, 278, 97-102.	0.4	22
133	Associations of Circulating Protein Levels With Lipid Fractions in the General Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 2505-2518.	1.1	18
134	Design and methodology of the screening for CKD among older patients across Europe (SCOPE) study: a multicenter cohort observational study. <i>BMC Nephrology</i> , 2018, 19, 260.	0.8	20
135	Endothelial dysfunction is associated with impaired lung function in two independent community cohorts. <i>Respiratory Medicine</i> , 2018, 143, 123-128.	1.3	4
136	Can the Plasma Concentration Ratio of Triglyceride/High-Density Lipoprotein Cholesterol Identify Individuals at High Risk of Cardiovascular Disease During 40-Year Follow-Up?. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 433-439.	0.5	16
137	Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 1748-1757.	2.9	43
138	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	6.3	638
139	Estimated glomerular filtration rate and functional status among older people: A systematic review. <i>European Journal of Internal Medicine</i> , 2018, 56, 39-48.	1.0	17
140	Decreased Hip, Lower Leg, and Humeral Fractures but Increased Forearm Fractures in Highly Active Individuals. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1842-1850.	3.1	7
141	Socioeconomic factors and mortality in patients with atrial fibrillationâ€“a cohort study in Swedish primary care. <i>European Journal of Public Health</i> , 2018, 28, 1103-1109.	0.1	25
142	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	6.3	2,005
143	Cardiovascular events in patients under age fifty with early findings of elevated lipid and glucose levels â€“ The AMORIS study. <i>PLoS ONE</i> , 2018, 13, e0201972.	1.1	8
144	Pregnancyâ€“associated plasma protein A and mortality in haemodialysis. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12959.	1.7	0

#	ARTICLE	IF	CITATIONS
145	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation. <i>Journal of Hypertension</i> , 2018, 36, 1929-1935.	0.3	3
146	Circulating endostatin and the incidence of heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 244-249.	0.4	10
147	Glucose challenge metabolomics implicates medium-chain acylcarnitines in insulin resistance. <i>Scientific Reports</i> , 2018, 8, 8691.	1.6	47
148	Dendritic cell maturation in the corneal epithelium with onset of type 2 diabetes is associated with tumor necrosis factor receptor superfamily member 9. <i>Scientific Reports</i> , 2018, 8, 14248.	1.6	56
149	Endothelial dysfunction is associated with impaired lung function in two independent community cohorts. , 2018, , .		0
150	Gout in immigrant groups: a cohort study in Sweden. <i>Clinical Rheumatology</i> , 2017, 36, 1091-1102.	1.0	7
151	Circulating cathepsin-S levels correlate with GFR decline and sTNFR1 and sTNFR2 levels in mice and humans. <i>Scientific Reports</i> , 2017, 7, 43538.	1.6	15
152	Change in Body Weight from Age 20 Years Is a Powerful Determinant of the Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 112-117.	0.5	3
153	Discovery of new biomarkers for atrial fibrillation using a custom-made proteomics chip. <i>Heart</i> , 2017, 103, 377-382.	1.2	48
154	Time in Therapeutic Range and Outcomes After Warfarin Initiation in Newly Diagnosed Atrial Fibrillation Patients With Renal Dysfunction. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	57
155	Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2167-2179.	3.0	194
156	Pharmacological targeting of peptidylarginine deiminase 4 prevents cancer-associated kidney injury in mice. <i>Oncolmmunology</i> , 2017, 6, e1320009.	2.1	51
157	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1-25.	1.2	2,705
158	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€”2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266.	6.3	480
159	The Interplay Between Fat Mass and Fat Distribution as Determinants of the Metabolic Syndrome Is Sex-Dependent. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 337-343.	0.5	11
160	Association Between Proton Pump Inhibitor Use and Risk of Progression of Chronic Kidney Disease. <i>Gastroenterology</i> , 2017, 153, 702-710.	0.6	121
161	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017, 377, 13-27.	13.9	5,014
162	Serum Biomarkers of Myocardial Remodeling and Coronary Dysfunction in Early Stages of Hypertrophic Cardiomyopathy in the Young. <i>Pediatric Cardiology</i> , 2017, 38, 853-863.	0.6	28

#	ARTICLE	IF	CITATIONS
163	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	3.3	306
164	Alterations in Multiple Lifestyle Factors in Subjects with the Metabolic Syndrome Independently of Obesity. Metabolic Syndrome and Related Disorders, 2017, 15, 118-123.	0.5	9
165	Neighborhood socioeconomic status at the age of 40 years and ischemic stroke before the age of 50 years: A nationwide cohort study from Sweden. International Journal of Stroke, 2017, 12, 815-826.	2.9	24
166	Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. Kidney International, 2017, 91, 244-251.	2.6	104
167	Impact of physical activity on cardiovascular status in obesity. European Journal of Clinical Investigation, 2017, 47, 167-175.	1.7	8
168	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39 740 adults from 20 prospective cohort studies. Lancet Diabetes and Endocrinology, the, 2017, 5, 965-974.	5.5	213
169	Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. American Journal of Cardiology, 2017, 120, 1974-1979.	0.7	8
170	Endostatin: a promising biomarker in the cardiovascular continuum?. Biomarkers in Medicine, 2017, 11, 905-916.	0.6	16
171	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
172	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
173	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
174	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
175	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
176	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	4.9	1,521
177	Measures of chronic kidney disease and risk of incident peripheral artery disease: a collaborative meta-analysis of individual participant data. Lancet Diabetes and Endocrinology, the, 2017, 5, 718-728.	5.5	110
178	Outcomes associated to serum phosphate levels in patients with suspected acute coronary syndrome. International Journal of Cardiology, 2017, 245, 20-26.	0.8	4
179	Use of Proteomics To Investigate Kidney Function Decline over 5 Years. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1226-1235.	2.2	52
180	Hyperkalemia After Initiating Renin-Angiotensin System Blockade: The Stockholm Creatinine Measurements (SCREAM) Project. Journal of the American Heart Association, 2017, 6, .	1.6	123

#	ARTICLE	IF	CITATIONS
181	Incidence and determinants of hyperkalemia and hypokalemia in a large healthcare system. <i>International Journal of Cardiology</i> , 2017, 245, 277-284.	0.8	128
182	Global, Regional, and National Levels of Maternal Mortality, 1990–2015: A Systematic Analysis for the Global Burden of Disease Study 2015. <i>Obstetrical and Gynecological Survey</i> , 2017, 72, 11-13.	0.2	41
183	eGFR and the Risk of Community-Acquired Infections. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1399-1408.	2.2	52
184	Atrial fibrillation in immigrant groups: a cohort study of all adults 45 years of age and older in Sweden. <i>European Journal of Epidemiology</i> , 2017, 32, 785-796.	2.5	14
185	Urinary Osteopontin Predicts Incident Chronic Kidney Disease, while Plasma Osteopontin Predicts Cardiovascular Death in Elderly Men. <i>CardioRenal Medicine</i> , 2017, 7, 245-254.	0.7	16
186	Predictors for major cardiovascular outcomes in stable ischaemic heart disease (PREMAC): statistical analysis plan for data originating from the CLARICOR (clarithromycin for patients with stable) Tj ETQq0 0 0 rgBT /Oeslock 101f 50 537	0.8	14
187	Use of a proximity extension assay proteomics chip to discover new biomarkers associated with albuminuria. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 340-348.	0.8	14
188	Metabolic Syndrome Development During Aging with Special Reference to Obesity Without the Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 36-43.	0.5	16
189	Association between antithrombotic treatment and hemorrhagic stroke in patients with atrial fibrillation—a cohort study in primary care. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 215-221.	0.8	3
190	SP306PREVALENCE, DIAGNOSIS AND NEPHROLOGY CARE OF CKD IN THE REGION OF STOCKHOLM. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i191-i192.	0.4	0
191	Cystatin C-based glomerular filtration rate associates more closely with mortality than creatinine-based or combined glomerular filtration rate equations in unselected patients. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1649-1657.	0.8	18
192	Excess protein intake relative to fiber and cardiovascular events in elderly men with chronic kidney disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 597-602.	1.1	19
193	Trans-ethnic Fine Mapping Highlights Kidney-Function Genes Linked to Salt Sensitivity. <i>American Journal of Human Genetics</i> , 2016, 99, 636-646.	2.6	67
194	Cystatin C and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2016, 68, 934-945.	1.2	109
195	Natriuretic peptides and integrated risk assessment for cardiovascular disease: an individual-participant-data meta-analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 840-849.	5.5	159
196	Warfarin treatment and risk of myocardial infarction — A cohort study of patients with atrial fibrillation treated in primary health care. <i>International Journal of Cardiology</i> , 2016, 221, 789-793.	0.8	5
197	Lipophilic index, kidney function, and kidney function decline. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 1096-1103.	1.1	3
198	Effects of cigarette smoking on cardiovascular-related protein profiles in two community-based cohort studies. <i>Atherosclerosis</i> , 2016, 254, 52-58.	0.4	18

#	ARTICLE	IF	CITATIONS
199	Global, regional, and national levels of maternal mortality, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1775-1812.	6.3	740
200	The association between serum cathepsin L and mortality in older adults. <i>Atherosclerosis</i> , 2016, 254, 109-116.	0.4	12
201	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	6.3	1,612
202	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	6.3	4,934
203	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1545-1602.	6.3	5,298
204	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	6.3	4,203
205	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1725-1774.	6.3	571
206	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	6.3	413
207	Urinary KIM-1, but not urinary cystatin C, should be corrected for urinary creatinine. <i>Clinical Biochemistry</i> , 2016, 49, 1164-1166.	0.8	7
208	Warfarin treatment and risk of stroke among primary care patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 311-316.	0.4	8
209	Relationship of proximal tubular injury to chronic kidney disease as assessed by urinary kidney injury molecule-1 in five cohort studies. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1460-1470.	0.4	45
210	Association of Adipose Tissue Fatty Acids With Cardiovascular and All-Cause Mortality in Elderly Men. <i>JAMA Cardiology</i> , 2016, 1, 745.	3.0	37
211	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980â€“2015: the Global Burden of Disease Study 2015. <i>Lancet HIV</i> , the, 2016, 3, e361-e387.	2.1	461
212	Prevalence and recognition of chronic kidney disease in Stockholm healthcare. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2086-2094.	0.4	101
213	Low fructosamine and mortality â€“ A long term follow-up of 215,011 non-diabetic subjects in the Swedish AMORIS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 1120-1128.	1.1	8
214	Associations between urinary kidney injury biomarkers and cardiovascular mortality risk in elderly men with diabetes. <i>Uppsala Journal of Medical Sciences</i> , 2016, 121, 174-178.	0.4	6
215	The association between endostatin and kidney disease and mortality in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2016, 42, 351-357.	1.4	31
216	Chronic kidney disease and 10-year risk of cardiovascular death. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1187-1194.	0.8	15

#	ARTICLE	IF	CITATIONS
217	Association of soluble tumor necrosis factor receptors 1 and 2 with nephropathy, cardiovascular events, and total mortality in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 40.	2.7	70
218	Physical activity, obesity and risk of cardiovascular disease in middle-aged men during a median of 30 years of follow-up. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 359-365.	0.8	31
219	Circulating Alpha-Tocopherol and Insulin Sensitivity Among Older Men With Chronic Kidney Disease. , 2016, 26, 177-182.		5
220	Risk of recurrent ischaemic events after myocardial infarction in long-distance ski race participants. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 282-290.	0.8	17
221	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 680-680.	0.4	6
222	Association between levels of pentraxin 3 and incidence of chronic kidney disease in the elderly. <i>Journal of Internal Medicine</i> , 2016, 279, 173-179.	2.7	27
223	CKD Prevalence Varies across the European General Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2135-2147.	3.0	406
224	Effect of Insulin Resistance on Monounsaturated Fatty Acid Levels: A Multi-cohort Non-targeted Metabolomics and Mendelian Randomization Study. <i>PLoS Genetics</i> , 2016, 12, e1006379.	1.5	20
225	Prostaglandin F ₂ ± formation is associated with mortality in a Swedish community-based cohort of older males. <i>European Heart Journal</i> , 2015, 36, 238-243.	1.0	3
226	Estimated glomerular filtration rate and albuminuria for prediction of cardiovascular outcomes: a collaborative meta-analysis of individual participant data. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 514-525.	5.5	604
227	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800.	6.3	4,951
228	Low anthropometric measures and mortalityâ€”results from the MalmÃ¶ Diet and Cancer Study. <i>Annals of Medicine</i> , 2015, 47, 325-331.	1.5	10
229	Soluble Tumor Necrosis Factor Receptor 1 Is Associated with Glomerular Filtration Rate Progression and Incidence of Chronic Kidney Disease in Two Community-Based Cohorts of Elderly Individuals. <i>CardioRenal Medicine</i> , 2015, 5, 278-288.	0.7	21
230	Risk of Recurrent Stroke and Death After First Stroke in Longâ€”Distance Ski Race Participants. <i>Journal of the American Heart Association</i> , 2015, 4, e002469.	1.6	23
231	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 560-566.	1.4	7
232	Endostatin, Cathepsin S, and Cathepsin L, and Their Association with Inflammatory Markers and Mortality in Patients Undergoing Hemodialysis. <i>Blood Purification</i> , 2015, 39, 259-265.	0.9	15
233	A Proinflammatory Diet Is Associated with Systemic Inflammation and Reduced Kidney Function in Elderly Adults. <i>Journal of Nutrition</i> , 2015, 145, 729-735.	1.3	53
234	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328

#	ARTICLE	IF	CITATIONS
235	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
236	Parathyroid hormone and calcium are independently associated with subclinical vascular disease in a community-based cohort. <i>Atherosclerosis</i> , 2015, 238, 420-426.	0.4	29
237	Duffy antigen receptor genetic variant and the association with Interleukin 8 levels. <i>Cytokine</i> , 2015, 72, 178-184.	1.4	9
238	Relation between Cardiovascular Disease Risk Markers and Brain Infarcts Detected by Magnetic Resonance Imaging in an Elderly Population. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 312-318.	0.7	8
239	Kidney Function, β -Cell Function and Glucose Tolerance in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 587-593.	1.8	6
240	Nonesterified Fatty Acids and Cardiovascular Mortality in Elderly Men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 584-591.	2.2	11
241	Estimated Dietary Acid Load Is Not Associated with Blood Pressure or Hypertension Incidence in Men Who Are Approximately 70 Years Old. <i>Journal of Nutrition</i> , 2015, 145, 315-321.	1.3	32
242	Skeletal muscle morphology and risk of cardiovascular disease in elderly men. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 231-239.	0.8	10
243	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iv6-iv16.	0.4	69
244	Use of a proximity extension assay proteomics chip to discover new biomarkers for human atherosclerosis. <i>Atherosclerosis</i> , 2015, 242, 205-210.	0.4	108
245	Amino-Terminal Pro-B-Type Natriuretic Peptide Improves Discrimination for Incident Atherosclerotic Cardiovascular Disease Beyond Ambulatory Blood Pressure in Elderly Men. <i>Hypertension</i> , 2015, 66, 681-686.	1.3	3
246	Cancer incidence in participants in a long-distance ski race (Vasaloppet, Sweden) compared to the background population. <i>European Journal of Cancer</i> , 2015, 51, 558-568.	1.3	21
247	High Levels of Soluble Tumor Necrosis Factor Receptors 1 and 2 and Their Association with Mortality in Patients Undergoing Hemodialysis. <i>CardioRenal Medicine</i> , 2015, 5, 89-95.	0.7	15
248	A Meta-analysis of the Association of Estimated GFR, Albuminuria, Diabetes Mellitus, and Hypertension With Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2015, 66, 602-612.	2.1	210
249	A Meta-analysis of the Association of Estimated GFR, Albuminuria, Age, Race, and Sex With Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2015, 66, 591-601.	2.1	138
250	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	6.3	1,544
251	Interleukin-8 is associated with increased total mortality in women but not in menâ€”findings from a community-based cohort of elderly. <i>Annals of Medicine</i> , 2015, 47, 28-33.	1.5	7
252	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	6.3	2,184

#	ARTICLE	IF	CITATIONS
253	Discovery of New Risk Markers for Ischemic Stroke Using a Novel Targeted Proteomics Chip. <i>Stroke</i> , 2015, 46, 3340-3347.	1.0	71
254	Global, regional, and national age- and sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 385, 117-171.	6.3	5,847
255	The association between glomerular filtration rate and left ventricular function in two independent community-based cohorts of elderly. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2069-2074.	0.4	21
256	Plasma Parathyroid Hormone Is Associated With Subclinical and Clinical Atherosclerotic Disease in 2 Community-Based Cohorts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1567-1573.	1.1	57
257	Plasma Parathyroid Hormone Is Associated with Vascular Dementia and Cerebral Hyperintensities in Two Community-Based Cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4181-4189.	1.8	35
258	Large-scale Metabolomic Profiling Identifies Novel Biomarkers for Incident Coronary Heart Disease. <i>PLoS Genetics</i> , 2014, 10, e1004801.	1.5	225
259	Endostatin Level is Associated with Kidney Injury in the Elderly: Findings from Two Community-Based Cohorts. <i>American Journal of Nephrology</i> , 2014, 40, 417-424.	1.4	36
260	Soluble TNF Receptors and Kidney Dysfunction in the Elderly. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1313-1320.	3.0	34
261	Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1538-1545.	0.4	11
262	Relative risks of chronic kidney disease for mortality and end-stage renal disease across races are similar. <i>Kidney International</i> , 2014, 86, 819-827.	2.6	70
263	Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. <i>Kidney International</i> , 2014, 86, 383-391.	2.6	36
264	Urinary Kidney Injury Molecule-1 and the Risk of Cardiovascular Mortality in Elderly Men. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1393-1401.	2.2	26
265	Inflammatory biomarker pentraxin 3 (PTX3) in relation to obesity, body fat depots and weight loss. <i>Obesity</i> , 2014, 22, 1373-1379.	1.5	47
266	Hypertriglyceridemic waist phenotype is associated with decreased insulin sensitivity and incident diabetes in elderly men. <i>Obesity</i> , 2014, 22, 526-529.	1.5	35
267	Circulating plasma levels of cathepsin S and L are not associated with disease severity in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 371-373.	0.6	12
268	Renal function associates with energy intake in elderly community-dwelling men. <i>British Journal of Nutrition</i> , 2014, 111, 2184-2189.	1.2	10
269	Interplay of overweight and insulin resistance on hypertension development. <i>Journal of Hypertension</i> , 2014, 32, 834-839.	0.3	25
270	Serum and adipose tissue fatty acid composition as biomarkers of habitual dietary fat intake in elderly men with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 128-136.	0.4	23

#	ARTICLE	IF	CITATIONS
271	Kidney injury molecule (KIM)-1 is associated with insulin resistance: Results from two community-based studies of elderly individuals. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 516-521.	1.1	17
272	Prediction of cardiovascular disease by abdominal obesity measures is dependent on body weight and sex – Results from two community based cohort studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 891-899.	1.1	23
273	Metabolic mediators of the effects of body-mass index, overweight, and obesity on coronary heart disease and stroke: a pooled analysis of 97 prospective cohorts with 1.8 million participants. <i>Lancet, The</i> , 2014, 383, 970-983.	6.3	817
274	Serum fatty acid patterns, insulin sensitivity and the metabolic syndrome in individuals with chronic kidney disease. <i>Journal of Internal Medicine</i> , 2014, 275, 71-83.	2.7	36
275	Role of Dietary Fats in Modulating Cardiometabolic Risk During Moderate Weight Gain: A Randomized Double-blind Overfeeding Trial (LIPOGAIN Study). <i>Journal of the American Heart Association</i> , 2014, 3, e001095.	1.6	40
276	Dietary Fiber, Kidney Function, Inflammation, and Mortality Risk. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 2104-2110.	2.2	101
277	Intake and serum concentrations of α -tocopherol in relation to fractures in elderly women and men: 2 cohort studies. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 107-114.	2.2	55
278	Influence of a prudent diet on circulating cathepsin S in humans. <i>Nutrition Journal</i> , 2014, 13, 84.	1.5	18
279	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 1005-1070.	6.3	786
280	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
281	Differences in anthropometric measures in immigrants and Swedish-born individuals: Results from two community-based cohort studies. <i>Preventive Medicine</i> , 2014, 69, 151-156.	1.6	9
282	Dietary acid load, insulin sensitivity and risk of type 2 diabetes in community-dwelling older men. <i>Diabetologia</i> , 2014, 57, 1561-1568.	2.9	54
283	Clinical Correlates of Insulin Sensitivity and Its Association with Mortality among Men with CKD Stages 3 and 4. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 690-697.	2.2	50
284	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836.	9.4	281
285	Soluble tumor necrosis factor receptor 1 (sTNFR1) is associated with increased total mortality due to cancer and cardiovascular causes – Findings from two community based cohorts of elderly. <i>Atherosclerosis</i> , 2014, 237, 236-242.	0.4	29
286	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	6.3	1,230
287	Increased urinary cystatin C indicated higher risk of cardiovascular death in a community cohort. <i>Atherosclerosis</i> , 2014, 234, 108-113.	0.4	12
288	Cystatin C versus Creatinine in Determining Risk Based on Kidney Function. <i>New England Journal of Medicine</i> , 2013, 369, 932-943.	13.9	729

#	ARTICLE	IF	CITATIONS
289	Urinary neutrophil gelatinase-associated lipocalin (NGAL) is associated with mortality in a community-based cohort of older Swedish men. <i>Atherosclerosis</i> , 2013, 227, 408-413.	0.4	25
290	Reply. <i>Journal of the American College of Cardiology</i> , 2013, 61, 389.	1.2	1
291	Day-to-day variation of urinary NGAL and rational for creatinine correction. <i>Clinical Biochemistry</i> , 2013, 46, 70-72.	0.8	28
292	Effects of tactile massage on metabolic biomarkers in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2013, 39, 411-417.	1.4	14
293	Serum FGF23 and Risk of Cardiovascular Events in Relation to Mineral Metabolism and Cardiovascular Pathology. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 781-786.	2.2	97
294	Multilocus Genetic Risk Scores for Coronary Heart Disease Prediction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2267-2272.	1.1	138
295	Association Between Circulating Endostatin, Hypertension Duration, and Hypertensive Target-Organ Damage. <i>Hypertension</i> , 2013, 62, 1146-1151.	1.3	40
296	Serum Endostatin and Risk of Mortality in the Elderly. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2689-2695.	1.1	37
297	Mediterranean Diet, Kidney Function, and Mortality in Men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1548-1555.	2.2	119
298	Urinary kidney injury molecule 1 and incidence of heart failure in elderly men. <i>European Journal of Heart Failure</i> , 2013, 15, 441-446.	2.9	35
299	The Authors Reply. <i>Kidney International</i> , 2013, 84, 621.	2.6	0
300	Novel and established anthropometric measures and the prediction of incident cardiovascular disease: a cohort study. <i>International Journal of Obesity</i> , 2013, 37, 1579-1585.	1.6	39
301	Higher fibroblast growth factor-23 increases the risk of all-cause and cardiovascular mortality in the community. <i>Kidney International</i> , 2013, 83, 160-166.	2.6	131
302	Serum Cathepsin S Is Associated With Decreased Insulin Sensitivity and the Development of Type 2 Diabetes in a Community-Based Cohort of Elderly Men. <i>Diabetes Care</i> , 2013, 36, 163-165.	4.3	33
303	The Age-Specific Quantitative Effects of Metabolic Risk Factors on Cardiovascular Diseases and Diabetes: A Pooled Analysis. <i>PLoS ONE</i> , 2013, 8, e65174.	1.1	496
304	Smokeless tobacco (snus) and risk of heart failure: results from two Swedish cohorts. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1120-1127.	0.8	40
305	Cathepsin S as a biomarker: where are we now and what are the future challenges?. <i>Biomarkers in Medicine</i> , 2012, 6, 9-11.	0.6	19
306	Relations of circulating vitamin D concentrations with left ventricular geometry and function. <i>European Journal of Heart Failure</i> , 2012, 14, 985-991.	2.9	46

#	ARTICLE	IF	CITATIONS
307	Association between glomerular filtration rate and endothelial function in an elderly community cohort. <i>Atherosclerosis</i> , 2012, 224, 242-246.	0.4	8
308	Inflammation, oxidative stress, glomerular filtration rate, and albuminuria in elderly men: a cross-sectional study. <i>BMC Research Notes</i> , 2012, 5, 537.	0.6	30
309	Cardiac Arrest in a Long-Distance Ski Race (Vasaloppet) in Sweden. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1431-1432.	1.2	6
310	The role of obesity-related genetic loci in insulin sensitivity. <i>Diabetic Medicine</i> , 2012, 29, e62-6.	1.2	21
311	Biomarkers of Extracellular Matrix Metabolism (MMP-9 and TIMP-1) and Risk of Stroke, Myocardial Infarction, and Cause-Specific Mortality: Cohort Study. <i>PLoS ONE</i> , 2011, 6, e16185.	1.1	90
312	Confirmed hypertension and plasma 25(OH)D concentrations amongst elderly men. <i>Journal of Internal Medicine</i> , 2011, 269, 211-218.	2.7	27
313	Long-term treatment effects of insulin pump therapy. <i>Practical Diabetes</i> , 2011, 28, 295.	0.1	8
314	CUBN Is a Gene Locus for Albuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 555-570.	3.0	208
315	A Detailed Cardiovascular Characterization of Obesity Without the Metabolic Syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, e27-34.	1.1	48
316	The combined contribution of albuminuria and glomerular filtration rate to the prediction of cardiovascular mortality in elderly men. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2820-2827.	0.4	41
317	Impact of BMI and the Metabolic Syndrome on the Risk of Diabetes in Middle-Aged Men. <i>Diabetes Care</i> , 2011, 34, 61-65.	4.3	226
318	Association Between Serum Cathepsin S and Mortality in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 1113.	3.8	68
319	Cytokine-mediated inflammation is independently associated with insulin sensitivity measured by the euglycemic insulin clamp in a community-based cohort of elderly men. <i>International Journal of Clinical and Experimental Medicine</i> , 2011, 4, 164-8.	1.3	10
320	Adipose tissue fatty acids and insulin sensitivity in elderly men. <i>Diabetologia</i> , 2010, 53, 850-857.	2.9	76
321	Conjoint Effects of Serum Calcium and Phosphate on Risk of Total, Cardiovascular, and Noncardiovascular Mortality in the Community. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 333-339.	1.1	121
322	Plasma vitamin D and mortality in older men: a community-based prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 841-848.	2.2	238
323	Response to Letters Regarding Article, "The Impact of Body Mass Index and the Metabolic Syndrome on the Risk of Cardiovascular Disease and Death in Middle-Aged Men"; <i>Circulation</i> , 2010, 122, .	1.6	3
324	Impact of Body Mass Index and the Metabolic Syndrome on the Risk of Cardiovascular Disease and Death in Middle-Aged Men. <i>Circulation</i> , 2010, 121, 230-236.	1.6	509

#	ARTICLE	IF	CITATIONS
325	Serum Cathepsin S Is Associated with Serum C-Reactive Protein and Interleukin-6 Independently of Obesity in Elderly Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4460-4464.	1.8	34
326	Plasma 25-Hydroxyvitamin D Levels and Fracture Risk in a Community-Based Cohort of Elderly Men in Sweden. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2637-2645.	1.8	88
327	Serum fatty acid composition and insulin resistance are independently associated with liver fat markers in elderly men. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 379-384.	1.1	30
328	Association of estimated glomerular filtration rate and albuminuria with all-cause and cardiovascular mortality in general population cohorts: a collaborative meta-analysis. <i>Lancet</i> , The, 2010, 375, 2073-2081.	6.3	3,277
329	Plasma parathyroid hormone and risk of congestive heart failure in the community. <i>European Journal of Heart Failure</i> , 2010, 12, 1186-1192.	2.9	92
330	Plasma Parathyroid Hormone and the Risk of Cardiovascular Mortality in the Community. <i>Circulation</i> , 2009, 119, 2765-2771.	1.6	351
331	Associations of Serum Adiponectin with Skeletal Muscle Morphology and Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 953-957.	1.8	24
332	Seemingly healthy 71-year-old men with minor elevations of cardiac troponin I and at risk of premature death in CVD have elevated levels of NT-proBNP: Report from the ULSAM study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 418-424.	0.6	1
333	Relative importance and conjoint effects of obesity and physical inactivity for the development of insulin resistance. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 28-33.	3.1	16
334	Serum and dietary β -carotene and α -tocopherol and incidence of type 2 diabetes mellitus in a community-based study of Swedish men: report from the Uppsala Longitudinal Study of Adult Men (ULSAM) study. <i>Diabetologia</i> , 2009, 52, 97-105.	2.9	84
335	Kidney function and discrimination of cardiovascular risk in middle-aged men. <i>Journal of Internal Medicine</i> , 2009, 266, 406-413.	2.7	19
336	The Effects of Antihypertensive Treatment on the Doppler-Derived Myocardial Performance Index in Patients with Hypertensive Left Ventricular Hypertrophy: Results from the Swedish Irbesartan in Left Ventricular Hypertrophy Investigation Versus Atenolol (SILVHIA). <i>Echocardiography</i> , 2009, 26, 753-758.	0.3	4
337	A polymorphism in the cyclooxygenase 1 gene is associated with decreased inflammatory prostaglandin F ₂ formation and lower risk of cardiovascular disease. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 80, 51-56.	1.0	17
338	Circulating retinol-binding protein 4, cardiovascular risk factors and prevalent cardiovascular disease in elderly. <i>Atherosclerosis</i> , 2009, 206, 239-244.	0.4	99
339	Low dietary intake of β -carotene, α -tocopherol and ascorbic acid is associated with increased inflammatory and oxidative stress status in a Swedish cohort. <i>British Journal of Nutrition</i> , 2009, 101, 1775-1782.	1.2	99
340	Diminished Renal Function and the Incidence of Heart Failure. <i>Current Cardiology Reviews</i> , 2009, 5, 223-227.	0.6	7
341	Use of Multiple Biomarkers to Improve the Prediction of Death from Cardiovascular Causes. <i>New England Journal of Medicine</i> , 2008, 358, 2107-2116.	13.9	792
342	Blood pressure-independent relations of left ventricular geometry to the metabolic syndrome and insulin resistance: a population-based study. <i>Heart</i> , 2008, 94, 874-878.	1.2	42

#	ARTICLE	IF	CITATIONS
343	Serum cystatin C and the risk of Alzheimer disease in elderly men. <i>Neurology</i> , 2008, 71, 1072-1079.	1.5	78
344	Cardiac troponin-I and risk of heart failure: a community-based cohort study. <i>European Heart Journal</i> , 2008, 30, 773-781.	1.0	59
345	Plasma β_2 Amyloid and the Risk of Alzheimer Disease and Dementia in Elderly Men. <i>Archives of Neurology</i> , 2008, 65, 256-63.	4.9	100
346	Insulin Sensitivity Measured With Euglycemic Clamp Is Independently Associated With Glomerular Filtration Rate in a Community-Based Cohort. <i>Diabetes Care</i> , 2008, 31, 1550-1555.	4.3	93
347	Sudden Cardiac Arrest Associated with Early Repolarization. <i>New England Journal of Medicine</i> , 2008, 359, 761-762.	13.9	13
348	Long-Term Predictors of Insulin Resistance. <i>Diabetes Care</i> , 2007, 30, 2928-2933.	4.3	79
349	Sleep disturbances independently predict heart failure in overweight middle-aged men. <i>European Journal of Heart Failure</i> , 2007, 9, 184-190.	2.9	28
350	Albuminuria and heart failure: is it an albuminuria or the hypertension? reply. <i>European Heart Journal</i> , 2007, 28, 2690-2690.	1.0	1
351	Low-grade albuminuria and the incidence of heart failure in a community-based cohort of elderly men. <i>European Heart Journal</i> , 2007, 28, 1739-1745.	1.0	68
352	Both cyclooxygenase- and cytokine-mediated inflammation are associated with carotid intima-media thickness. <i>Cytokine</i> , 2007, 38, 130-136.	1.4	36
353	Serum calcium is independently associated with insulin sensitivity measured with euglycaemic-hyperinsulinaemic clamp in a community-based cohort. <i>Diabetologia</i> , 2007, 50, 317-324.	2.9	80
354	Socioeconomic Factors as Predictors of Incident Heart Failure. <i>Journal of Cardiac Failure</i> , 2006, 12, 540-545.	0.7	35
355	Diurnal Blood Pressure Pattern and Risk of Congestive Heart Failure. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 2859.	3.8	255
356	Endogenous Sex Hormones and Cardiovascular Disease Incidence in Men. <i>Annals of Internal Medicine</i> , 2006, 145, 176.	2.0	188
357	Metabolic Risk Factors for Stroke and Transient Ischemic Attacks in Middle-Aged Men. <i>Stroke</i> , 2006, 37, 2898-2903.	1.0	64
358	Letter Regarding Article by Arnlov et al, "Low-Grade Albuminuria and Incidence of Cardiovascular Disease Events in Nonhypertensive and Nondiabetic Individuals". <i>Circulation</i> , 2006, 113, e406-e407.	1.6	0
359	Metabolic syndrome and risk for heart failure in middle-aged men. <i>Heart</i> , 2006, 92, 1409-1413.	1.2	106
360	Congestive Heart Failure and Diurnal Blood Pressure Pattern—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 2799.	3.8	0

#	ARTICLE	IF	CITATIONS
361	Clinical and echocardiographic correlates of plasma osteopontin in the community: the Framingham Heart Study. <i>Heart</i> , 2006, 92, 1514-1515.	1.2	24
362	Insulin Resistance and Risk of Congestive Heart Failure. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 334.	3.8	478
363	The Doppler-Derived Myocardial Performance Index Is Determined by Both Left Ventricular Systolic and Diastolic Function as Well as by Afterload and Left Ventricular Mass. <i>Echocardiography</i> , 2005, 22, 211-216.	0.3	32
364	The validity of a diagnosis of heart failure in a hospital discharge register. <i>European Journal of Heart Failure</i> , 2005, 7, 787-791.	2.9	338
365	hUNC-93B1, a novel gene mainly expressed in the heart, is related to left ventricular diastolic function, heart failure morbidity and mortality in elderly men. <i>European Journal of Heart Failure</i> , 2005, 7, 958-965.	2.9	2
366	Low-Grade Albuminuria and Incidence of Cardiovascular Disease Events in Nonhypertensive and Nondiabetic Individuals. <i>Circulation</i> , 2005, 112, 969-975.	1.6	653
367	Serum selenium predicts levels of F2-isoprostanes and prostaglandin F2 α in a 27 year follow-up study of Swedish men. <i>Free Radical Research</i> , 2005, 39, 763-770.	1.5	41
368	Relations of Insulin Sensitivity to Longitudinal Blood Pressure Tracking. <i>Circulation</i> , 2005, 112, 1719-1727.	1.6	48
369	Insulin Resistance and Congestive Heart Failure. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 2578-2578.	3.8	5
370	Neurohormonal Activation in Populations Susceptible to Heart Failure. <i>Heart Failure Clinics</i> , 2005, 1, 11-23.	1.0	2
371	Insulin resistance, dietary fat intake and blood pressure predict left ventricular diastolic function 20 years later. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005, 15, 242-249.	1.1	27
372	A Doppler-derived index of combined left ventricular systolic and diastolic function is an independent predictor of cardiovascular mortality in elderly men. <i>American Heart Journal</i> , 2005, 149, 902-907.	1.2	52
373	Inflammation, as Measured by the Erythrocyte Sedimentation Rate, Is an Independent Predictor for the Development of Heart Failure. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1802-1806.	1.2	52
374	Novel Metabolic Risk Factors for Heart Failure. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2054-2060.	1.2	94
375	Myocardial performance index, a Doppler-derived index of global left ventricular function, predicts congestive heart failure in elderly men. <i>European Heart Journal</i> , 2004, 25, 2220-2225.	1.0	104
376	Coffee Consumption and Insulin Sensitivity. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 1199-a-1201.	3.8	125
377	Sagittal Abdominal Diameter Is a Strong Anthropometric Marker of Insulin Resistance and Hyperproinsulinemia in Obese Men. <i>Diabetes Care</i> , 2004, 27, 2041-2046.	4.3	119
378	Effects of cis-9,trans-11 conjugated linoleic acid supplementation on insulin sensitivity, lipid peroxidation, and proinflammatory markers in obese men. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 279-283.	2.2	237

#	ARTICLE	IF	CITATIONS
379	Impaired insulin sensitivity is an independent predictor of common carotid intima-media thickness in a population sample of elderly men. <i>Atherosclerosis</i> , 2003, 170, 181-185.	0.4	40
380	Supplementation With Conjugated Linoleic Acid Causes Isomer-Dependent Oxidative Stress and Elevated C-Reactive Protein. <i>Circulation</i> , 2002, 106, 1925-1929.	1.6	275
381	Several factors associated with the insulin resistance syndrome are predictors of left ventricular systolic dysfunction in a male population after 20 years of follow-up. <i>American Heart Journal</i> , 2001, 142, 720-724.	1.2	101
382	Echocardiographic and Electrocardiographic Diagnoses of Left Ventricular Hypertrophy Predict Mortality Independently of Each Other in a Population of Elderly Men. <i>Circulation</i> , 2001, 103, 2346-2351.	1.6	300
383	Epidemiological and Clinical Studies on Insulin Resistance and Diabetes. <i>Upsala Journal of Medical Sciences</i> , 2000, 105, 135-150.	0.4	9
384	N-terminal atrial natriuretic peptide and left ventricular geometry and function in a population sample of elderly males. <i>Journal of Internal Medicine</i> , 2000, 247, 699-708.	2.7	11