
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5714312/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | LSD and creativity: Increased novelty and symbolic thinking, decreased utility and convergent thinking. Journal of Psychopharmacology, 2022, 36, 348-359. | 2.0 | 16 |
| 2 | The Dream of God: How Do Religion and Science See Lucid Dreaming and Other Conscious States During Sleep?. Frontiers in Psychology, 2020, 11, 555731. | 1.1 | 8 |
| 3 | Changes in Cortisol but Not in Brain-Derived Neurotrophic Factor Modulate the Association Between Sleep Disturbances and Major Depression. Frontiers in Behavioral Neuroscience, 2020, 14, 44. | 1.0 | 19 |
| 4 | Effects of Yoga Respiratory Practice (Bhastrika pranayama) on Anxiety, Affect, and Brain Functional Connectivity and Activity: A Randomized Controlled Trial. Frontiers in Psychiatry, 2020, 11, 467. | 1.3 | 48 |
| 5 | Changes in inflammatory biomarkers are related to the antidepressant effects of Ayahuasca. Journal of Psychopharmacology, 2020, 34, 1125-1133. | 2.0 | 60 |
| 6 | Unveiling ayahuasca psychopharmacology: the accomplishments of Jordi Riba (1968-2020). Revista Brasileira De Psiquiatria, 2020, , . | 0.9 | 1 |
| 7 | Rapid antidepressant effects of the psychedelic ayahuasca in treatment-resistant depression: a randomized placebo-controlled trial. Psychological Medicine, 2019, 49, 655-663. | 2.7 | 479 |
| 8 | Is perception the missing link between creativity, curiosity and schizotypy? Evidence from spontaneous eye-movements and responses to auditory oddball stimuli. NeuroImage, 2019, 202, 116125. | 2.1 | 10 |
| 9 | The Impact of Ayahuasca on Suicidality: Results From a Randomized Controlled Trial. Frontiers in Pharmacology, 2019, 10, 1325. | 1.6 | 44 |
| 10 | Characterizing Complex Networks Using Entropy-Degree Diagrams: Unveiling Changes in Functional Brain Connectivity Induced by Ayahuasca. Entropy, 2019, 21, 128. | 1.1 | 25 |
| 11 | Modulation of Serum Brain-Derived Neurotrophic Factor by a Single Dose of Ayahuasca: Observation From a Randomized Controlled Trial. Frontiers in Psychology, 2019, 10, 1234. | 1.1 | 114 |
| 12 | Acute effects of ayahuasca in a juvenile non-human primate model of depression. Revista Brasileira De Psiquiatria, 2019, 41, 280-288. | 0.9 | 29 |
| 13 | Neurofunctional changes after a single mirror therapy intervention in chronic ischemic stroke. International Journal of Neuroscience, 2018, 128, 966-974. | 0.8 | 13 |
| 14 | Anatomical and Functional MRI Changes after One Year of Auditory Rehabilitation with Hearing Aids. Neural Plasticity, 2018, 2018, 1-13. | 1.0 | 28 |
| 15 | Cortisol Modulation by Ayahuasca in Patients With Treatment Resistant Depression and Healthy Controls. Frontiers in Psychiatry, 2018, 9, 185. | 1.3 | 83 |
| 16 | Assessing the Psychedelic "After-Glow―in Ayahuasca Users: Post-Acute Neurometabolic and Functional Connectivity Changes Are Associated with Enhanced Mindfulness Capacities. International Journal of Neuropsychopharmacology, 2017, 20, 698-711. | 1.0 | 111 |
| 17 | Short term changes in the proteome of human cerebral organoids induced by 5-MeO-DMT. Scientific Reports, 2017, 7, 12863. | 1.6 | 87 |
| 18 | Shannon entropy of brain functional complex networks under the influence of the psychedelic Ayahuasca. Scientific Reports, 2017, 7, 7388. | 1.6 | 98 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Performance quantification of clustering algorithms for false positive removal in fMRI by ROC curves. Research on Biomedical Engineering, 2017, 33, 31-41. | 1.5 | 0 |
| 20 | Functional versus Nonfunctional Rehabilitation in Chronic Ischemic Stroke: Evidences from a Randomized Functional MRI Study. Neural Plasticity, 2016, 2016, 1-10. | 1.0 | 7 |
| 21 | Time-Perception Network and Default Mode Network Are Associated with Temporal Prediction in a Periodic Motion Task. Frontiers in Human Neuroscience, 2016, 10, 268. | 1.0 | 21 |
| 22 | The Importance of Wild Canids in the Epidemiology of Rabies in Northeast Brazil: A Retrospective Study. Zoonoses and Public Health, 2016, 63, 486-493. | 0.9 | 21 |
| 23 | Treating Addiction. International Review of Neurobiology, 2016, 129, 157-185. | 0.9 | 18 |
| 24 | Behavioral and neuroimaging responses induced by mental imagery of threatening scenarios. Behavioural Brain Research, 2016, 313, 358-369. | 1.2 | 13 |
| 25 | Antidepressant Effects of a Single Dose of Ayahuasca in Patients With Recurrent Depression. Journal of Clinical Psychopharmacology, 2016, 36, 77-81. | 0.7 | 364 |
| 26 | Amygdala responses to unpleasant pictures are influenced by task demands and positive affect trait. Frontiers in Human Neuroscience, 2015, 9, 107. | 1.0 | 19 |
| 27 | The Psychedelic State Induced by Ayahuasca Modulates the Activity and Connectivity of the Default Mode Network. PLoS ONE, 2015, 10, e0118143. | 1.1 | 308 |
| 28 | Long-term use of psychedelic drugs is associated with differences in brain structure and personality in humans. European Neuropsychopharmacology, 2015, 25, 483-492. | 0.3 | 145 |
| 29 | Antidepressant effects of a single dose of ayahuasca in patients with recurrent depression: a preliminary report. Revista Brasileira De Psiquiatria, 2015, 37, 13-20. | 0.9 | 341 |
| 30 | Galvanic vestibular stimulator for fMRI studies. Revista Brasileira De Engenharia Biomedica, 2014, 30, 70-82. | 0.3 | 8 |
| 31 | Brain complex network analysis by means of resting state fMRI and graph analysis: Will it be helpful in clinical epilepsy?. Epilepsy and Behavior, 2014, 38, 71-80. | 0.9 | 45 |
| 32 | The Therapeutic Potentials of Ayahuasca in the Treatment of Depression. , 2014, , 23-39. | | 18 |
| 33 | Application of Partial Directed Coherence to the Analysis of Resting-State EEG-fMRI Data. Brain Connectivity, 2013, 3, 563-568. | 0.8 | 15 |
| 34 | Quantification of BOLD fMRI parameters to infer cerebrovascular reactivity of the middle cerebral artery. Journal of Magnetic Resonance Imaging, 2013, 38, 1203-1209. | 1.9 | 1 |
| 35 | Effects of diazepam on BOLD activation during the processing of aversive faces. Journal of Psychopharmacology, 2012, 26, 443-451. | 2.0 | 51 |
| 36 | Behavioral and EEG effects of GABAergic manipulation of the nigro-tectal pathway in the Wistar audiogenic rat (WAR) strain II: An EEG wavelet analysis and retrograde neuronal tracer approach. Epilepsy and Behavior, 2012, 24, 391-398. | 0.9 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Supine sleep and positional sleep apnea after acute ischemic stroke and intracerebral hemorrhage. Clinics, 2012, 67, 1357-1360. | 0.6 | 16 |
| 38 | Seeing with the eyes shut: Neural basis of enhanced imagery following ayahuasca ingestion. Human Brain Mapping, 2012, 33, 2550-2560. | 1.9 | 156 |
| 39 | Arterial Spin Labeling Measurements of Cerebral Perfusion Territories in Experimental Ischemic Stroke. Translational Stroke Research, 2012, 3, 44-55. | 2.3 | 7 |
| 40 | Magnetic resonance imaging quantification of regional cerebral blood flow and cerebrovascular reactivity to carbon dioxide in normotensive and hypertensive rats. NeuroImage, 2011, 58, 75-81. | 2.1 | 47 |
| 41 | Antecedent descriptions change brain reactivity to emotional stimuli: a functional magnetic resonance imaging study of an extrinsic and incidental reappraisal strategy. Neuroscience, 2011, 193, 241-248. | 1.1 | 66 |
| 42 | Persistent pusher behavior after a stroke. Clinics, 2011, 66, 2169-2171. | 0.6 | 15 |
| 43 | Neuroimaging in stroke and non-stroke pusher patients. Arquivos De Neuro-Psiquiatria, 2011, 69, 914-919. | 0.3 | 17 |
| 44 | Brain tissue segmentation using q-entropy in multiple sclerosis magnetic resonance images. Brazilian Journal of Medical and Biological Research, 2010, 43, 77-84. | 0.7 | 19 |
| 45 | The Stability of the Blood Oxygenation Level-Dependent Functional MRI Response to Motor Tasks Is Altered in Patients With Chronic Ischemic Stroke. Stroke, 2010, 41, 1921-1926. | 1.0 | 24 |
| 46 | From EEG to BOLD: Brain mapping and estimating transfer functions in simultaneous EEG-fMRI acquisitions. Neurolmage, 2010, 50, 1416-1426. | 2.1 | 23 |
| 47 | Obstructive Sleep Apnea Is Frequent in Patients with Hypertensive Intracerebral Hemorrhage and Is Related to Perihematoma Edema. Cerebrovascular Diseases, 2010, 29, 36-42. | 0.8 | 22 |
| 48 | Detection of Auditory Cortex Activity by fMRI Using a Dependent Component Analysis. Advances in Experimental Medicine and Biology, 2010, 657, 135-145. | 0.8 | 2 |
| 49 | Real-Time Spatial Localization System of Brain Regions for TMS Application by Co-registration with fMRI. IFMBE Proceedings, 2010, , 92-96. | 0.2 | 0 |
| 50 | Non-extensive entropy and the extraction of BOLD spatial information in event-related functional MRI. Physics in Medicine and Biology, 2009, 54, 161-174. | 1.6 | 18 |
| 51 | Generalized relative entropy in functional magnetic resonance imaging. Physica A: Statistical Mechanics and Its Applications, 2009, 388, 41-50. | 1.2 | 16 |
| 52 | Clinical Feasibility of Açai (Euterpe olerácea) Pulp as an Oral Contrast Agent for Magnetic Resonance Cholangiopancreatography. Journal of Computer Assisted Tomography, 2009, 33, 666-671. | 0.5 | 14 |
| 53 | Human Variability of fMRI Brain Activation in Response to Oculomotor Stimuli. Brain Topography, 2008, 20, 113-121. | 0.8 | 7 |
| 54 | A semi-automated algorithm for studying neuronal oscillatory patterns: A wavelet-based time frequency and coherence analysis. Journal of Neuroscience Methods, 2008, 167, 384-392. | 1.3 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Formaldehyde increases MAGIC gel dosimeter melting point and sensitivity. Physics in Medicine and Biology, 2008, 53, N53-N58. | 1.6 | 63 |
| 56 | Quantitative evaluation of hemodynamic response after hypercapnia among different brain territories by fMRI. NeuroImage, 2008, 41, 1192-1198. | 2.1 | 24 |
| 57 | A numerical study of the Kullback-Leibler distance in functional magnetic resonance imaging. Brazilian Journal of Physics, 2008, 38, 20-25. | 0.7 | 13 |
| 58 | Rapid BOLD fMRI signal loss in the primary motor cortex of a stroke patient. Arquivos De Neuro-Psiquiatria, 2008, 66, 885-887. | 0.3 | 5 |
| 59 | Dependent component analysis for the magnetogastrographic detection of human electrical response activity. Physiological Measurement, 2007, 28, 1029-1044. | 1.2 | 8 |
| 60 | Pushing behavior and hemiparesis: which is critical for functional recovery in pusher patients ? Case report. Arquivos De Neuro-Psiquiatria, 2007, 65, 536-539. | 0.3 | 18 |
| 61 | Variable fMRI activation during two different language tasks in a patient with cognitive delay. Arquivos De Neuro-Psiquiatria, 2007, 65, 985-987. | 0.3 | 4 |
| 62 | Extraction of Gastric Electrical Response Activity from Magnetogastrographic Recordings by DCA. Lecture Notes in Computer Science, 2007, , 585-592. | 1.0 | 0 |
| 63 | MRI relaxometry: methods and applications. Brazilian Journal of Physics, 2006, 36, 9. | 0.7 | 57 |
| 64 | Language and Motor fMRI Activation in Polymicrogyric Cortex. Epilepsia, 2006, 47, 589-592. | 2.6 | 39 |
| 65 | Brain surface reformatted imaging (BSRI) in surgical planning for resections around eloquent cortex. Child's Nervous System, 2006, 22, 1122-1126. | 0.6 | 9 |
| 66 | Quantitative aspects of brain perfusion dynamic induced by BOLD fMRI. Arquivos De Neuro-Psiquiatria, 2006, 64, 895-898. | 0.3 | 17 |
| 67 | Generalized mutual information tests applied to fMRI analysis. Physica A: Statistical Mechanics and Its Applications, 2005, 352, 629-644. | 1.2 | 14 |
| 68 | Liver iron concentration evaluated by two magnetic methods: Magnetic resonance imaging and magnetic susceptometry. Magnetic Resonance in Medicine, 2005, 54, 122-128. | 1.9 | 50 |
| 69 | Spatiotemporal evaluation of human colon motility using three-axis fluxgates and magnetic markers. Medical and Biological Engineering and Computing, 2005, 43, 712-715. | 1.6 | 11 |
| 70 | Fetal source extraction from magnetocardiographic recordings by dependent component analysis. Physics in Medicine and Biology, 2005, 50, 4457-4464. | 1.6 | 12 |
| 71 | Posture control in Pusher syndrome: influence of lateral semicircular canals. Brazilian Journal of Otorhinolaryngology, 2005, 71, 448-452. | 0.4 | 5 |
| 72 | Contraversive pushing in non-stroke patients. Journal of Neurology, 2004, 251, 1324-1328. | 1.8 | 30 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Euterpe olerácea (açaı̧) as an alternative oral contrast agent in MRI of the gastrointestinal system: preliminary results. Magnetic Resonance Imaging, 2004, 22, 389-393. | 1.0 | 27 |
| 74 | Generalized mutual information fMRI analysis: a study of the Tsallis q parameter. Physica A: Statistical Mechanics and Its Applications, 2004, 344, 705-711. | 1.2 | 11 |
| 75 | Spectroscopic studies in semiconductive phosphate glasses. Physica Status Solidi A, 2003, 198, 427-435. | 1.7 | 0 |
| 76 | Shannon entropy applied to the analysis of event-related fMRI time series. NeuroImage, 2003, 20, 311-317. | 2.1 | 72 |
| 77 | A NEW METHOD FOR THE ANALYSIS OF FUNCTIONAL MAGNETIC RESONANCE IMAGING DATA: MUTUAL INFORMATION TESTS. Biomedizinische Technik, 2003, 48, 102-103. | 0.9 | 2 |
| 78 | Theta Oscillations and Human Navigation: A Magnetoencephalography Study. Journal of Cognitive Neuroscience, 2002, 14, 70-78. | 1.1 | 90 |
| 79 | Event-Related Functional MRI and Information Theory. Biomedizinische Technik, 2001, 46, 251-253. | 0.9 | 0 |