List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5714623/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Positive modulation of α5GABAA receptors leads to dichotomous effects in rats on memory pattern and GABRA5 expression in prefrontal cortex and hippocampus. Behavioural Brain Research, 2022, 416, 113578.	1.2	4
2	<i>α</i> 6-Containing GABA <sub>A</sub> Receptors: Functional Roles and Therapeutic Potentials. Pharmacological Reviews, 2022, 74, 238-270.	7.1	14
3	Adherence to Medication among Parkinson's Disease Patients Using the Adherence to Refills and Medications Scale. International Journal of Clinical Practice, 2022, 2022, 1-7.	0.8	2
4	Metabolism, pharmacokinetics, and anticonvulsant activity ofÂa deuterated analog of the α2/3â€selective GABAkine KRMâ€lâ€81. Biopharmaceutics and Drug Disposition, 2022, 43, 66-75.	1.1	4
5	Postweaning positive modulation of <scp>α5GABAA</scp> receptors improves autismâ€like features in prenatal valproate rat model in a sexâ€specific manner. Autism Research, 2022, 15, 806-820.	2.1	4
6	The correlation between genetic factors and freezing of gait in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2022, 98, 7-12.	1.1	1
7	Symptomatic and neurotrophic effects of GABAA receptor positive allosteric modulation in a mouse model of chronic stress. Neuropsychopharmacology, 2022, 47, 1608-1619.	2.8	11
8	Vasodilatory effects of a variety of positive allosteric modulators of GABAA receptors on rat thoracic aorta. European Journal of Pharmacology, 2021, 899, 174023.	1.7	5
9	Clinical and Genetic Analysis of Psychosis in Parkinson's Disease. Journal of Parkinson's Disease, 2021, 11, 1973-1980.	1.5	4
10	Overcoming the Low Oral Bioavailability of Deuterated Pyrazoloquinolinone Ligand DK-I-60-3 by Nanonization: A Knowledge-Based Approach. Pharmaceutics, 2021, 13, 1188.	2.0	7
11	Curcumin Loaded PEGylated Nanoemulsions Designed for Maintained Antioxidant Effects and Improved Bioavailability: A Pilot Study on Rats. International Journal of Molecular Sciences, 2021, 22, 7991.	1.8	16
12	Positive and Negative Selective Allosteric Modulators of α5 GABAA Receptors: Effects on Emotionality, Motivation, and Motor Function in the 5xFAD Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 84, 1291-1302.	1.2	3
13	Molecular basis of mood and cognitive adverse events elucidated via a combination of pharmacovigilance data mining and functional enrichment analysis. Archives of Toxicology, 2020, 94, 2829-2845.	1.9	7
14	Nanocrystal dispersion of DK-I-56–1, a poorly soluble pyrazoloquinolinone positive modulator of α6 GABAA receptors: Formulation approach toward improved in vivo performance. European Journal of Pharmaceutical Sciences, 2020, 152, 105432.	1.9	7
15	Nano-crystalline suspensions of novel pyrazoloquinolinones ligand (DK-I-56-1). , 2020, , .		Ο
16	The vasorelaxant properties of novel benzodiazepine-like ligands on isolated rat thoracic aorta. Scripta Medica, 2020, 51, 81-86.	0.0	1
17	Trigeminal neuropathic pain development and maintenance in rats are suppressed by a positive modulator of α6 GABA <sub>A</sub> receptors. European Journal of Pain, 2019, 23, 973-984.	1.4	24
18	Novel Benzodiazepine-Like Ligands with Various Anxiolytic, Antidepressant, or Pro-Cognitive Profiles. Molecular Neuropsychiatry, 2019, 5, 84-97.	3.0	54

#	Article	IF	CITATIONS
19	Design and Synthesis of Novel Deuterated Ligands Functionally Selective for the γ-Aminobutyric Acid Type A Receptor (GABA <sub>A</sub> R) α6 Subtype with Improved Metabolic Stability and Enhanced Bioavailability. Journal of Medicinal Chemistry, 2018, 61, 2422-2446.	2.9	40
20	International Union of Basic and Clinical Pharmacology. CVI: GABA <sub>A</sub> Receptor Subtype- and Function-selective Ligands: Key Issues in Translation to Humans. Pharmacological Reviews, 2018, 70, 836-878.	7.1	144
21	Combined use of biocompatible nanoemulsions and solid microneedles to improve transport of a model NSAID across the skin: In vitro and in vivo studies. European Journal of Pharmaceutical Sciences, 2018, 125, 110-119.	1.9	25
22	From physicochemically stable Nanocarriers to targeted delivery. , 2018, , 301-333.		0
23	Attaining in vivo selectivity of positive modulation of α3βγ2 GABAA receptors in rats: A hard task!. European Neuropsychopharmacology, 2018, 28, 903-914.	0.3	6
24	Highly sensitive UHPLC—MS/MS method for quantification of ethylenediamine-N,N′-di-2-(3-cyclohexyl) propanoic acid derivatives in mouse serum. Acta Chromatographica, 2017, 29, 235-252.	0.7	3
25	Positive modulation of α5 GABA <sub>A</sub> receptors in preadolescence prevents reduced locomotor response to amphetamine in adult female but not male rats prenatally exposed to lipopolysaccharide. International Journal of Developmental Neuroscience, 2017, 61, 31-39.	0.7	15
26	Parenteral nanoemulsions of risperidone for enhanced brain delivery in acute psychosis: Physicochemical and in vivo performances. International Journal of Pharmaceutics, 2017, 533, 421-430.	2.6	39
27	Elucidation of the profound antagonism of contractile action of phenylephrine in rat aorta effected by an atypical sympathomimetic decongestant. Korean Journal of Physiology and Pharmacology, 2017, 21, 385.	0.6	3
28	Antidepressants: Myths, facts and perspectives. Arhiv Za Farmaciju, 2017, 67, 291-301.	0.2	0
29	Atypical sympathomimetic drug lerimazoline mediates contractile effects in rat aorta predominantly by 5-HT2A receptors. Bosnian Journal of Basic Medical Sciences, 2017, 17, 194-202.	0.6	1
30	Sex-Dependent Anti-Stress Effect of an α5 Subunit Containing GABAA Receptor Positive Allosteric Modulator. Frontiers in Pharmacology, 2016, 7, 446.	1.6	60
31	Ester to amide substitution improves selectivity, efficacy and kinetic behavior of a benzodiazepine positive modulator of GABAA receptors containing the Ĩ±5 subunit. European Journal of Pharmacology, 2016, 791, 433-443.	1.7	30
32	Lipopolysaccharide exposure during late embryogenesis results in diminished locomotor activity and amphetamine response in females and spatial cognition impairment in males in adult, but not adolescent rat offspring. Behavioural Brain Research, 2016, 299, 72-80.	1.2	43
33	A Review of the Updated Pharmacophore for the Alpha 5 GABA(A) Benzodiazepine Receptor Model. International Journal of Medicinal Chemistry, 2015, 2015, 1-54.	2.2	37
34	Parenteral nanoemulsions as promising carriers for brain delivery of risperidone: Design, characterization and in vivo pharmacokinetic evaluation. International Journal of Pharmaceutics, 2015, 493, 40-54.	2.6	61
35	Negative modulation of α5 GABAA receptors in rats may partially prevent memory impairment induced by MK-801, but not amphetamine- or MK-801-elicited hyperlocomotion. Journal of Psychopharmacology, 2015, 29, 1013-1024.	2.0	10
36	Biocompatible microemulsions of a model NSAID for skin delivery: A decisive role of surfactants in skin penetration/irritation profiles and pharmacokinetic performance. International Journal of Pharmaceutics, 2015, 496, 931-941.	2.6	41

#	Article	IF	CITATIONS
37	Pharmaceutical dosage forms of biological and other drugs used in the treatment of multiple sclerosis. Arhiv Za Farmaciju, 2015, 65, 237-255.	0.2	1
38	Sucrose ester-based biocompatible microemulsions as vehicles for aceclofenac as a model drug: formulation approach using D-optimal mixture design. Colloid and Polymer Science, 2014, 292, 3061-3076.	1.0	21
39	Delayed Behavioral Effects of SH–I–048A, a Novel Nonselective Positive Modulator of Gabaa Receptors, After Peripheral Nerve Injury in Rats. Acta Veterinaria, 2014, 64, 189-199.	0.2	Ο
40	Sh-I-048A, an in vitro non-selective super-agonist at the benzodiazepine site of GABAA receptors: The approximated activation of receptor subtypes may explain behavioral effects. Brain Research, 2014, 1554, 36-48.	1.1	17
41	Duration of treatment and activation of α1-containing GABAA receptors variably affect the level of anxiety and seizure susceptibility after diazepam withdrawal in rats. Brain Research Bulletin, 2014, 104, 1-6.	1.4	9
42	Moisturizing emulsion systems based on the novel long-chain alkyl polyglucoside emulsifier. Journal of Thermal Analysis and Calorimetry, 2013, 111, 2045-2057.	2.0	38
43	Experimental Design in Formulation of Diazepam Nanoemulsions: Physicochemical and Pharmacokinetic Performances. Journal of Pharmaceutical Sciences, 2013, 102, 4159-4172.	1.6	42
44	Benzodiazepine-induced spatial learning deficits in rats are regulated by the degree of modulation of α1 GABAA receptors. European Neuropsychopharmacology, 2013, 23, 390-399.	0.3	10
45	Midazolam impairs acquisition and retrieval, but not consolidation of reference memory in the Morris water maze. Behavioural Brain Research, 2013, 241, 198-205.	1.2	20
46	PWZ-029, an inverse agonist selective for α5 GABAA receptors, improves object recognition, but not water-maze memory in normal and scopolamine-treated rats. Behavioural Brain Research, 2013, 241, 206-213.	1.2	40
47	Insights into functional pharmacology of $\hat{I}\pm 1$ GABAA receptors: how much does partial activation at the benzodiazepine site matter?. Psychopharmacology, 2013, 230, 113-123.	1.5	4
48	βCCT, an antagonist selective for α1GABAA receptors, reverses diazepam withdrawal-induced anxiety in rats. Brain Research Bulletin, 2013, 91, 1-7.	1.4	10
49	The role of α1 and α5 subunit-containing GABAA receptors in motor impairment induced by benzodiazepines in rats. Behavioural Pharmacology, 2012, 23, 191-197.	0.8	33
50	Synthesis, structural and biological characterization of 5-phenylhydantoin derivatives as potential anticonvulsant agents. Monatshefte Für Chemie, 2012, 143, 1451-1457.	0.9	8
51	Tolerance liability of diazepam is dependent on the dose used for protracted treatment. Pharmacological Reports, 2012, 64, 1116-1125.	1.5	9
52	Intraseptal vs. periodontal ligament anaesthesia for maxillary tooth extraction: quality of local anaesthesia and haemodynamic response. Clinical Oral Investigations, 2010, 14, 675-681.	1.4	19
53	Behavioural characterization of four endemic <i>Stachys</i> taxa. Phytotherapy Research, 2010, 24, 1309-1316.	2.8	11
54	Novel positive allosteric modulators of GABAA receptors: Do subtle differences in activity at α1 plus α5 versus α2 plus α3 subunits account for dissimilarities in behavioral effects in rats?. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 376-386.	2.5	43

#	Article	IF	CITATIONS
55	From conventional towards new – natural surfactants in drug delivery systems design: current status and perspectives. Expert Opinion on Drug Delivery, 2010, 7, 353-369.	2.4	44
56	Influence of the preparation procedure and chitosan type on physicochemical properties and release behavior of alginate–chitosan microparticles. Drug Development and Industrial Pharmacy, 2009, 35, 1092-1102.	0.9	19
57	Topical vehicles based on natural surfactant/fatty alcohols mixed emulsifier: The influence of two polyols on the colloidal structure and in vitro/in vivo skin performance. Journal of Pharmaceutical Sciences, 2009, 98, 2073-2090.	1.6	35
58	Natural surfactant-based topical vehicles for two model drugs: Influence of different lipophilic excipients on in vitro/in vivo skin performance. International Journal of Pharmaceutics, 2009, 381, 220-230.	2.6	40
59	The differential role of α1- and α5-containing GABAA receptors in mediating diazepam effects on spontaneous locomotor activity and water-maze learning and memory in rats. International Journal of Neuropsychopharmacology, 2009, 12, 1179.	1.0	48
60	PWZ-029, a compound with moderate inverse agonist functional selectivity at GABAA receptors containing α5 subunits, improves passive, but not active, avoidance learning in rats. Brain Research, 2008, 1208, 150-159.	1.1	54
61	Are GABAA Receptors Containing α5 Subunits Contributing to the Sedative Properties of Benzodiazepine Site Agonists?. Neuropsychopharmacology, 2008, 33, 332-339.	2.8	65
62	Preparation and Characterisation of Phenytoin-Loaded Alginate and Alginate-Chitosan Microparticles. Drug Delivery, 2007, 14, 483-490.	2.5	14
63	The lack of bicuculline and picrotoxin influence on midazolam depressant action on brain oxygen consumption. Neuroscience Letters, 2006, 397, 201-204.	1.0	1
64	Vehicles based on a sugar surfactant: Colloidal structure and its impact on in vitro/in vivo hydrocortisone permeation. International Journal of Pharmaceutics, 2006, 320, 86-95.	2.6	36
65	Benzodiazepine site inverse agonists and locomotor activity in rats: Bimodal and biphasic influence. Pharmacology Biochemistry and Behavior, 2006, 84, 35-42.	1.3	8
66	Bidirectional effects of benzodiazepine binding site ligands on active avoidance acquisition and retention: differential antagonism by flumazenil and I²-CCt. Psychopharmacology, 2005, 180, 455-465.	1.5	18
67	Memory Effects of Benzodiazepines: Memory Stages and Types Versus Binding-Site Subtypes. Neural Plasticity, 2005, 12, 289-298.	1.0	52
68	Bidirectional effects of benzodiazepine binding site ligands in the passive avoidance task: differential antagonism by flumazenil and ?-CCt. Behavioural Brain Research, 2005, 158, 293-300.	1.2	27
69	The influence of midazolam on active avoidance retrieval and acquisition rate in rats. Pharmacology Biochemistry and Behavior, 2004, 77, 77-83.	1.3	16
70	Bidirectional effects of benzodiazepine binding site ligands in the elevated plus-maze: differential antagonism by flumazenil and β-CCt. Pharmacology Biochemistry and Behavior, 2004, 79, 279-290.	1.3	43
71	The Influence of Diazepam on Atropine Reversal of Behavioural Impairment in Dichlorvos-Treated Rats. Basic and Clinical Pharmacology and Toxicology, 2003, 93, 211-218.	0.0	13
72	The influence of midazolam and flumazenil on rat brain slices oxygen consumption. Pharmacological Research, 2003, 47, 127-131.	3.1	13

#	Article	IF	CITATIONS
73	GABA–BENZODIAZEPINE RECEPTOR COMPLEX IN BRAIN OXIDATIVE METABOLISM REGULATION. Pharmacological Research, 2002, 46, 149-154.	3.1	7
74	Effects of α5 <scp> GABA <sub>A</sub> </scp> receptor modulation on social interaction, memory, and neuroinflammation in a mouse model of Alzheimer's disease. CNS Neuroscience and Therapeutics, 0, , .	1.9	4