

# Takahiro Ozutsumi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5716603/publications.pdf>

Version: 2024-02-01

22  
papers

207  
citations

1040056

9  
h-index

1125743

13  
g-index

24  
all docs

24  
docs citations

24  
times ranked

214  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rifaximin Alleviates Endotoxemia with Decreased Serum Levels of Soluble CD163 and Mannose Receptor and Partial Modification of Gut Microbiota in Cirrhotic Patients. <i>Antibiotics</i> , 2020, 9, 145.	3.7	33
2	Effective Combination Therapy of Angiotensin-II Receptor Blocker and Rifaximin for Hepatic Fibrosis in Rat Model of Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5589.	4.1	21
3	Bile Acid Sequestrant, Sevelamer Ameliorates Hepatic Fibrosis with Reduced Overload of Endogenous Lipopolysaccharide in Experimental Nonalcoholic Steatohepatitis. <i>Microorganisms</i> , 2020, 8, 925.	3.6	18
4	TGR5 Activation Modulates an Inhibitory Effect on Liver Fibrosis Development Mediated by Anagliptin in Diabetic Rats. <i>Cells</i> , 2019, 8, 1153.	4.1	16
5	Intestinal Permeability Is a Mechanical Rheostat in the Pathogenesis of Liver Cirrhosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6921.	4.1	16
6	Combined Treatment with Sodium-Glucose Cotransporter-2 Inhibitor (Canagliflozin) and Dipeptidyl Peptidase-4 Inhibitor (Teneligliptin) Alleviates NASH Progression in A Non-Diabetic Rat Model of Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2164.	4.1	12
7	Association between Non-Alcoholic Fatty Liver Disease and Chronic Kidney Disease: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1635.	2.4	11
8	The association between sarcopenia and endotoxin in patients with alcoholic cirrhosis. <i>Medicine (United States)</i> , 2021, 100, e27212.	1.0	10
9	Combined effect of a farnesoid X receptor agonist and dipeptidyl peptidase-4 inhibitor on hepatic fibrosis. <i>Hepatology Research</i> , 2019, 49, 1147-1161.	3.4	9
10	Identification of clinical risk factors for histological progression of primary biliary cholangitis. <i>Hepatology Research</i> , 2019, 49, 1015-1025.	3.4	9
11	Proton pump inhibitor therapy does not increase serum endotoxin activity in patients with cirrhosis. <i>Hepatology Research</i> , 2019, 49, 232-238.	3.4	9
12	Chronic Alcohol Consumption is Inversely Associated with Insulin Resistance and Fatty Liver in Japanese Males. <i>Nutrients</i> , 2020, 12, 1036.	4.1	9
13	Association between Equol Production Status and Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11904.	4.1	6
14	Effect of combined farnesoid X receptor agonist and angiotensin II type 1 receptor blocker on ongoing hepatic fibrosis. <i>Indian Journal of Gastroenterology</i> , 2022, 41, 169-180.	1.4	5
15	Efficacy and tolerability of interferon-free regimen for patients with genotype 1 HCV infection. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 2743-2750.	1.8	4
16	Clinical Significance of Gamma-Glutamyltranspeptidase Combined with Carbohydrate-Deficient Transferrin for the Assessment of Excessive Alcohol Consumption in Patients with Alcoholic Cirrhosis. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 39.	1.4	4
17	The Combination of Albumin-Bilirubin Score and Prothrombin Time Is a Useful Tool for Predicting Liver Dysfunction after Transcatheter Arterial Chemoembolization in Child-Pugh Class A Patients with Hepatocellular Carcinoma within Up-to-Seven Criteria. <i>Journal of Clinical Medicine</i> , 2021, 10, 4838.	2.4	4
18	Laser-cut-type versus braided-type covered self-expandable metallic stents for distal biliary obstruction caused by pancreatic carcinoma: a retrospective comparative cohort study. <i>Clinical Endoscopy</i> , 2022, 55, 434-442.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Calcified mucinous adenocarcinoma of the stomach metastatic to the iris: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 64.	0.8	3
20	Small intestinal follicular lymphoma induced by methotrexate: a case report. <i>BMC Gastroenterology</i> , 2021, 21, 280.	2.0	2
21	Comparison of the efficacy and safety between palliative biliary stent placement and duct clearance among elderly patients with choledocholithiasis: a propensity score-matched analysis. <i>BMC Gastroenterology</i> , 2021, 21, 369.	2.0	2
22	Isolated Pancreatic Sarcoidosis Diagnosed by Endoscopic Ultrasound-guided Fine-needle Aspiration. <i>Internal Medicine</i> , 2020, 59, 1407-1412.	0.7	0