
## Wei-Cheng Tseng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5717515/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comorbidity profiles among patients with alopecia areata: The importance of onset age, a nationwide population-based study. Journal of the American Academy of Dermatology, 2011, 65, 949-956.	0.6	196
2	Uâ€Shaped Association Between Serum Uric Acid Levels With Cardiovascular and Allâ€Cause Mortality in the Elderly: The Role of Malnourishment. Journal of the American Heart Association, 2018, 7, .	1.6	109
3	Malignancies after renal transplantation in Taiwan: a nationwide population-based study. Nephrology Dialysis Transplantation, 2012, 27, 833-839.	0.4	83
4	Psychiatric comorbidities in patients with alopecia areata in Taiwan: a case-control study. British Journal of Dermatology, 2012, 166, 525-531.	1.4	72
5	Increased Risk of Acute Myocardial Infarction in Systemic Sclerosis: A Nationwide Population-based Study. American Journal of Medicine, 2013, 126, 982-988.	0.6	63
6	The Anti-Inflammatory, Anti-Oxidative, and Anti-Apoptotic Benefits of Stem Cells in Acute Ischemic Kidney Injury. International Journal of Molecular Sciences, 2019, 20, 3529.	1.8	43
7	Induced Pluripotent Stem Cell-Derived Conditioned Medium Attenuates Acute Kidney Injury by Downregulating the Oxidative Stress-Related Pathway in Ischemia–Reperfusion Rats. Cell Transplantation, 2016, 25, 517-530.	1.2	31
8	Hypoxic mesenchymal stem cells ameliorate acute kidney ischemia-reperfusion injury via enhancing renal tubular autophagy. Stem Cell Research and Therapy, 2021, 12, 367.	2.4	24
9	Dose–response effects of physical activity on all-cause mortality and major cardiorenal outcomes in chronic kidney disease. European Journal of Preventive Cardiology, 2022, 29, 452-461.	0.8	23
10	Effect of spironolactone on the risks of mortality and hospitalization for heart failure in pre-dialysis advanced chronic kidney disease: A nationwide population-based study. International Journal of Cardiology, 2017, 238, 72-78.	0.8	22
11	Association of Anemia and Iron Parameters With Mortality Among Patients Undergoing Prevalent Hemodialysis in Taiwan: The AIMâ€HD Study. Journal of the American Heart Association, 2018, 7, e009206.	1.6	21
12	Trichostatin A Alleviates Renal Interstitial Fibrosis Through Modulation of the M2 Macrophage Subpopulation. International Journal of Molecular Sciences, 2020, 21, 5966.	1.8	21
13	Krüppel-like factor 4 is a novel prognostic predictor for urothelial carcinoma of bladder and it regulates TWIST1-mediated epithelial-mesenchymal transition. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 485.e15-485.e24.	0.8	19
14	Comparison of Simplified Creatinine Index and Systemic Inflammatory Markers for Nutritional Evaluation of Hemodialysis Patients. Nutrients, 2021, 13, 1870.	1.7	15
15	Identification of Galectin-3 as Potential Biomarkers for Renal Fibrosis by RNA-Sequencing and Clinicopathologic Findings of Kidney Biopsy. Frontiers in Medicine, 2021, 8, 748225.	1.2	14
16	Expression of TNFRSF6B in kidneys is a novel predictor for progression of chronic kidney disease. Modern Pathology, 2013, 26, 984-994.	2.9	12
17	Hyperuricemia Predicts an Early Decline in Renal Function among Older People: A Community-Based Cohort Study. Scientific Reports, 2019, 9, 980.	1.6	12
18	Urinary Galectin-3 as a Novel Biomarker for the Prediction of Renal Fibrosis and Kidney Disease Progression. Biomedicines, 2022, 10, 585.	1.4	12

Wei-Cheng Tseng

#	Article	IF	CITATIONS
19	Effect of Renin-Angiotensin-Aldosterone System Blockade on Long-Term Outcomes in Postacute Kidney Injury Patients With Hypertension*. Critical Care Medicine, 2020, 48, e1185-e1193.	0.4	8
20	Association of anemia and iron parameters with mortality among prevalent peritoneal dialysis patients in Taiwan: the AIM-PD study. Scientific Reports, 2022, 12, 1269.	1.6	7
21	Cocoon-Like Fibroadhesive Tuberculous Peritonitis in a Peritoneal Dialysis Patient. Chinese Journal of Physiology, 2012, 55, 361-5.	0.4	6
22	Dipyridamole decreases dialysis risk and improves survival in patients with pre-dialysis advanced chronic kidney disease. Oncotarget, 2018, 9, 5368-5377.	0.8	6
23	Artificial Intelligence for Risk Prediction of Rehospitalization with Acute Kidney Injury in Sepsis Survivors. Journal of Personalized Medicine, 2022, 12, 43.	1.1	6
24	Artificial Intelligence for Risk Prediction of End-Stage Renal Disease in Sepsis Survivors with Chronic Kidney Disease. Biomedicines, 2022, 10, 546.	1.4	6
25	Recurrent Hypoglycemia in a Hemodialysis Patient Related to Propoxyphene Treatment. Journal of the Chinese Medical Association, 2007, 70, 286-288.	0.6	4
26	Relationship between Circulating Galectin-3, Systemic Inflammation, and Protein-Energy Wasting in Chronic Hemodialysis Patients. Nutrients, 2021, 13, 2803.	1.7	4
27	AN69 Filter Membranes with High Ultrafiltration Rates during Continuous Venovenous Hemofiltration Reduce Mortality in Patients with Sepsis-Induced Multiorgan Dysfunction Syndrome. Membranes, 2021, 11, 837.	1.4	4
28	Sepsis and the Risks of Long-Term Renal Adverse Outcomes in Patients With Chronic Kidney Disease. Frontiers in Medicine, 2022, 9, 809292.	1.2	4
29	Plasma Galectin-9 Is a Useful Biomarker for Predicting Renal Function in Patients Undergoing Native Kidney Biopsy. Archives of Pathology and Laboratory Medicine, 2023, 147, 167-176.	1.2	4
30	Quiz Page July 2011. American Journal of Kidney Diseases, 2011, 58, A23-A25.	2.1	1
31	The Case   A 71-year-old man with fever, acute kidney injury, and a black crustaceous lesion. Kidney International, 2019, 95, 239-240.	2.6	1
32	The Reply. American Journal of Medicine, 2014, 127, e39.	0.6	0
33	FO024PHYSICAL ACTIVITY AND REDUCED RISKS FOR END-STAGE RENAL DISEASE AND MORTALITY IN CHRONIC KIDNEY DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2018, 33, i28-i28.	0.4	0