
Wei-Cheng Tseng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5717515/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Plasma Galectin-9 Is a Useful Biomarker for Predicting Renal Function in Patients Undergoing Native Kidney Biopsy. Archives of Pathology and Laboratory Medicine, 2023, 147, 167-176.	1.2	4
2	Dose–response effects of physical activity on all-cause mortality and major cardiorenal outcomes in chronic kidney disease. European Journal of Preventive Cardiology, 2022, 29, 452-461.	0.8	23
3	Artificial Intelligence for Risk Prediction of Rehospitalization with Acute Kidney Injury in Sepsis Survivors. Journal of Personalized Medicine, 2022, 12, 43.	1.1	6
4	Association of anemia and iron parameters with mortality among prevalent peritoneal dialysis patients in Taiwan: the AIM-PD study. Scientific Reports, 2022, 12, 1269.	1.6	7
5	Artificial Intelligence for Risk Prediction of End-Stage Renal Disease in Sepsis Survivors with Chronic Kidney Disease. Biomedicines, 2022, 10, 546.	1.4	6
6	Sepsis and the Risks of Long-Term Renal Adverse Outcomes in Patients With Chronic Kidney Disease. Frontiers in Medicine, 2022, 9, 809292.	1.2	4
7	Urinary Galectin-3 as a Novel Biomarker for the Prediction of Renal Fibrosis and Kidney Disease Progression. Biomedicines, 2022, 10, 585.	1.4	12
8	Comparison of Simplified Creatinine Index and Systemic Inflammatory Markers for Nutritional Evaluation of Hemodialysis Patients. Nutrients, 2021, 13, 1870.	1.7	15
9	Hypoxic mesenchymal stem cells ameliorate acute kidney ischemia-reperfusion injury via enhancing renal tubular autophagy. Stem Cell Research and Therapy, 2021, 12, 367.	2.4	24
10	Relationship between Circulating Galectin-3, Systemic Inflammation, and Protein-Energy Wasting in Chronic Hemodialysis Patients. Nutrients, 2021, 13, 2803.	1.7	4
11	AN69 Filter Membranes with High Ultrafiltration Rates during Continuous Venovenous Hemofiltration Reduce Mortality in Patients with Sepsis-Induced Multiorgan Dysfunction Syndrome. Membranes, 2021, 11, 837.	1.4	4
12	Identification of Galectin-3 as Potential Biomarkers for Renal Fibrosis by RNA-Sequencing and Clinicopathologic Findings of Kidney Biopsy. Frontiers in Medicine, 2021, 8, 748225.	1.2	14
13	Trichostatin A Alleviates Renal Interstitial Fibrosis Through Modulation of the M2 Macrophage Subpopulation. International Journal of Molecular Sciences, 2020, 21, 5966.	1.8	21
14	Effect of Renin-Angiotensin-Aldosterone System Blockade on Long-Term Outcomes in Postacute Kidney Injury Patients With Hypertension*. Critical Care Medicine, 2020, 48, e1185-e1193.	0.4	8
15	The Anti-Inflammatory, Anti-Oxidative, and Anti-Apoptotic Benefits of Stem Cells in Acute Ischemic Kidney Injury. International Journal of Molecular Sciences, 2019, 20, 3529.	1.8	43
16	Hyperuricemia Predicts an Early Decline in Renal Function among Older People: A Community-Based Cohort Study. Scientific Reports, 2019, 9, 980.	1.6	12
17	The Case A 71-year-old man with fever, acute kidney injury, and a black crustaceous lesion. Kidney International, 2019, 95, 239-240.	2.6	1
18	Uâ€Shaped Association Between Serum Uric Acid Levels With Cardiovascular and Allâ€Cause Mortality in the Elderly: The Role of Malnourishment. Journal of the American Heart Association, 2018, 7, .	1.6	109

2

Wei-Cheng Tseng

#	Article	IF	CITATIONS
19	Association of Anemia and Iron Parameters With Mortality Among Patients Undergoing Prevalent Hemodialysis in Taiwan: The AIMâ€HD Study. Journal of the American Heart Association, 2018, 7, e009206.	1.6	21
20	FO024PHYSICAL ACTIVITY AND REDUCED RISKS FOR END-STAGE RENAL DISEASE AND MORTALITY IN CHRONIC KIDNEY DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2018, 33, i28-i28.	0.4	0
21	Dipyridamole decreases dialysis risk and improves survival in patients with pre-dialysis advanced chronic kidney disease. Oncotarget, 2018, 9, 5368-5377.	0.8	6
22	Effect of spironolactone on the risks of mortality and hospitalization for heart failure in pre-dialysis advanced chronic kidney disease: A nationwide population-based study. International Journal of Cardiology, 2017, 238, 72-78.	0.8	22
23	Krüppel-like factor 4 is a novel prognostic predictor for urothelial carcinoma of bladder and it regulates TWIST1-mediated epithelial-mesenchymal transition. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 485.e15-485.e24.	0.8	19
24	Induced Pluripotent Stem Cell-Derived Conditioned Medium Attenuates Acute Kidney Injury by Downregulating the Oxidative Stress-Related Pathway in Ischemia–Reperfusion Rats. Cell Transplantation, 2016, 25, 517-530.	1.2	31
25	The Reply. American Journal of Medicine, 2014, 127, e39.	0.6	0
26	Increased Risk of Acute Myocardial Infarction in Systemic Sclerosis: A Nationwide Population-based Study. American Journal of Medicine, 2013, 126, 982-988.	0.6	63
27	Expression of TNFRSF6B in kidneys is a novel predictor for progression of chronic kidney disease. Modern Pathology, 2013, 26, 984-994.	2.9	12
28	Malignancies after renal transplantation in Taiwan: a nationwide population-based study. Nephrology Dialysis Transplantation, 2012, 27, 833-839.	0.4	83
29	Psychiatric comorbidities in patients with alopecia areata in Taiwan: a case-control study. British Journal of Dermatology, 2012, 166, 525-531.	1.4	72
30	Cocoon-Like Fibroadhesive Tuberculous Peritonitis in a Peritoneal Dialysis Patient. Chinese Journal of Physiology, 2012, 55, 361-5.	0.4	6
31	Comorbidity profiles among patients with alopecia areata: The importance of onset age, a nationwide population-based study. Journal of the American Academy of Dermatology, 2011, 65, 949-956.	0.6	196
32	Quiz Page July 2011. American Journal of Kidney Diseases, 2011, 58, A23-A25.	2.1	1
33	Recurrent Hypoglycemia in a Hemodialysis Patient Related to Propoxyphene Treatment. Journal of the Chinese Medical Association, 2007, 70, 286-288.	0.6	4