David A Tanner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5719608/publications.pdf

Version: 2024-02-01

74 papers

1,777 citations

257101 24 h-index 288905 40 g-index

76 all docs 76
docs citations

76 times ranked 1894 citing authors

#	Article	IF	CITATIONS
1	Residual stress prediction in shot blasted cobalt–chromium biomedical cast components. Materials Science and Technology, 2022, 38, 853-865.	0.8	1
2	Diffusion braze homogenisation and contraction during re-repair heat treatments of a single crystal nickel-based superalloy. Journal of Alloys and Compounds, 2021, 857, 157560.	2.8	7
3	Development of high-power laser ablation process for polycrystalline diamond polishing: part 3. processing with an ultra-short-pulsed laser up to $1kW.$, 2021 ,,.		1
4	An analytical method for powder flow characterisation in direct energy deposition. Additive Manufacturing, 2021, 42, 101991.	1.7	4
5	Additive manufacturing of aluminium alloy 2024 by laser powder bed fusion: microstructural evolution, defects and mechanical properties. Rapid Prototyping Journal, 2021, 27, 1388-1397.	1.6	22
6	Enhancing permeability and porosity of ceramic shells for investment casting through pre-wetting. Journal of the European Ceramic Society, 2021, 41, 411-422.	2.8	3
7	A Review: The Prospect of Inhaled Insulin Therapy via Vibrating Mesh Technology to Treat Diabetes. International Journal of Environmental Research and Public Health, 2020, 17, 5795.	1.2	12
8	Development of high-power laser ablation process for polycrystalline diamond polishing, Part 2: upscaling of PCD ultra-short pulsed laser ablation to high power. , 2020, , .		2
9	Substrate influence in laser blown powder of nickel superalloys. , 2020, , .		O
10	Refining early stage interventional composite catheter design. Procedia Manufacturing, 2019, 38, 282-290.	1.9	5
11	Developing CDIO Practitioners: A Systematic Approach to Standard 10. Procedia Manufacturing, 2019, 38, 680-685.	1.9	4
12	Development of high power laser ablation process for polycrystalline diamond polishing: Part 1. Fundamental understanding of PCD ultra-short pulsed laser ablation. , 2018, , .		2
13	Cold Compression of 7075 and Factors Influencing Stress Relief. Materials Performance and Characterization, 2018, 7, 898-911.	0.2	2
14	An Investigation into the Reverse Transformation Mechanisms in the Heat Treatment of Austenitic Stainless Steel. Materials Performance and Characterization, 2018, 7, 643-654.	0.2	0
15	Application of multiple residual stress determination methods to coarse-grained biomedical implant castings. Materials Science and Technology, 2017, 33, 1231-1251.	0.8	4
16	A virtual experimental approach to microscale composites testing. Composite Structures, 2017, 171, 1-9.	3.1	29
17	The effect of single crystal and welded substrates on the development of braze microstructures. Journal of Alloys and Compounds, 2017, 690, 856-863.	2.8	7
18	Time transient validation of residual stress prediction models for aluminium alloy quenching. Materials Science and Technology, 2016, 32, 1533-1543.	0.8	5

#	Article	IF	CITATIONS
19	An Analysis of Germanium–Silicon/Silicon Strained Superlattice Structure Using Convergent Beam Electron Diffraction. Strain, 2016, 52, 162-171.	1.4	0
20	Determination of residual stress within complex-shaped coarse-grained cobalt–chromium biomedical castings. Materials Science and Technology, 2016, 32, 1411-1426.	0.8	6
21	An experimental investigation into multi-scale damage progression in laminated composites in bending. Composite Structures, 2016, 149, 33-40.	3.1	41
22	Experimental study of process parameters' effect on surface residual stress magnitudes in equal channel angular rolled aluminium alloys. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2014, 228, 1592-1598.	1.5	12
23	50th Anniversary Article: The Origin and Management of Residual Stress in Heatâ€treatable Aluminium Alloys. Strain, 2014, 50, 185-207.	1.4	50
24	A bioactive metallurgical grade porous silicon–polytetrafluoroethylene sheet for guided bone regeneration applications. Bio-Medical Materials and Engineering, 2014, 24, 1563-1574.	0.4	2
25	Hydrogenation of sunflower oil over Pt–Ni bimetallic supported catalysts: Preparation, characterization and catalytic activity. Applied Catalysis A: General, 2014, 474, 78-86.	2.2	23
26	Characterization of the Microstructure of GaP Films Grown on $\{111\}$ Si by Liquid Phase Epitaxy. ACS Applied Materials & Samp; Interfaces, 2014, 6, 18626-18634.	4.0	4
27	In-situ SEM study of transverse cracking and delamination in laminated composite materials. Composites Science and Technology, 2014, 105, 118-126.	3.8	58
28	Doping controlled roughness and defined mesoporosity in chemically etched silicon nanowires with tunable conductivity. Journal of Applied Physics, 2013, 114, 034309.	1.1	17
29	Compositional characterisation of metallurgical grade silicon and porous silicon nanosponge particles. RSC Advances, 2013, 3, 19393.	1.7	11
30	Kirkendall void formation during room-temperature air-oxidation of thin aluminium and aluminium – lithium alloy films. Materials at High Temperatures, 2012, 29, 235-242.	0.5	1
31	Influence of quenching and aging on residual stress in Al–Zn–Mg–Cu alloy 7449. Materials Science and Technology, 2012, 28, 420-430.	0.8	60
32	Testing method for measuring corrosion resistance of surface mount chip resistors. Microelectronics Reliability, 2012, 52, 1420-1427.	0.9	8
33	The influence of quench sensitivity on residual stresses in the aluminium alloys 7010 and 7075. Materials Characterization, 2012, 65, 73-85.	1.9	86
34	Investigation of through thickness residual stress distribution in equal channel angular rolled Al 5083 alloy by layer removal technique and X-ray diffraction. Materials & Design, 2012, 40, 516-520.	5.1	62
35	Microstructural characterisation of metallurgical grade porous silicon nanosponge particles. Journal of Materials Science, 2012, 47, 2396-2404.	1.7	20
36	Defocus image contrast in hexagonally-ordered mesoporous material. Physical Chemistry Chemical Physics, 2011, 13, 1189-1200.	1.3	0

3

#	Article	IF	Citations
37	Oxidation induced void formation in TEM specimens of Al–Cu–Li alloy. Materials Science and Technology, 2011, 27, 783-788.	0.8	3
38	Measurement and Prediction of Machining Induced Redistribution of Residual Stress in the Aluminium Alloy 7449. Experimental Mechanics, 2011, 51, 981-993.	1.1	45
39	Hydroxyapatite formation on metallurgical grade nanoporous silicon particles. Journal of Materials Science, 2010, 45, 6562-6568.	1.7	9
40	Mesopore constrictions derived from the substitutionally co-packed SBA-15. Microporous and Mesoporous Materials, 2010, 129, 179-188.	2.2	12
41	Enhanced Electrochemiluminescence and Charge Transport Through Films of Metallopolymer-Gold Nanoparticle Composites. Langmuir, 2010, 26, 2130-2135.	1.6	43
42	Synthesis and Structural Characterization of Catalyst-Free Carbon Micro-Cones. Journal of Nanoscience and Nanotechnology, 2009, 9, 4492-4495.	0.9	4
43	Facile Synthesis of Oxygen Nanogenerators. Nanoscience and Nanotechnology Letters, 2009, 1, 47-51.	0.4	5
44	Reduced Surfactant Uptake in Three Dimensional Assemblies of VO _{<i>x</i>} Nanotubes Improves Reversible Li ⁺ Intercalation and Charge Capacity. Advanced Functional Materials, 2009, 19, 1736-1745.	7.8	80
45	Oneâ€Step Synthesis of Stoichiometrically Defined Metal Oxide Nanoparticles at Room Temperature. Chemistry - A European Journal, 2009, 15, 440-448.	1.7	14
46	Structure of corrosion film formed on copper exposed to controlled corrosive environment. Materials and Corrosion - Werkstoffe Und Korrosion, 2009, 60, 259-261.	0.8	3
47	Room temperature synthesis of platinum nanoparticles in water-in-oil microemulsion. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2009, 337, 205-207.	2.3	21
48	TEM analysis of apatite surface layers observed on zinc based glass polyalkenoate cements. Journal of Materials Science, 2008, 43, 1170-1173.	1.7	17
49	Polyfluorene nanowires with pronounced axial texturing prepared by melt-assisted template wetting. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2008, 147, 298-302.	1.7	15
50	Reducing residual stress in 2014 aluminium alloy die forgings. Materials & Design, 2008, 29, 1489-1496.	5.1	29
51	Study of Mixed Flowing Gas Exposure of Copper. Journal of the Electrochemical Society, 2008, 155, C147.	1.3	16
52	Reducing Residual Stress in 7050 Aluminum Alloy Die Forgings by Heat Treatment. Journal of Engineering Materials and Technology, Transactions of the ASME, 2008, 130, .	0.8	13
53	Synthesis of Pentacene Nanotubes by Melt-Assisted Template Wetting. Chemistry of Materials, 2007, 19, 338-340.	3.2	35
54	Emission Colour Tuning in Semiconducting Polymer Nanotubes by Energy Transfer to Organo― Lanthanide Dopants. Advanced Materials, 2007, 19, 2474-2479.	11.1	36

#	Article	IF	CITATIONS
55	Quantitative TEM analysis of a hexagonal mesoporous silicate structure. Physical Chemistry Chemical Physics, 2006, 8, 3467.	1.3	31
56	The Influence of Aluminium Alloy Quench Sensitivity on the Magnitude of Heat Treatment Induced Residual Stress. Materials Science Forum, 2006, 524-525, 305-310.	0.3	8
57	Ultrasonically set glass polyalkenoate cements for orthodontic applications. Journal of Materials Science: Materials in Medicine, 2006, 17, 313-318.	1.7	15
58	The antibacterial effects of zinc ion migration from zinc-based glass polyalkenoate cements. Journal of Materials Science: Materials in Medicine, 2006, 17, 489-494.	1.7	108
59	A Single Polymer Nanowire Photodetector. Advanced Materials, 2006, 18, 2379-2383.	11.1	209
60	Precipitation in vanadium bearing ultralow carbon strip steels. Materials Science and Technology, 2006, 22, 525-536.	0.8	3
61	Residual stress magnitudes and related properties in quenched aluminium alloys. Materials Science and Technology, 2006, 22, 77-85.	0.8	20
62	Focused ion beam assisted analysis of the oxidation of a NiAl coating on pure Ni. Materials at High Temperatures, 2005, 22, 421-426.	0.5	0
63	Quench factor analysis of aluminium alloys using the Jominy end quench technique. Materials Science and Technology, 2005, 21, 687-692.	0.8	40
64	Focused ion beam assisted analysis of the oxidation of a NiAl coating on pure Ni. Materials at High Temperatures, 2005, 22, 421-426.	0.5	0
65	Magneto-acoustic emission for the characterisation of ferritic stainless steel microstructural state. Journal of Magnetism and Magnetic Materials, 2004, 271, 381-389.	1.0	38
66	Characterisation of ferritic stainless steel by Barkhausen techniques. NDT and E International, 2004, 37, 489-496.	1.7	40
67	Effect of precipitation during quenching on the mechanical properties of the aluminium alloy 7010 in the W-temper. Journal of Materials Processing Technology, 2004, 153-154, 998-1004.	3.1	39
68	Modelling stress reduction techniques of cold compression and stretching in wrought aluminium alloy products. Finite Elements in Analysis and Design, 2003, 39, 369-386.	1.7	46
69	Residual stress development and relief in high strength aluminium alloys using standard and retrogression thermal treatments. Materials Science and Technology, 2003, 19, 512-518.	0.8	34
70	The Magnitude of Heat Treatment Induced Residual Stresses and the Thermal Stress Relief of Aluminium Alloys. Materials Science Forum, 2002, 404-407, 355-360.	0.3	14
71	Quench sensitivity and tensile property inhomogeneity in 7010 forgings. Journal of Materials Processing Technology, 2001, 119, 261-267.	3.1	93
72	Residual stress prediction and determination in 7010 aluminum alloy forgings. Experimental Mechanics, 2000, 40, 75-82.	1.1	50

#	Article	IF	CITATIONS
73	Cold Compression Residual Stress Reduction in Aluminium Alloy 7010. Materials Science Forum, 2000, 347-349, 235-240.	0.3	10
74	Retrogression, reaging and residual stresses in 7010 forgings. Fatigue and Fracture of Engineering Materials and Structures, 1999, 22, 51-58.	1.7	8