
Tadaaki Yamada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5719650/publications.pdf Version: 2024-02-01



ΤΑΠΑΛΚΙ ΥΛΜΑΠΑ

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Crosstalk to Stromal Fibroblasts Induces Resistance of Lung Cancer to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors. Clinical Cancer Research, 2009, 15, 6630-6638. | 3.2 | 255 |
| 2 | AXL confers intrinsic resistance to osimertinib and advances the emergence of tolerant cells. Nature Communications, 2019, 10, 259. | 5.8 | 223 |
| 3 | Hepatocyte Growth Factor Expression in EGFR Mutant Lung Cancer with Intrinsic and Acquired Resistance to Tyrosine Kinase Inhibitors in a Japanese Cohort. Journal of Thoracic Oncology, 2011, 6, 2011-2017. | 0.5 | 196 |
| 4 | EGFR-TKI Resistance Due to <i>BIM</i> Polymorphism Can Be Circumvented in Combination with HDAC Inhibition. Cancer Research, 2013, 73, 2428-2434. | 0.4 | 151 |
| 5 | Paracrine Receptor Activation by Microenvironment Triggers Bypass Survival Signals and ALK Inhibitor Resistance in EML4-ALK Lung Cancer Cells. Clinical Cancer Research, 2012, 18, 3592-3602. | 3.2 | 104 |
| 6 | Immune Checkpoint Inhibitors for Lung Cancer Treatment: A Review. Journal of Clinical Medicine, 2020, 9, 1362. | 1.0 | 102 |
| 7 | Transient PI3K Inhibition Induces Apoptosis and Overcomes HGF-Mediated Resistance to EGFR-TKIs in <i>EGFR</i> Mutant Lung Cancer. Clinical Cancer Research, 2011, 17, 2260-2269. | 3.2 | 101 |
| 8 | Hepatocyte Growth Factor Reduces Susceptibility to an Irreversible Epidermal Growth Factor Receptor Inhibitor in <i>EGFR</i> -T790M Mutant Lung Cancer. Clinical Cancer Research, 2010, 16, 174-183. | 3.2 | 93 |
| 9 | Tumor Neovascularization and Developments in Therapeutics. Cancers, 2019, 11, 316. | 1.7 | 85 |
| 10 | Retrospective efficacy analysis of immune checkpoint inhibitors in patients with EGFRâ€mutated nonâ€small cell lung cancer. Cancer Medicine, 2019, 8, 1521-1529. | 1.3 | 82 |
| 11 | Combined Therapy with Mutant-Selective EGFR Inhibitor and Met Kinase Inhibitor for Overcoming Erlotinib Resistance in <i>EGFR</i> -Mutant Lung Cancer. Molecular Cancer Therapeutics, 2012, 11, 2149-2157. | 1.9 | 81 |
| 12 | Met Kinase Inhibitor E7050 Reverses Three Different Mechanisms of Hepatocyte Growth Factor–Induced Tyrosine Kinase Inhibitor Resistance in <i>EGFR</i> Mutant Lung Cancer. Clinical Cancer Research, 2012, 18, 1663-1671. | 3.2 | 81 |
| 13 | Epithelial-to-Mesenchymal Transition Is a Mechanism of ALK Inhibitor Resistance in Lung Cancer Independent of <i>ALK</i> Mutation Status. Cancer Research, 2019, 79, 1658-1670. | 0.4 | 79 |
| 14 | ONO-7475, a Novel AXL Inhibitor, Suppresses the Adaptive Resistance to Initial EGFR-TKI Treatment in <i>EGFR</i> -Mutated Non–Small Cell Lung Cancer. Clinical Cancer Research, 2020, 26, 2244-2256. | 3.2 | 75 |
| 15 | Association of Sarcopenia with and Efficacy of Anti-PD-1/PD-L1 Therapy in Non-Small-Cell Lung Cancer. Journal of Clinical Medicine, 2019, 8, 450. | 1.0 | 72 |
| 16 | Histone Deacetylase 3 Inhibition Overcomes <i>BIM</i> Deletion Polymorphism–Mediated Osimertinib Resistance in <i>EGFR-</i> Mutant Lung Cancer. Clinical Cancer Research, 2017, 23, 3139-3149. | 3.2 | 69 |
| 17 | Transient IGF-1R inhibition combined with osimertinib eradicates AXL-low expressing EGFR mutated lung cancer. Nature Communications, 2020, 11, 4607. | 5.8 | 69 |
| 18 | Ligandâ€ŧriggered resistance to molecular targeted drugs in lung cancer: Roles of hepatocyte growth factor and epidermal growth factor receptor ligands. Cancer Science, 2012, 103, 1189-1194. | 1.7 | 64 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Notch3-dependent β-catenin signaling mediates EGFR TKI drug persistence in EGFR mutant NSCLC. Nature Communications, 2018, 9, 3198. | 5.8 | 61 |
| 20 | Overexpression of manganese superoxide dismutase by N-acetylcysteine in hyperoxic lung injury. Respiratory Medicine, 2007, 101, 800-807. | 1.3 | 57 |
| 21 | High efficacy of third generation EGFR inhibitor AZD9291 in a leptomeningeal carcinomatosis model with <i>EGFR</i> -mutant lung cancer cells. Oncotarget, 2016, 7, 3847-3856. | 0.8 | 56 |
| 22 | E7080, a Multi–Tyrosine Kinase Inhibitor, Suppresses the Progression of Malignant Pleural Mesothelioma with Different Proangiogenic Cytokine Production Profiles. Clinical Cancer Research, 2009, 15, 7229-7237. | 3.2 | 55 |
| 23 | Dual Inhibition of Met Kinase and Angiogenesis to Overcome HGF-Induced EGFR-TKI Resistance in EGFR Mutant Lung Cancer. American Journal of Pathology, 2012, 181, 1034-1043. | 1.9 | 55 |
| 24 | Pleural Mesothelioma Instigates Tumor-Associated Fibroblasts To Promote Progression via a Malignant Cytokine Network. American Journal of Pathology, 2011, 179, 1483-1493. | 1.9 | 54 |
| 25 | <i>MET</i> Copy Number Gain Is Associated with Gefitinib Resistance in Leptomeningeal Carcinomatosis of <i>EGFR</i> -mutant Lung Cancer. Molecular Cancer Therapeutics, 2017, 16, 506-515. | 1.9 | 52 |
| 26 | The role of the gut microbiome on the efficacy of immune checkpoint inhibitors in Japanese responder patients with advanced non-small cell lung cancer. Translational Lung Cancer Research, 2019, 8, 847-853. | 1.3 | 52 |
| 27 | The EGFR Ligands Amphiregulin and Heparin-Binding EGF-like Growth Factor Promote Peritoneal Carcinomatosis in CXCR4-Expressing Gastric Cancer. Clinical Cancer Research, 2011, 17, 3619-3630. | 3.2 | 46 |
| 28 | Receptor ligand-triggered resistance to alectinib and its circumvention by Hsp90 inhibition in EML4-ALK lung cancer cells. Oncotarget, 2014, 5, 4920-4928. | 0.8 | 46 |
| 29 | Retrospective Efficacy Analysis of Immune Checkpoint Inhibitor Rechallenge in Patients with Non-Small Cell Lung Cancer. Journal of Clinical Medicine, 2020, 9, 102. | 1.0 | 42 |
| 30 | Ability of the Met Kinase Inhibitor Crizotinib and New Generation EGFR Inhibitors to Overcome Resistance to EGFR Inhibitors. PLoS ONE, 2013, 8, e84700. | 1.1 | 41 |
| 31 | Hepatocyte Growth Factor Induces Resistance to Anti-Epidermal Growth Factor Receptor Antibody in Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 272-280. | 0.5 | 37 |
| 32 | Histone Deacetylase Inhibition Enhances the Antitumor Activity of a MEK Inhibitor in Lung Cancer Cells Harboring <i>RAS</i> Mutations. Molecular Cancer Therapeutics, 2018, 17, 17-25. | 1.9 | 37 |
| 33 | Hsp90 Inhibition Overcomes HGF-Triggering Resistance to EGFR-TKIs in EGFR-Mutant Lung Cancer by Decreasing Client Protein Expression and Angiogenesis. Journal of Thoracic Oncology, 2012, 7, 1078-1085. | 0.5 | 34 |
| 34 | Triple Inhibition of EGFR, Met, and VEGF Suppresses Regrowth of HGF-Triggered, Erlotinib-Resistant Lung Cancer Harboring an EGFR Mutation. Journal of Thoracic Oncology, 2014, 9, 775-783. | 0.5 | 34 |
| 35 | Safety and Usefulness of Cryobiopsy and Stamp Cytology for the Diagnosis of Peripheral Pulmonary Lesions. Cancers, 2019, 11, 410. | 1.7 | 34 |
| 36 | mTOR Inhibitors Control the Growth of EGFR Mutant Lung Cancer Even after Acquiring Resistance by HGF. PLoS ONE, 2013, 8, e62104. | 1.1 | 32 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Genetically engineered humanized antiâ€ganglioside GM2 antibody against multiple organ metastasis produced by GM2â€expressing smallâ€cell lung cancer cells. Cancer Science, 2011, 102, 2157-2163. | 1.7 | 31 |
| 38 | Clinical impact of pembrolizumab combined with chemotherapy in elderly patients with advanced non-small-cell lung cancer. Lung Cancer, 2021, 161, 26-33. | 0.9 | 31 |
| 39 | Thioredoxin-1 protects against hyperoxia-induced apoptosis in cells of the alveolar walls. Pulmonary Pharmacology and Therapeutics, 2007, 20, 650-659. | 1.1 | 29 |
| 40 | TGF-β-dependent reprogramming of amino acid metabolism induces epithelial–mesenchymal transition in non-small cell lung cancers. Communications Biology, 2021, 4, 782. | 2.0 | 29 |
| 41 | The novel phosphoinositide 3â€kinase–mammalian target of rapamycin inhibitor, BEZ235, circumvents erlotinib resistance of <i>epidermal growth factor receptor</i> mutant lung cancer cells triggered by hepatocyte growth factor. International Journal of Cancer, 2013, 133, 505-513. | 2.3 | 28 |
| 42 | Amphiregulin triggered epidermal growth factor receptor activation confers <i>in vivo</i> crizotinibâ€resistance of <scp>EML</scp> 4â€ <scp>ALK</scp> lung cancer and circumvention by epidermal growth factor receptor inhibitors. Cancer Science, 2017, 108, 53-60. | 1.7 | 28 |
| 43 | Novel dual targeting strategy with vandetanib induces tumor cell apoptosis and inhibits angiogenesis in malignant pleural mesothelioma cells expressing RET oncogenic rearrangement. Cancer Letters, 2008, 265, 55-66. | 3.2 | 26 |
| 44 | A Transcriptional Signature Identifies LKB1 Functional Status as a Novel Determinant of MEK Sensitivity in Lung Adenocarcinoma. Cancer Research, 2017, 77, 153-163. | 0.4 | 26 |
| 45 | Foretinib Overcomes Entrectinib Resistance Associated with the <i>NTRK1</i> G667C Mutation in <i>NTRK1</i> Fusion–Positive Tumor Cells in a Brain Metastasis Model. Clinical Cancer Research, 2018, 24, 2357-2369. | 3.2 | 25 |
| 46 | Significance of inflammatory indexes in atezolizumab monotherapy outcomes in previously treated non-small-cell lung cancer patients. Scientific Reports, 2020, 10, 17495. | 1.6 | 24 |
| 47 | Akt kinase-interacting protein1, a novel therapeutic target for lung cancer with EGFR-activating and gatekeeper mutations. Oncogene, 2013, 32, 4427-4435. | 2.6 | 23 |
| 48 | Impact of cancer cachexia on the therapeutic outcome of combined chemoimmunotherapy in patients with non-small cell lung cancer: a retrospective study. Oncolmmunology, 2021, 10, 1950411. | 2.1 | 22 |
| 49 | Lysophosphatidic acid stimulates the proliferation and motility of malignant pleural mesothelioma cells through lysophosphatidic acid receptors, LPA ₁ and LPA ₂ . Cancer Science, 2008, 99, 1603-1610. | 1.7 | 20 |
| 50 | Intensification therapy with anti-parathyroid hormone-related protein antibody plus zoledronic acid for bone metastases of small cell lung cancer cells in severe combined immunodeficient mice. Molecular Cancer Therapeutics, 2009, 8, 119-126. | 1.9 | 20 |
| 51 | Impact of <scp>MET</scp> inhibition on smallâ€cell lung cancer cells showing aberrant activation of the hepatocyte growth factor/ <scp>MET</scp> pathway. Cancer Science, 2017, 108, 1378-1385. | 1.7 | 20 |
| 52 | Paracrine activation of MET promotes peritoneal carcinomatosis in scirrhous gastric cancer. Cancer Science, 2013, 104, 1640-1646. | 1.7 | 19 |
| 53 | Retrospective analysis of docetaxel in combination with ramucirumab for previously treated non-small cell lung cancer patients. Translational Lung Cancer Research, 2019, 8, 450-460. | 1.3 | 18 |
| 54 | Carcinoembryonic antigen and CYFRA 21-1 responses as prognostic factors in advanced non-small cell lung cancer. Translational Lung Cancer Research, 2019, 8, 227-234. | 1.3 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Osimertinib in Elderly Patients with Epidermal Growth Factor Receptor T790M-Positive Non-Small-Cell Lung Cancer Who Progressed During Prior Treatment: A Phase II Trial. Oncologist, 2019, 24, 593-e170. | 1.9 | 17 |
| 56 | The Effect of LKB1 Activity on the Sensitivity to PI3K/mTOR Inhibition in Non–Small Cell Lung Cancer. Journal of Thoracic Oncology, 2019, 14, 1061-1076. | 0.5 | 17 |
| 57 | Immune-Related Adverse Events Are Associated With Clinical Benefit in Patients With Non-Small-Cell Lung Cancer Treated With Immunotherapy Plus Chemotherapy: A Retrospective Study. Frontiers in Oncology, 2021, 11, 630136. | 1.3 | 17 |
| 58 | Prognostic Nutritional Index and Lung Immune Prognostic Index as Prognostic Predictors for Combination Therapies of Immune Checkpoint Inhibitors and Cytotoxic Anticancer Chemotherapy for Patients with Advanced Non-Small Cell Lung Cancer. Diagnostics, 2022, 12, 423. | 1.3 | 17 |
| 59 | Akt Kinase-Interacting Protein 1 Signals through CREB to Drive Diffuse Malignant Mesothelioma. Cancer Research, 2015, 75, 4188-4197. | 0.4 | 16 |
| 60 | Plasma membrane anchored nanosensor for quantifying endogenous production of H2O2 in living cells. Biosensors and Bioelectronics, 2021, 179, 113077. | 5.3 | 16 |
| 61 | Podoplanin promotes progression of malignant pleural mesothelioma by regulating motility and focus formation. Cancer Science, 2017, 108, 696-703. | 1.7 | 15 |
| 62 | A Bone Metastasis Model With Osteolytic and Osteoblastic Properties of Human Lung Cancer ACC-LC-319/bone2 in Natural Killer Cell-Depleted Severe Combined Immunodeficient Mice. Oncology Research, 2009, 17, 581-591. | 0.6 | 15 |
| 63 | E7080 Suppresses Hematogenous Multiple Organ Metastases of Lung Cancer Cells with Nonmutated Epidermal Growth Factor Receptor. Molecular Cancer Therapeutics, 2011, 10, 1218-1228. | 1.9 | 14 |
| 64 | Organâ€specific efficacy of <scp>HSP</scp> 90 inhibitor in multipleâ€organ metastasis model of chemorefractory small cell lung cancer. International Journal of Cancer, 2016, 138, 1281-1289. | 2.3 | 14 |
| 65 | Distribution and Activity of Lenvatinib in Brain Tumor Models of Human Anaplastic Thyroid Cancer Cells in Severe Combined Immune Deficient Mice. Molecular Cancer Therapeutics, 2019, 18, 947-956. | 1.9 | 14 |
| 66 | Impact of bowel movement condition on immune checkpoint inhibitor efficacy in patients with advanced nonâ€small cell lung cancer. Thoracic Cancer, 2019, 10, 526-532. | 0.8 | 13 |
| 67 | Impact of preexisting antinuclear antibodies on combined immunotherapy and chemotherapy in advanced non-small cell lung cancer patients. Medical Oncology, 2020, 37, 111. | 1.2 | 13 |
| 68 | Endocrinopathies Associated with Immune Checkpoint Inhibitor Cancer Treatment: A Review. Journal of Clinical Medicine, 2020, 9, 2033. | 1.0 | 13 |
| 69 | Inhibition of c-Jun N-terminal kinase signaling increased apoptosis and prevented the emergence of ALK-TKI-tolerant cells in ALK-rearranged non-small cell lung cancer. Cancer Letters, 2021, 522, 119-128. | 3.2 | 13 |
| 70 | HER3 activation contributes toward the emergence of ALK inhibitor-tolerant cells in ALK-rearranged lung cancer with mesenchymal features. Npj Precision Oncology, 2022, 6, 5. | 2.3 | 13 |
| 71 | Antitumor effect and antiangiogenic potential of the mTOR inhibitor temsirolimus against malignant pleural mesothelioma. Oncology Reports, 2014, 31, 1109-1115. | 1.2 | 12 |
| 72 | A case of aseptic meningitis without neck rigidity occurring in a metastatic melanoma patient treated with ipilimumab. European Journal of Dermatology, 2017, 27, 193-194. | 0.3 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Pulmonary carcinosarcoma showing an obvious response to pazopanib: a case report. BMC Pulmonary Medicine, 2018, 18, 193. | 0.8 | 12 |
| 74 | Impact of tumor programmed death ligand-1 expression on osimertinib efficacy in untreated EGFR-mutated advanced non-small cell lung cancer: a prospective observational study. Translational Lung Cancer Research, 2021, 10, 3582-3593. | 1.3 | 12 |
| 75 | Nicotine Induces Resistance to Erlotinib Therapy in Non-Small-Cell Lung Cancer Cells Treated with Serum from Human Patients. Cancers, 2019, 11, 282. | 1.7 | 11 |
| 76 | Phase I/II trial of biweekly docetaxel and cisplatin with concurrent thoracic radiation for stage III non-small-cell lung cancer. Cancer Chemotherapy and Pharmacology, 2006, 58, 735-741. | 1.1 | 10 |
| 77 | Comparing three different anti-PD-L1 antibodies for immunohistochemical evaluation of small cell lung cancer. Lung Cancer, 2019, 137, 108-112. | 0.9 | 10 |
| 78 | Final Results from a Phase II Trial of Osimertinib for Elderly Patients with Epidermal Growth Factor Receptor t790m-Positive Non-Small Cell Lung Cancer That Progressed during Previous Treatment. Journal of Clinical Medicine, 2020, 9, 1762. | 1.0 | 10 |
| 79 | Impact of docetaxel plus ramucirumab in a secondâ€line setting after chemoimmunotherapy in patients with nonâ€smallâ€cell lung cancer: A retrospective study. Thoracic Cancer, 2022, 13, 173-181. | 0.8 | 10 |
| 80 | A novel potent inhibitor of inducible nitric oxide synthase, ONO-1714, reduces hyperoxic lung injury in mice. Respiratory Medicine, 2007, 101, 793-799. | 1.3 | 9 |
| 81 | Expression of Akt Kinase-Interacting Protein 1, a Scaffold Protein of the PI3K/PDK1/Akt Pathway, in Pancreatic Cancer. Pancreas, 2014, 43, 1093-1100. | 0.5 | 9 |
| 82 | Therapeutic activity of glycoengineered antiâ€ <scp>GM</scp> 2 antibodies against malignant pleural mesothelioma. Cancer Science, 2015, 106, 102-107. | 1.7 | 9 |
| 83 | Association of immune checkpoint inhibitors with respiratory infections: A review. Cancer Treatment Reviews, 2020, 90, 102109. | 3.4 | 9 |
| 84 | Prognostic impact of pleural effusion in <i>EGFR</i> â€mutant nonâ€small cell lung cancer patients without brain metastasis. Thoracic Cancer, 2019, 10, 557-563. | 0.8 | 8 |
| 85 | Clinical Characteristics of Osimertinib Responder in Non-Small Cell Lung Cancer Patients with EGFR-T790M Mutation. Cancers, 2019, 11, 365. | 1.7 | 8 |
| 86 | Rationale and Design of a Phase II Trial of Osimertinib Combined With Bevacizumab in Patients With Untreated Epidermal Growth Factor Receptor-mutated Non–small-cell Lung Cancer and Malignant Pleural and/or Pericardial Effusion (SPIRAL II Study). Clinical Lung Cancer, 2019, 20, e402-e406. | 1.1 | 8 |
| 87 | Rationale and design of a phase II trial of durvalumab treatment in patients with NSCLC ineligible for stage III chemoradiotherapy following radiation monotherapy (SPIRAL-RT study). Therapeutic Advances in Medical Oncology, 2020, 12, 175883592092784. | 1.4 | 8 |
| 88 | The Impact of VEGF Inhibition on Clinical Outcomes in Patients With Advanced Non-Small Cell Lung Cancer Treated With Immunotherapy: A Retrospective Cohort Study. Frontiers in Oncology, 2021, 11, 663612. | 1.3 | 8 |
| 89 | Prognostic Markers of Survival among Japanese Patients with Anaplastic Lymphoma Kinase-Positive Non-Small-Cell Lung Cancer Receiving First-Line Alectinib. Diagnostics, 2021, 11, 2170. | 1.3 | 8 |
| 90 | Combined chemotherapy with carboplatin plus irinotecan showed favorable efficacy in a patient with relapsed small cell carcinoma of the prostate complicated with meningeal carcinomatosis. International Journal of Clinical Oncology, 2009, 14, 468-472. | 1.0 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Metastatic renal cell carcinoma complicated with diffuse alveolar hemorrhage: a rare adverse effect of sunitinib. International Journal of Clinical Oncology, 2010, 15, 638-641. | 1.0 | 7 |
| 92 | Late-onset Pleural and Pericardial Effusion as Immune-related Adverse Events after 94 Cycles of Nivolumab. Internal Medicine, 2021, 60, 3585-3588. | 0.3 | 7 |
| 93 | A multicenter-retrospective study of non-small-cell lung carcinoma harboring uncommon epidermal growth factor receptor (EGFR) mutations: different subtypes of EGFR exon 19 deletion-insertions exhibit the clinical characteristics and prognosis of non-small cell lung carcinoma. Translational Lung Cancer Research. 2022. 11. 238-249. | 1.3 | 7 |
| 94 | Antiangiogenic therapies for malignant pleural mesothelioma. Frontiers in Bioscience - Landmark, 2011, 16, 740. | 3.0 | 6 |
| 95 | Treatment rationale and design of the SPIRAL study. Medicine (United States), 2018, 97, e11081. | 0.4 | 6 |
| 96 | Androgen replacement therapy for cancerâ€related symptoms in male: result of prospective randomized trial (ARTFORM study). Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 831-842. | 2.9 | 6 |
| 97 | Successful sequential treatment of refractory tumors caused by small cell carcinoma transformation and EGFR-T790M mutation diagnosed by repeated genetic testing in a patient with lung adenocarcinoma harboring epidermal growth factor receptor mutations: A case report. Respiratory Medicine Case Reports. 2018. 25. 261-263. | 0.2 | 5 |
| 98 | Nab-paclitaxel maintenance therapy following carboplatin + nab-paclitaxel combination therapy in chemotherapy naà ve patients with advanced non-small cell lung cancer: multicenter, open-label, single-arm phase II trial. Investigational New Drugs, 2018, 36, 903-910. | 1.2 | 5 |
| 99 | Treatment rationale and design of the RAMNITA study. Medicine (United States), 2018, 97, e11084. | 0.4 | 5 |
| 100 | Advanced Gâ€CSF â€producing nonâ€small cell lung cancerâ€not otherwise specified, with favourable response to pembrolizumab monotherapy. Respirology Case Reports, 2020, 8, e00625. | 0.3 | 5 |
| 101 | Heterogeneity among tumors with acquired resistance to EGFR tyrosine kinase inhibitors harboring <i>EGFR</i> â€T790M mutation in nonâ€small cell lung cancer cells. Cancer Medicine, 2022, 11, 944-955. | 1.3 | 5 |
| 102 | Phase I study of S-1 plus paclitaxel combination therapy as a first-line treatment in elderly patients with advanced non-small cell lung cancer. Investigational New Drugs, 2019, 37, 291-296. | 1.2 | 4 |
| 103 | Phase II Study on Biweekly Combination Therapy of Gemcitabine plus Carboplatin for the Treatment of Elderly Patients with Advanced Non-Small Cell Lung Cancer. Oncologist, 2020, 25, 208-e417. | 1.9 | 4 |
| 104 | Early discontinuation of induction therapy in chemoimmunotherapy as an effective alternative to the standard regimen in patients with non-small cell lung cancer: a retrospective study. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2437-2446. | 1.2 | 4 |
| 105 | TTF-1 and c-MYC-defined Phenotypes of Large Cell Neuroendocrine Carcinoma and Delta-like Protein 3 Expression for Treatment Selection. Applied Immunohistochemistry and Molecular Morphology, 2021, 29, 313-320. | 0.6 | 4 |
| 106 | The Impact of Immune-related Adverse Events on the Effect of Immune Checkpoint Inhibitors in Non-small Cell Lung Cancer. Japanese Journal of Lung Cancer, 2019, 59, 128-136. | 0.0 | 4 |
| 107 | Abstract PR7: Paracrine receptor activation by microenvironment triggers bypass survival signals and ALK inhibitor-resistance in EML4-ALK lung cancer cells. Clinical Cancer Research, 2012, 18, PR7-PR7. | 3.2 | 4 |
| 108 | A real-world study on the safety of the extended dosing schedule for nivolumab and pembrolizumab in patients with solid tumors. International Immunopharmacology, 2022, 108, 108775. | 1.7 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|----------|--------------|
| 109 | Efficacy and Safety of Programmed Death-Ligand 1 Inhibitor Plus Platinum-Etoposide Chemotherapy in Patients With Extensive-Stage SCLC: A Prospective Observational Study. JTO Clinical and Research Reports, 2022, 3, 100353. | 0.6 | 4 |
| 110 | Phase II Study of S-1 and Paclitaxel Combination Therapy in Patients with Previously Treated Non-Small Cell Lung Cancer. Oncologist, 2019, 24, 1033-e617. | 1.9 | 3 |
| 111 | Rationale and design of a phase II trial of osimertinib as first-line treatment for elderly patients with epidermal growth factor receptor mutation-positive advanced non-small cell lung cancer (SPIRAL-0) Tj ETQq1 1 | 0.784314 | rgBJ /Overlo |
| 112 | A Phase II Study of Sâ€1 and Paclitaxel Combination Therapy as a Firstâ€Line Treatment in Elderly Patients with Advanced Nonâ€Small Cell Lung Cancer. Oncologist, 2019, 24, 459. | 1.9 | 3 |
| 113 | Respiratory complications of Stevens-Johnson syndrome (SJS): 3 cases of SJS-induced obstructive bronchiolitis. Allergology International, 2020, 69, 465-467. | 1.4 | 3 |
| 114 | Synchronous triple cancers of the pancreas, stomach, and cecum treated with S-1 followed by pancrelipase treatment of pancreatic exocrine insufficiency. JOP: Journal of the Pancreas, 2013, 14, 515-20. | 1.5 | 3 |
| 115 | The Quality of Life of Patients with Suspected Lung Cancer before and after Bronchoscopy and the Effect of Mirtazapine on the Depressive Status. Internal Medicine, 2020, 59, 1605-1610. | 0.3 | 3 |
| 116 | The Role of Percutaneous Needle Biopsy in Differentiation of Renal Tumors. Japanese Journal of Clinical Oncology, 2010, 40, 1081-1086. | 0.6 | 2 |
| 117 | <i>In vivo</i> imaging xenograft models for the evaluation of antiâ€brain tumor efficacy of targeted drugs. Cancer Medicine, 2017, 6, 2972-2983. | 1.3 | 2 |
| 118 | Androgen replacement therapy for cancer-related symptoms in male advanced cancer patients: study protocol for a randomised prospective trial (ARTFORM study). Journal of Medical Investigation, 2017, 64, 202-204. | 0.2 | 2 |
| 119 | Prognostic factors in older patients with wild-type epidermal growth factor receptor advanced non-small cell lung cancer: a multicenter retrospective study. Translational Lung Cancer Research, 2021, 10, 193-201. | 1.3 | 2 |
| 120 | HGF-MET in Resistance to EGFR Tyrosine Kinase Inhibitors in Lung Cancer. Current Signal Transduction Therapy, 2011, 6, 228-233. | 0.3 | 2 |
| 121 | Cancer of Unknown Primary Site in which Tumor Marker-Oriented Chemotherapy was Effective and Pancreatic Cancer was Finally Confirmed at Autopsy. Internal Medicine, 2009, 48, 1651-1656. | 0.3 | 1 |
| 122 | Effective combined therapy with ramucirumab for advanced pulmonary pleomorphic carcinoma. Respirology Case Reports, 2018, 6, e00372. | 0.3 | 1 |
| 123 | The impact of the tumor shrinkage by initial EGFR inhibitors according to the detection of EGFR-T790M mutation in patients with non-small cell lung cancer harboring EGFR mutations. BMC Cancer, 2018, 18, 1241. | 1.1 | 1 |
| 124 | Rationale and design of a phase II study to evaluate prophylactic treatment of dacomitinib-induced dermatologic adverse events in epidermal growth factor receptor-mutated advanced non-small cell lung cancer (SPIRAL-Daco study). Translational Lung Cancer Research, 2019, 8, 519-523. | 1.3 | 1 |
| 125 | Phase I/II Study of Docetaxel and S-1 in Previously-Treated Patients with Advanced Non-Small Cell Lung Cancer: LOGIK0408. Journal of Clinical Medicine, 2019, 8, 2196. | 1.0 | 1 |
| 126 | Diverse Receptor Tyrosine Kinase Phosphorylation in Urine-Derived Tubular Epithelial Cells from Autosomal Dominant Polycystic Kidney Disease Patients. Nephron, 2020, 144, 525-536. | 0.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Histone deacetylase inhibitor OBP‑801 and amrubicin synergistically inhibit the growth of squamous cell lung carcinoma by inducing mitochondrial ASK1‑dependent apoptosis. International Journal of Oncology, 2020, 56, 848-856. | 1.4 | 1 |
| 128 | Abstract 1692: The impact of neutrophil/lymphocyte ratio as the predictive marker to anti-PD-1 antibody treatment in NSCLC patients. , 2018, , . | | 1 |
| 129 | Impact of maintenance therapy following induction immunochemotherapy for untreated advanced non-small cell lung cancer patients. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2985-2994. | 1.2 | 1 |
| 130 | P1.03-032 In vivo Imaging Models for Preclinical Screening of Molecular Targeted Drugs against Brain Metastasis. Journal of Thoracic Oncology, 2017, 12, S561-S562. | 0.5 | 0 |
| 131 | An observational study of the epidermal growth factor receptor-tyrosine kinase inhibitor resistance mechanism in epidermal growth factor receptor gene mutation-positive non-small cell lung cancer. Medicine (United States), 2018, 97, e12660. | 0.4 | 0 |
| 132 | Randomized Phase II Study of Firstâ€Line Biweekly Gemcitabine and Carboplatin Versus Biweekly Gemcitabine and Carboplatin plus Maintenance Gemcitabine in Elderly Patients with Untreated Nonâ€Small Cell Lung Cancer: LOGIK0801. Oncologist, 2020, 25, e1146-e1157. | 1.9 | 0 |
| 133 | MO2-5 Impact of pre-treatment AXL expression on EGFR-TKI efficacy in EGFR-mutated non-small cell lung cancer patients. Annals of Oncology, 2021, 32, S295. | 0.6 | 0 |
| 134 | SY13-3 Novel therapeutic strategies for drug-tolerance in NSCLC with driver oncogenes. Annals of Oncology, 2021, 32, S258. | 0.6 | 0 |
| 135 | Abstract A178: Role of tumor and hostâ€derived HGF in drug resistance to EGFR inhibitors in EGFR activating mutationâ€positive lung cancer. , 2009, , . | | 0 |
| 136 | Abstract 626: Therapeutic effect of HGF inhibitors against HGF-induced EGFR-TKI resistance in lung cancer harboringEGFRmutations. , 2010, , . | | 0 |
| 137 | Abstract 629: Hepatocyte growth factor induces resistance to an irreversible epidermal growth factor receptor inhibitor inEGFR-T790M mutant lung cancer. , 2010, , . | | 0 |
| 138 | Abstract 1730: Transient PI3K inhibition induces apoptosis and overcomes HGF-mediated resistance to EGFR-TKIs inEGFRmutant lung cancer. , 2011, , . | | 0 |
| 139 | Abstract B21: E7050, a Met kinase inhibitor, reverses three different mechanisms of hepatocyte growth factor-induced resistance to tyrosine kinase inhibitors in EGFR mutant lung cancer cells. Clinical Cancer Research, 2012, 18, B21-B21. | 3.2 | 0 |
| 140 | Abstract 1896: Hepatocyte growth factor induces resistance to anti-epidermal growth factor receptor antibody in lung cancer. , 2012, , . | | 0 |
| 141 | Abstract 1907: Heat shock protein 90 inhibition overcomes hepatocyte growth factor-triggering resistance to EGFR tyrosine kinase inhibitors in EGFR mutant lung cancer by decreasing client protein expression and angiogenesis. , 2012, , . | | 0 |
| 142 | Abstract 2762: Akt kinase-interacting protein1, a novel therapeutic target for lung cancer with EGFR-activating and gatekeeper mutations. , 2014, , . | | 0 |
| 143 | Abstract 3555: Akt kinase-interacting protein1 as a potential therapeutics target in CREB1 signaling in malignant pleural mesothelioma. , 2015, , . | | 0 |
| 144 | Abstract 4763: Targeted therapy by MET inhibitors against small-cell lung cancer with aberrant activation of HGF/MET pathway. , 2016, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Abstract 4661: Loss of LKB1 in NSCLC confers sensitivity to MEK inhibition by regulating activation of AKT-FOXO3 pathway. , 2016, , . | | 0 |
| 146 | Two cases of primary malignant melanoma of the esophagus. Skin Cancer, 2017, 32, 6-11. | 0.1 | 0 |
| 147 | Abstract 5535: Effect of LKB1 activity on the sensitivity to PI3K/mTOR inhibitor in non-small-cell lung cancer. , 2017, , . | | 0 |
| 148 | Abstract 2839: Notch3-dependent beta-catenin signaling mediates EGFR TKI drug persistence in EGFR mutant NSCLC. , 2018, , . | | 0 |
| 149 | Abstract 5843: The efficacy of a histone deacetylase inhibitor in combination with a MEK inhibitor in lung cancer cells harboring RAS mutations. , 2018, , . | | 0 |
| 150 | Abstract 4899: The impact of theEGFR-T790M mutation detection by re-biopsy in EGFR mutant NSCLC patients in the retrospective analysis. , 2019, , . | | 0 |
| 151 | Abstract 3996: Search for prognosis prediction factors in treatment selection for elderly patients with ECFR negative advanced stage non-small cell lung cancer patients. , 2019, , . | | 0 |
| 152 | Abstract 4036: The efficacy of immune checkpoint inhibitors in patients with EGFR mutated non small cell lung cancer in retrospective analysis. , 2019, , . | | 0 |
| 153 | Abstract 4306: Retrospective analysis of docetaxel in combination with ramucirumab for previously treated non-small cell lung cancer patients. , 2020, , . | | 0 |
| 154 | Abstract 313: AXL confers intrinsic resistance to osimertinib and the emergence of tolerant cells. , 2019, , . | | 0 |
| 155 | Efficacy and safety of immuno-chemotherapy in patients with advanced non-small-cell lung cancer harboring oncogenic mutations: a multicenter retrospective study. Journal of Cancer Research and Clinical Oncology, 0, , . | 1.2 | 0 |