

Andrzej Knapik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5720400/publications.pdf>

Version: 2024-02-01

37
papers

312
citations

1040056

9
h-index

940533

16
g-index

38
all docs

38
docs citations

38
times ranked

300
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effectiveness of Pelvic Floor Muscle Training in Men after Radical Prostatectomy Measured with the Insert Test. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2890.	2.6	6
2	Kinesiophobia in People with Multiple Sclerosis and Its Relationship with Physical Activity, Pain and Acceptance of Disease. <i>Medicina (Lithuania)</i> , 2022, 58, 414.	2.0	5
3	Evaluation of Posturometric Parameters in Children and Youth Who Practice Karate: Prospective Cross-Sectional Study. <i>BioMed Research International</i> , 2022, 2022, 1-11.	1.9	1
4	Kinesiophobia in Stroke Patients, Multiple Sclerosis and Parkinson's Disease. <i>Diagnostics</i> , 2021, 11, 796.	2.6	8
5	Past physical activity and its influence on female functioning during perimenopause. <i>Ginekologia Polska</i> , 2021, 92, 352-358.	0.7	2
6	Isolation Related to the COVID-19 Pandemic in People Suffering from Parkinson's Disease and Activity, Self-Assessment of Physical Fitness and the Level of Affective Disorders. <i>Healthcare (Switzerland)</i> , 2021, 9, 1562.	2.0	4
7	Effectiveness of 6-Week Nordic Walking Training on Functional Performance, Gait Quality, and Quality of Life in Parkinson's Disease. <i>Medicina (Lithuania)</i> , 2020, 56, 356.	2.0	7
8	Psychometric Features of the Polish Version of TSK Heart in Elderly Patients with Coronary Artery Disease. <i>Medicina (Lithuania)</i> , 2020, 56, 467.	2.0	3
9	Affective Disorder and Functional Status as well as Selected Sociodemographic Characteristics in Patients with Multiple Sclerosis, Parkinson's Disease and History of Stroke. <i>Medicina (Lithuania)</i> , 2020, 56, 117.	2.0	8
10	Fear of movement (kinesiophobia) – an underestimated problem in Polish patients at various stages of coronary artery disease. <i>Annals of Agricultural and Environmental Medicine</i> , 2020, 27, 56-60.	1.0	23
11	The effect of regular fitness training, sex hormones, and turnover of selected bone markers on sclerostin levels in young women. <i>Archives of Medical Science</i> , 2020, , .	0.9	1
12	Therapeutic Recommendations for Caregivers of People with Dysphagia. , 2020, , 47-59.	0.4	0
13	The relationship between physical fitness and health self-assessment in elderly. <i>Medicine (United States)</i> 101(1):1-10. doi:10.1097/MD.0000000000001010	1.0	20
14	Body posture and physical activity in children diagnosed with asthma and allergies symptoms. <i>Medicine (United States)</i> , 2019, 98, e14449.	1.0	10
15	Kinesiophobia as a Problem in Adherence to Physical Activity Recommendations in Elderly Polish Patients with Coronary Artery Disease. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 2129-2135.	1.8	37
16	Passive stiffness of the hamstrings and the rectus femoris in persons after an ACL reconstruction. <i>Physician and Sportsmedicine</i> , 2019, 47, 91-95.	2.1	10
17	The Use of Supplementation Among People Practicing Powerlifting and its Connections with their Self-esteem and Body Value. <i>Central European Journal of Sport Sciences and Medicine</i> , 2019, 25, 35-42.	0.1	0
18	Interest in one's own body mass by post-primary school youth. <i>Medycyna Rodzinna</i> , 2019, 22, .	0.0	0

#	ARTICLE	IF	CITATIONS
19	Risky behaviors of adolescents in the Silesian voivodeship, with regard to their resistance to stress and physical activity. <i>Minerva Pediatrics</i> , 2019, , .	0.4	0
20	The use of steroids by gym athletes: an attempt to diagnose the problem scale and possible causes. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018, 58, 880-888.	0.7	9
21	Spine pain among the secondary school youth in the Silesia Province of Poland scale of the problem and reasons. <i>Medycyna Ogólna I Nauki O Zdrowiu</i> , 2018, 24, 19-24.	0.2	1
22	Successful Ageing: The Role of Physical Activity and Its Barriers in Polish Men of Advanced Age. <i>Central European Journal of Sport Sciences and Medicine</i> , 2017, 18, 67-75.	0.1	1
23	Rola terapii zajęciowej w uzyskaniu aktywności zawodowej. <i>Special School</i> , 2017, LXXVIII, 251-261.	0.1	0
24	Impact of physical activity and fitness on the level of kinesiophobia in women of perimenopausal age. <i>Przegląd Menopauzalny</i> , 2016, 2, 104-111.	1.3	9
25	The occurrence of back pain in young paramedics. <i>Annales Academiae Medicae Silesiensis</i> , 2016, 70, 291-297.	0.1	0
26	Elimination of the risks of falls in the elderly from the point of view of physiotherapy. <i>Physiotherapy and Health Activity</i> , 2015, 23, 29-34.	0.3	0
27	Atlanto-Axial Instability in People with Down's Syndrome and its Impact on the Ability to Perform Sports Activities – A Review. <i>Journal of Human Kinetics</i> , 2015, 48, 17-24.	1.5	13
28	Effect of a 4-week Nordic walking training on the physical fitness and self-assessment of the quality of health of women of the perimenopausal age. <i>Przegląd Menopauzalny</i> , 2015, 2, 105-111.	1.3	8
29	Self-evaluation of the preparation of physicians and physiotherapists to provide medical services to people with intellectual disability. <i>Journal of Intellectual and Developmental Disability</i> , 2015, 40, 104-110.	1.6	1
30	Back and neck pain among school teachers in Poland and its correlations with physical activity. <i>Medycyna Pracy</i> , 2015, 66, 771-778.	0.8	26
31	The Activity and Its Barriers and the Well-Being of Older Poles. <i>Physiotherapy and Health Activity</i> , 2014, 22, 8-14.	0.3	2
32	Assessing the Quality of Aging - Presentation of Research Tool. <i>Physiotherapy and Health Activity</i> , 2014, 22, 42-47.	0.3	1
33	Motivations and effects of practicing Nordic Walking by elderly people. <i>Baltic Journal of Health and Physical Activity</i> , 2014, 6, .	0.5	6
34	Barriers of physical activity (kinesiophobia) in patients subjected to cardiac rehabilitation. <i>Baltic Journal of Health and Physical Activity</i> , 2014, 6, .	0.5	16
35	The effect of Saunders traction and transcutaneous electrical nerve stimulation on the cervical spine range of motion in patients reporting neck pain - pilot study. <i>Ortopedia Traumatologia Rehabilitacja</i> , 2012, 14, 1-10.	0.3	6
36	Kinesiophobia - Introducing a New Diagnostic Tool. <i>Journal of Human Kinetics</i> , 2011, 28, 25-31.	1.5	58

#	ARTICLE	IF	CITATIONS
37	An Analysis of Relations Between a Self-Assessment of Health and Active Life-Style. <i>Medicina Sportiva</i> , 2009, 13, 17-21.	0.3	9