

Vagner R Antunes

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5721388/vagner-r-antunes-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

684
citations

15
h-index

24
g-index

52
ext. papers

775
ext. citations

3.2
avg, IF

3.64
L-index

#	Paper	IF	Citations
49	Orexins/hypocretins excite rat sympathetic preganglionic neurons in vivo and in vitro. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001 , 281, R1801-7	3.2	125
48	A spinal vasopressinergic mechanism mediates hyperosmolality-induced sympathoexcitation. <i>Journal of Physiology</i> , 2006 , 576, 569-83	3.9	67
47	Tyrosine hydroxylase immunoreactivity as indicator of sympathetic activity: simultaneous evaluation in different tissues of hypertensive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011 , 300, R264-71	3.2	48
46	Hemodynamic and respiratory responses to microinjection of ATP into the intermediate and caudal NTS of awake rats. <i>Brain Research</i> , 2005 , 1032, 85-93	3.7	30
45	Autonomic and respiratory responses to microinjection of ATP into the intermediate or caudal nucleus tractus solitarius in the working heart-brainstem preparation of the rat. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 467-72	3	26
44	Transcription factor expression in the hypothalamo-neurohypophyseal system of the dehydrated rat: upregulation of gonadotrophin inducible transcription factor 1 mRNA is mediated by cAMP-dependent protein kinase A. <i>Journal of Neuroscience</i> , 2007 , 27, 2196-203	6.6	25
43	High-fat diet-induced hypertension and autonomic imbalance are associated with an upregulation of CART in the dorsomedial hypothalamus of mice. <i>Physiological Reports</i> , 2016 , 4, e12811	2.6	25
42	Salt-induced sympathoexcitation involves vasopressin V1a receptor activation in the paraventricular nucleus of the hypothalamus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 309, R1369-79	3.2	22
41	Cardiovascular responses to microinjection of ATP into the nucleus tractus solitarii of awake rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004 , 287, R1164-71	3.2	21
40	Switching control of sympathetic activity from forebrain to hindbrain in chronic dehydration. <i>Journal of Physiology</i> , 2011 , 589, 4457-71	3.9	20
39	Thyroid hormone reduces inflammatory cytokines improving glycaemia control in alloxan-induced diabetic wistar rats. <i>Acta Physiologica</i> , 2016 , 217, 130-40	5.6	19
38	Effects of the alpha antagonists and agonists injected into the lateral hypothalamus on the water and sodium intake induced by angiotensin II injection into the subfornical organ. <i>Brain Research Bulletin</i> , 1999 , 48, 521-5	3.9	18
37	SGLT1 protein expression in plasma membrane of acinar cells correlates with the sympathetic outflow to salivary glands in diabetic and hypertensive rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 299, E1028-37	6	16
36	Activation of peripheral chemoreceptors causes positive inotropic effects in a working heart-brainstem preparation of the rat. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 1156-9	3	15
35	Role of angiotensin II and vasopressin receptors within the supraoptic nucleus in water and sodium intake induced by the injection of angiotensin II into the medial septal area. <i>Brazilian Journal of Medical and Biological Research</i> , 1998 , 31, 1597-600	2.8	15
34	Chronic high-sodium diet intake after weaning lead to neurogenic hypertension in adult Wistar rats. <i>Scientific Reports</i> , 2017 , 7, 5655	4.9	14
33	Control of cardiac contractility in the rat working heart-brainstem preparation. <i>Experimental Physiology</i> , 2010 , 95, 107-19	2.4	14

32	Minocycline alters expression of inflammatory markers in autonomic brain areas and ventilatory responses induced by acute hypoxia. <i>Experimental Physiology</i> , 2018 , 103, 884-895	2.4	13
31	Commissural nucleus of the solitary tract regulates the antihypertensive effects elicited by moxonidine. <i>Neuroscience</i> , 2013 , 250, 80-91	3.9	13
30	The cardiovascular actions of fractalkine/CX3CL1 in the hypothalamic paraventricular nucleus are attenuated in rats with heart failure. <i>Experimental Physiology</i> , 2014 , 99, 111-22	2.4	12
29	Autonomic and respiratory responses to microinjection of L-glutamate into the commissural subnucleus of the NTS in the working heart-brainstem preparation of the rat. <i>Brain Research</i> , 2006 , 1093, 150-60	3.7	12
28	Long-term stimulation of cardiac vagal preganglionic neurons reduces blood pressure in the spontaneously hypertensive rat. <i>Journal of Hypertension</i> , 2018 , 36, 2444-2452	1.9	12
27	Antagonism of glutamatergic metabotropic receptors in the NTS of awake rats does not affect the gain of the baroreflex. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2003 , 103, 65-71	2.4	11
26	ATP stimulates rat hypothalamic sympathetic neurons by enhancing AMPA receptor-mediated currents. <i>Journal of Neurophysiology</i> , 2015 , 114, 159-69	3.2	10
25	Purinergic and glutamatergic interactions in the hypothalamic paraventricular nucleus modulate sympathetic outflow. <i>Purinergic Signalling</i> , 2013 , 9, 337-49	3.8	10
24	Pressor response to chemoreflex activation in awake rats: role of vasopressin and adrenal medulla. <i>Physiology and Behavior</i> , 2005 , 84, 39-44	3.5	10
23	Subdiaphragmatic vagus nerve activity and hepatic venous glucose are differentially regulated by the central actions of insulin in Wistar and SHR. <i>Physiological Reports</i> , 2015 , 3, e12381	2.6	7
22	NMDA receptor antagonism blocks the cardiovascular responses to microinjection of trans-ACPD into the NTS of awake rats. <i>Experimental Physiology</i> , 2004 , 89, 279-86	2.4	7
21	Osmotic regulation of neuronal nitric oxide synthase expression in the rat amygdala: functional role for nitric oxide in adaptive responses?. <i>Journal of Neuroscience Research</i> , 2007 , 85, 410-22	4.4	6
20	Angiotensin II acting on PVN induces sympathoexcitation and pressor responses via the PI3K-dependent pathway. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2016 , 198, 54-8	2.4	6
19	Purinergic P2 receptors in the paraventricular nucleus of the hypothalamus are involved in hyperosmotic-induced sympathoexcitation. <i>Neuroscience</i> , 2017 , 349, 253-263	3.9	5
18	The role of insulin at brain-liver axis in the control of glucose production. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, G538-G543	5.1	5
17	Temporal profile of arginine vasopressin release from the neurohypophysis in response to hypertonic saline and hypotension measured using a fluorescent fusion protein. <i>Journal of Neuroscience Methods</i> , 2011 , 201, 191-5	3	5
16	Significant contribution from the thoracic spinal cord in mediating ischaemia induced sympatho-excitation.. <i>FASEB Journal</i> , 2006 , 20, A775	0.9	5
15	Hypertension and sympathetic nervous system overactivity rely on the vascular tone of pial vessels of the rostral ventrolateral medulla in spontaneously hypertensive rats. <i>Experimental Physiology</i> , 2020 , 105, 65-74	2.4	3

14	Baroreceptor-mediated activation of sympathetic nerve activity to salivary glands. <i>Physiology and Behavior</i> , 2012 , 107, 390-6	3.5	2
13	Central action of Insulin on the Modulation of Autonomic Balance to Control Hepatic Glucose of Wistar and SHR: Any Interaction Between Hypothalamic Paraventricular Nucleus and Dorsal Vagal Complex?. <i>FASEB Journal</i> , 2015 , 29, 828.7	0.9	2
12	Exercise training rescues the electrical activity of liver-projecting DMNV neurones in response to oxytocin in spontaneously hypertensive rats. <i>Journal of Neuroendocrinology</i> , 2021 , 33, e12977	3.8	2
11	Swimming training improves cardiovascular autonomic dysfunctions and prevents renal damage in rats fed a high-sodium diet from weaning. <i>Experimental Physiology</i> , 2021 , 106, 412-426	2.4	2
10	Central action of CART induces neuronal activation in the paraventricular and dorsomedial hypothalamus of diet-induced obese and lean mice. <i>Neuroscience Letters</i> , 2018 , 686, 175-180	3.3	2
9	Depletion of C1 neurons attenuates the salt-induced hypertension in unanesthetized rats. <i>Brain Research</i> , 2020 , 1748, 147107	3.7	1
8	Advancing respiratory-cardiovascular physiology with the working heart-brainstem preparation over 25 years.. <i>Journal of Physiology</i> , 2022 ,	3.9	1
7	Transcriptome Analysis Reveals Downregulation of Urocortin Expression in the Hypothalamo-Neurohypophysial System of Spontaneously Hypertensive Rats. <i>Frontiers in Physiology</i> , 2020 , 11, 599507	4.6	0
6	Purinergic P2 and glutamate NMDA receptor coupling contributes to osmotically driven excitability in hypothalamic magnocellular neurosecretory neurons. <i>Journal of Physiology</i> , 2021 , 599, 3531-3547	3.9	0
5	Hypertonic NaCl versus osmotic stimuli: distinct OVLT neurones can sense the difference to control sympathetic outflow and blood pressure. <i>Journal of Physiology</i> , 2017 , 595, 6089-6090	3.9	
4	Evaluation of PI3K expression and its interaction with angiotensin II on central autonomic nuclei of hypertensive animals. <i>FASEB Journal</i> , 2010 , 24, lb695	0.9	
3	Purinergic mechanisms mediating sympathoexcitation in the paraventricular nucleus (PVN) of hypothalamus. <i>FASEB Journal</i> , 2011 , 25, 1075.19	0.9	
2	ATP-induced sympathoexcitation involves purinergic and glutamatergic mechanisms in the RVLM-projecting PVN neurons. <i>FASEB Journal</i> , 2013 , 27, 926.4	0.9	
1	The gut-brain axis and sodium appetite: Can inflammation-related signaling influence the control of sodium intake?. <i>Appetite</i> , 2022 , 175, 106050	4.5	