

Xiaojian Tan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5721826/xiaojian-tan-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

3,675
citations

30
h-index

58
g-index

118
ext. papers

4,437
ext. citations

7.9
avg, IF

5.49
L-index

#	Paper	IF	Citations
109	Raised solubility in SnTe by GeMnTe ₂ alloying enables converged valence bands, low thermal conductivity, and high thermoelectric performance. <i>Nano Energy</i> , 2022 , 94, 106940	17.1	2
108	A high-efficiency GeTe-based thermoelectric module for low-grade heat recovery. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 7677-7683	13	0
107	Spin-glass behavior and magnetocaloric properties of high-entropy perovskite oxides. <i>Applied Physics Letters</i> , 2022 , 120, 082404	3.4	1
106	Mediating Point Defects Endows n-Type Bi Te with High Thermoelectric Performance and Superior Mechanical Robustness for Power Generation Application.. <i>Small</i> , 2022 , e2201352	11	3
105	Optimized Thermoelectric Properties of BiSbTe through AgCuTe Doping for Low-Grade Heat Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 57514-57520	9.5	2
104	Unusually high Seebeck coefficient arising from temperature-dependent carrier concentration in PbSe _{1-x} AgSbSe ₂ alloys. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 17365-17370	7.1	1
103	Improved Thermoelectric Properties of BiSbTe-AgBiSe ₂ Alloys by Suppressing Bipolar Excitation. <i>ACS Applied Energy Materials</i> , 2021 , 4, 2944-2950	6.1	9
102	Anomalous Thermopower and High in GeMnTe Driven by Spin $\bar{\Gamma}$ Thermodynamic Entropy. <i>Research</i> , 2021 , 2021, 1949070	7.8	0
101	Achieving High Thermoelectric Performance of n-Type BiTeSe Sintered Materials by Hot-Stacked Deformation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 15429-15436	9.5	9
100	Thermoelectric Performance Optimization and Phase Transition of GeTe by Alloying with Orthorhombic CuSbSe ₂ . <i>ACS Applied Energy Materials</i> , 2021 , 4, 4242-4247	6.1	6
99	Enhanced Thermoelectric and Mechanical Performances in Sintered BiSbTe-AgSbSe Composite. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 24937-24944	9.5	8
98	Ultralow thermal conductivity and improved ZT of CuInTe ₂ by high-entropy structure design. <i>Materials Today Physics</i> , 2021 , 18, 100394	8	3
97	Mechanism investigation of iron selenide as polysulfide mediator for long-life lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2021 , 416, 129166	14.7	13
96	Band flattening and phonon-defect scattering in cubic SnSe _{1-x} AgSbTe ₂ alloy for thermoelectric enhancement. <i>Materials Today Physics</i> , 2021 , 16, 100298	8	8
95	Enhanced thermoelectric performance of p-type sintered BiSbTe-based composites with AgSbTe ₂ addition. <i>Ceramics International</i> , 2021 , 47, 725-731	5.1	9
94	Refined band structure plus enhanced phonon scattering realizes thermoelectric performance optimization in Cu \bar{M} n codoped SnTe. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13065-13070	13	10
93	Synergistic effects of B-In codoping in zone-melted Bi _{0.48} Sb _{1.52} Te ₃ -based thermoelectric. <i>Chemical Engineering Journal</i> , 2021 , 420, 130381	14.7	3

92	Improvement of thermoelectric properties of SnTe by Mn Bi codoping. <i>Chemical Engineering Journal</i> , 2021 , 421, 127795	14.7	9
91	Expand band gap and suppress bipolar excitation to optimize thermoelectric performance of Bi _{0.35} Sb _{1.65} Te ₃ sintered materials. <i>Materials Today Physics</i> , 2021 , 21, 100544	8	5
90	Broadening the optimum thermoelectric power generation range of p-type sintered Bi _{0.4} Sb _{1.6} Te ₃ by suppressing bipolar effect. <i>Chemical Engineering Journal</i> , 2021 , 426, 131853	14.7	5
89	Synergistically Optimized Thermoelectric and Mechanical Properties in p-Type BiSbTe by a Microdroplet Deposition Technique. <i>Energy Technology</i> , 2021 , 9, 2001024	3.5	1
88	Dramatically enhanced Seebeck coefficient in GeMnTe-NaBiTe alloys by tuning the Spin \uparrow thermodynamic entropy. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 17866-17872	3.6	0
87	Effects of interfacial properties on conversion efficiency of Bi ₂ Te ₃ -based segmented thermoelectric devices. <i>Applied Physics Letters</i> , 2021 , 119, 233902	3.4	1
86	Understanding the Band Engineering in Mg ₂ Si-Based Systems from Wannier-Orbital Analysis. <i>Annalen Der Physik</i> , 2020 , 532, 1900543	2.6	3
85	Phonon Engineering for Thermoelectric Enhancement of p-Type Bismuth Telluride by a Hot-Pressing Texture Method. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 31612-31618	9.5	19
84	Manipulating the Ge Vacancies and Ge Precipitates through Cr Doping for Realizing the High-Performance GeTe Thermoelectric Material. <i>Small</i> , 2020 , 16, e1906921	11	80
83	Effects of AgBiSe ₂ on thermoelectric properties of SnTe. <i>Chemical Engineering Journal</i> , 2020 , 390, 124585	14.7	11
82	Fermi-surface dynamics and high thermoelectric performance along the out-of-plane direction in n-type SnSe crystals. <i>Energy and Environmental Science</i> , 2020 , 13, 616-621	35.4	21
81	Achieving high-performance p-type SmMg ₂ Bi ₂ thermoelectric materials through band engineering and alloying effects. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 15760-15766	13	9
80	Enhanced Thermoelectric Properties of p-Type BiSbTe/SbTe Composite. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 52922-52928	9.5	10
79	Improved thermoelectric performance in PbSe/AgSbSe ₂ by manipulating the spin-orbit coupling effects. <i>Nano Energy</i> , 2020 , 78, 105232	17.1	9
78	Bi/Zn codoping in GeTe synergistically enhances band convergence and phonon scattering for high thermoelectric performance. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 21642-21648	13	18
77	Boosted carrier mobility and enhanced thermoelectric properties of polycrystalline Na _{0.03} Sn _{0.97} Se by liquid-phase hot deformation. <i>Materials Advances</i> , 2020 , 1, 1092-1098	3.3	2
76	Investigating the thermoelectric performance of n-type SnSe: the synergistic effect of NbCl ₅ doping and dislocation engineering. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13244-13252	7.1	9
75	Single-crystal growth of n-type SnS _{0.95} by the temperature-gradient technique. <i>Vacuum</i> , 2020 , 182, 109389	3.9	2

74	Optimized orientation and enhanced thermoelectric performance in Sn _{0.97} Na _{0.03} Se with Te addition. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 2653-2658	7.1	13
73	Ultralow Lattice Thermal Conductivity in SnTe by Manipulating the Electron-Phonon Coupling. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 15996-16002	3.8	22
72	Enhanced thermoelectric performance through crystal field engineering in transition metal-doped GeTe. <i>Materials Today Physics</i> , 2019 , 9, 100094	8	66
71	Thermoelectric (Bi,Sb) ₂ Te ₃ /Ge _{0.5} Mn _{0.5} Te composites with excellent mechanical properties. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 9241-9246	13	28
70	Band engineering and crystal field screening in thermoelectric Mg ₃ Sb ₂ . <i>Journal of Materials Chemistry A</i> , 2019 , 7, 8922-8928	13	20
69	Synergistically Optimized Thermoelectric Performance in Bi _{0.48} Sb _{1.52} Te ₃ by Hot Deformation and Cu Doping. <i>ACS Applied Energy Materials</i> , 2019 , 2, 6714-6719	6.1	21
68	Texture Development and Grain Alignment of Hot-Pressed Tetradymite Bi _{0.48} Sb _{1.52} Te ₃ via Powder Molding. <i>Energy Technology</i> , 2019 , 7, 1900814	3.5	8
67	Rational Construction of FeN@C Yolk-Shell Nanoboxes as Multifunctional Hosts for Ultralong Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2019 , 13, 12137-12147	16.7	84
66	Investigation on structure and thermoelectric properties in p-type Bi _{0.48} Sb _{1.52} Te ₃ via PbTe incorporating. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 7701-7706	2.1	9
65	Synergetic optimization of electronic and thermal transport for high-performance thermoelectric GeSe _{0.5} AgSbTe ₂ alloy. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 8215-8220	13	26
64	Charge Transport in Thermoelectric SnSe Single Crystals. <i>ACS Energy Letters</i> , 2018 , 3, 689-694	20.1	30
63	First-Principles Study of Manipulating the Phonon Transport of Molybdenum Disulfide by Sodium Intercalating. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 2632-2640	3.8	3
62	Thermoelectric properties of In-Hg co-doping in SnTe: Energy band engineering. <i>Journal of Materiomics</i> , 2018 , 4, 62-67	6.7	30
61	Naturally abundant high-performance rechargeable aluminum/iodine batteries based on conversion reaction chemistry. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 9984-9996	13	42
60	Nontrivial thermoelectric behavior in cubic SnSe driven by spin-orbit coupling. <i>Nano Energy</i> , 2018 , 51, 649-655	17.1	27
59	Commensurate lattice constant dependent thermal conductivity of misoriented bilayer graphene. <i>Carbon</i> , 2018 , 138, 451-457	10.4	21
58	Ultra-stable binder-free rechargeable Li/I batteries enabled by "Betadine" chemical interaction. <i>Chemical Communications</i> , 2018 , 54, 12337-12340	5.8	15
57	Thermoelectric properties of textured polycrystalline Na _{0.03} Sn _{0.97} Se enhanced by hot deformation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 23730-23735	13	24

56	Designing band engineering for thermoelectrics starting from the periodic table of elements. <i>Materials Today Physics</i> , 2018 , 7, 35-44	8	50
55	Constructing hierarchical urchin-like $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ hollow spheres with exposed {111} facets as advanced cathode material for lithium-ion batteries. <i>Nano Energy</i> , 2018 , 54, 175-183	17.1	34
54	Studies of Graphdiyne-ZnO Nanocomposite Material and Application in Polymer Solar Cells. <i>Solar Rrl</i> , 2018 , 2, 1800211	7.1	12
53	Microstructure engineering beyond $\text{SnSe}_{1-x}\text{S}_x$ solid solution for high thermoelectric performance. <i>Journal of Materiomics</i> , 2018 , 4, 321-328	6.7	13
52	Enhanced thermoelectric performance in p-type polycrystalline SnSe by Cu doping. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 18727-18732	2.1	9
51	Acoustic phonon softening and reduced thermal conductivity in $\text{Mg}_2\text{Si}_{1-x}\text{Sn}_x$ solid solutions. <i>Applied Physics Letters</i> , 2017 , 110, 143903	3.4	14
50	Manipulating Band Convergence and Resonant State in Thermoelectric Material SnTe by Mn Codoping. <i>ACS Energy Letters</i> , 2017 , 2, 1203-1207	20.1	65
49	Improving Thermoelectric Performance of MgAgSb by Theoretical Band Engineering Design. <i>Advanced Energy Materials</i> , 2017 , 7, 1700076	21.8	32
48	Enhanced thermoelectric performance in n-type polycrystalline SnSe by PbBr_2 doping. <i>RSC Advances</i> , 2017 , 7, 17906-17912	3.7	30
47	Study on Thermoelectric Properties of Polycrystalline SnSe by Ge Doping. <i>Journal of Electronic Materials</i> , 2017 , 46, 3182-3186	1.9	24
46	Texturing degree boosts thermoelectric performance of silver-doped polycrystalline SnSe. <i>NPG Asia Materials</i> , 2017 , 9, e426-e426	10.3	38
45	Optimizing the thermoelectric performance of $\text{In}_x\text{Sn}_{1-x}\text{Te}$ codoped SnTe by introducing Sn vacancies. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 7504-7509	7.1	29
44	Stabilization of Thermoelectric Properties of the $\text{Cu}/\text{Bi}_{0.48}\text{Sb}_{1.52}\text{Te}_3$ Composite for Advantageous Power Generation. <i>Journal of Electronic Materials</i> , 2017 , 46, 2746-2751	1.9	8
43	Ultrafine $\text{Gd}_2\text{O}_3/\text{S:Pr}$ powders prepared via urea precipitation method using $\text{SO}_2/\text{SO}_4^{2-}$ as sulfuration agent: A comparative study. <i>Powder Technology</i> , 2017 , 305, 382-388	5.2	10
42	A first-principles study on the phonon transport in layered BiCuOSe . <i>Scientific Reports</i> , 2016 , 6, 21035	4.9	44
41	Enhanced thermopower in rock-salt $\text{SnTe}_{1-x}\text{Te}_x$ from band convergence. <i>RSC Advances</i> , 2016 , 6, 32189-32192	3.7	56
40	First-principles study on the elastic properties of Cu_2GeSe_3 . <i>Europhysics Letters</i> , 2016 , 113, 26001	1.6	19
39	Band engineering and improved thermoelectric performance in M-doped SnTe (M = Mg, Mn, Cd, and Hg). <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 7141-7	3.6	69

38	Enhanced thermoelectric performance in p-type polycrystalline SnSe benefiting from texture modulation. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1201-1207	7.1	112
37	Synergistic Optimization of Thermoelectric Performance in P-Type Bi _{0.48} Sb _{1.52} Te ₃ /Graphene Composite. <i>Energies</i> , 2016 , 9, 236	3.1	24
36	Element-selective resonant state in M-doped SnTe (M = Ga, In, and Tl). <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 20635-9	3.6	32
35	Optimization of thermoelectric properties in n-type SnSe doped with BiCl ₃ . <i>Applied Physics Letters</i> , 2016 , 108, 083902	3.4	86
34	Synthesis of SnTe/AgSbSe ₂ nanocomposite as a promising lead-free thermoelectric material. <i>Journal of Materiomics</i> , 2016 , 2, 165-171	6.7	24
33	A first-principles study on the intrinsic phonon transport of Cu ₂ GeSe ₃ . <i>Europhysics Letters</i> , 2016 , 115, 26002	1.6	4
32	First-principles study on the lattice dynamics and thermodynamic properties of Cu ₂ GeSe ₃ . <i>Europhysics Letters</i> , 2015 , 109, 47004	1.6	16
31	Theoretical understanding on band engineering of Mn-doped lead chalcogenides PbX (X = Te, Se, S). <i>Journal of Physics Condensed Matter</i> , 2015 , 27, 095501	1.8	19
30	High thermoelectric performance in two-dimensional graphyne sheets predicted by first-principles calculations. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 22872-81	3.6	53
29	Application of urea precipitation method in preparation of advanced ceramic powders. <i>Ceramics International</i> , 2015 , 41, 11598-11604	5.1	20
28	Enhanced power factor in the promising thermoelectric material SnPbxTe prepared via zone-melting. <i>RSC Advances</i> , 2015 , 5, 59379-59383	3.7	13
27	Valence band engineering and thermoelectric performance optimization in SnTe by Mn-alloying via a zone-melting method. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 19974-19979	13	120
26	Micro-sized nano-porous Si/C anodes for lithium ion batteries. <i>Nano Energy</i> , 2015 , 11, 490-499	17.1	201
25	Thermoelectric Properties of a Monolayer Bismuth. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 904-910	3.8	105
24	Theoretical study of the thermoelectric properties of SiGe nanotubes. <i>RSC Advances</i> , 2014 , 4, 53037-53043	3.7	10
23	High lithium electroactivity of boron-doped hierarchical rutile submicrosphere TiO ₂ . <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10599-10606	13	28
22	Three-dimensional hybridized carbon networks for high performance thermoelectric applications. <i>RSC Advances</i> , 2014 , 4, 42234-42239	3.7	
21	Thermal Conductivity of Graphene Nanoribbons with Regular Isotopic Modification. <i>Journal of Computational and Theoretical Nanoscience</i> , 2014 , 11, 348-352	0.3	4

20	Reducing the thermal conductivity of silicon by nanostructure patterning. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 110, 93-98	2.6	4
19	High quality graphene sheets from graphene oxide by hot-pressing. <i>Carbon</i> , 2013 , 54, 143-148	10.4	72
18	Thermoelectric properties of small diameter carbon nanowires. <i>Carbon</i> , 2013 , 53, 286-291	10.4	6
17	Optimizing the thermoelectric performance of zigzag and chiral carbon nanotubes. <i>Nanoscale Research Letters</i> , 2012 , 7, 116	5	15
16	The properties of BiSb nanoribbons from first-principles calculations. <i>Nanoscale</i> , 2012 , 4, 511-7	7.7	8
15	The realization of a high thermoelectric figure of merit in Ge-substituted Zn_4Sb_3 through band structure modification. <i>Journal of Materials Chemistry</i> , 2012 , 22, 13977		49
14	Multiscale calculations of thermoelectric properties of n-type $\text{Mg}_2\text{Si}_{1-x}\text{Sn}_x$ solid solutions. <i>Physical Review B</i> , 2012 , 85,	3.3	82
13	Thermoelectric properties of armchair and zigzag silicene nanoribbons. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 13588-93	3.6	102
12	Magnetic and electronic properties of silicene with hydrogen vacancies on the surface. <i>Applied Surface Science</i> , 2012 , 258, 10135-10139	6.7	5
11	Enhanced thermoelectric performance of graphene nanoribbons. <i>Applied Physics Letters</i> , 2012 , 100, 093104	3.4	60
10	Convergence of conduction bands as a means of enhancing thermoelectric performance of n-type $\text{Mg}_2\text{Si}_{(1-x)}\text{Sn}_x$ solid solutions. <i>Physical Review Letters</i> , 2012 , 108, 166601	7.4	854
9	Thermoelectric Properties of Ultrasmall Single-Wall Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 21996-22001	3.8	21
8	A Triplet Form of (5,0) Carbon Nanotube with Higher Hydrogen Storage Capacity. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 9227-9231	3.8	10
7	First-principles study of monolayer and bilayer honeycomb structures of group-IV elements and their binary compounds. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2011 , 375, 614-619	2.3	88
6	Energetics and Electronic Properties of Small Diameter Si and Ge Nanotubes. <i>Journal of Computational and Theoretical Nanoscience</i> , 2010 , 7, 1935-1940	0.3	4
5	Structural, Electronic, and Thermoelectric Properties of BiSb Nanotubes. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 21234-21239	3.8	12
4	First-principles study of alkali-atom doping in a series of zigzag and armchair carbon nanotubes. <i>Journal of Applied Physics</i> , 2010 , 107, 034312	2.5	10
3	Enhanced thermoelectric performance of $(\text{Sb}_{0.75}\text{Bi}_{0.25})_2\text{Te}_3$ compound from first-principles calculations. <i>Applied Physics Letters</i> , 2010 , 96, 142101	3.4	43

2	Energetics of Stone-Wales defects in 4 Å carbon nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 2332-5	1.3	1
1	Boosting the Thermoelectric Performance of PbSe from the Band Convergence Driven By Spin-Orbit Coupling. <i>Advanced Energy Materials</i> , 2103287	21.8	2