Bruno Herault

List of Publications by Citations

Source: https://exaly.com/author-pdf/5722180/bruno-herault-publications-by-citations.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers7,185
citations43
h-index81
g-index175
ext. papers9,382
ext. citations6.4
avg, IF5.68
L-index

#	Paper	IF	Citations
162	Positive biodiversity-productivity relationship predominant in global forests. <i>Science</i> , 2016 , 354,	33-3	593
161	Long-term decline of the Amazon carbon sink. <i>Nature</i> , 2015 , 519, 344-8	50.4	583
160	Plant functional traits have globally consistent effects on competition. <i>Nature</i> , 2016 , 529, 204-7	50.4	453
159	TRY plant trait database - enhanced coverage and open access. Global Change Biology, 2020, 26, 119-18	811.4	399
158	Decoupled leaf and stem economics in rain forest trees. <i>Ecology Letters</i> , 2010 , 13, 1338-47	10	248
157	Global trait-environment relationships of plant communities. <i>Nature Ecology and Evolution</i> , 2018 , 2, 190)6 <u>-1</u> .917	7 209
156	Climatic controls of decomposition drive the global biogeography of forest-tree symbioses. <i>Nature</i> , 2019 , 569, 404-408	50.4	203
155	Compositional response of Amazon forests to climate change. <i>Global Change Biology</i> , 2019 , 25, 39-56	11.4	158
154	Hyperdominance in Amazonian forest carbon cycling. <i>Nature Communications</i> , 2015 , 6, 6857	17.4	157
153	biomass: an r package for estimating above-ground biomass and its uncertainty in tropical forests. <i>Methods in Ecology and Evolution</i> , 2017 , 8, 1163-1167	7.7	152
152	Functional traits shape ontogenetic growth trajectories of rain forest tree species. <i>Journal of Ecology</i> , 2011 , 99, 1431-1440	6	134
151	Disentangling stand and environmental correlates of aboveground biomass in Amazonian forests. <i>Global Change Biology</i> , 2011 , 17, 2677-2688	11.4	127
150	Functional trait variation and sampling strategies in species-rich plant communities. <i>Functional Ecology</i> , 2010 , 24, 208-216	5.6	125
149	entropart: AnRPackage to Measure and Partition Diversity. <i>Journal of Statistical Software</i> , 2015 , 67,	7.3	112
148	Assessing foliar chlorophyll contents with the SPAD-502 chlorophyll meter: a calibration test with thirteen tree species of tropical rainforest in French Guiana. <i>Annals of Forest Science</i> , 2010 , 67, 607-607	3.1	106
147	Dynamics of aboveground carbon stocks in a selectively logged tropical forest 2009 , 19, 1397-404		98
146	Depth of soil water uptake by tropical rainforest trees during dry periods: does tree dimension matter?. <i>Oecologia</i> , 2013 , 173, 1191-201	2.9	97

(2011-2011)

145	Functional traits of individual trees reveal ecological constraints on community assembly in tropical rain forests. <i>Oikos</i> , 2011 , 120, 720-727	4	96
144	Long-term thermal sensitivity of Earth's tropical forests. <i>Science</i> , 2020 , 368, 869-874	33.3	92
143	The response of tropical rainforests to drought-lessons from recent research and future prospects. <i>Annals of Forest Science</i> , 2016 , 73, 27-44	3.1	89
142	Contrasting taxonomic and functional responses of a tropical tree community to selective logging. Journal of Applied Ecology, 2012 , 49, 861-870	5.8	81
141	Climate seasonality limits leaf carbon assimilation and wood productivity in tropical forests. <i>Biogeosciences</i> , 2016 , 13, 2537-2562	4.6	79
140	Rapid tree carbon stock recovery in managed Amazonian forests. <i>Current Biology</i> , 2015 , 25, R787-8	6.3	73
139	The relative importance of local, regional and historical factors determining the distribution of plants in fragmented riverine forests: an emergent group approach. <i>Journal of Biogeography</i> , 2005 , 32, 2069-2081	4.1	71
138	Local spatial structure of forest biomass and its consequences for remote sensing of carbon stocks. <i>Biogeosciences</i> , 2014 , 11, 6827-6840	4.6	70
137	Water availability is the main climate driver of neotropical tree growth. PLoS ONE, 2012, 7, e34074	3.7	65
136	Phytophagy on phylogenetically isolated trees: why hosts should escape their relatives. <i>Ecology Letters</i> , 2011 , 14, 1117-24	10	62
135	Growth responses of neotropical trees to logging gaps. <i>Journal of Applied Ecology</i> , 2010 , 47, 821-831	5.8	61
134	Coordination and trade-offs among hydraulic safety, efficiency and drought avoidance traits in Amazonian rainforest canopy tree species. <i>New Phytologist</i> , 2018 , 218, 1015-1024	9.8	57
133	Carbon uptake by mature Amazon forests has mitigated Amazon nations' carbon emissions. <i>Carbon Balance and Management</i> , 2017 , 12, 1	3.6	56
132	Ground Data are Essential for Biomass Remote Sensing Missions. Surveys in Geophysics, 2019, 40, 863-8	8 9 .6	56
131	Nutrient-cycling mechanisms other than the direct absorption from soil may control forest structure and dynamics in poor Amazonian soils. <i>Scientific Reports</i> , 2017 , 7, 45017	4.9	53
130	Modeling decay rates of dead wood in a neotropical forest. <i>Oecologia</i> , 2010 , 164, 243-51	2.9	52
129	Pan-tropical prediction of forest structure from the largest trees. <i>Global Ecology and Biogeography</i> , 2018 , 27, 1366-1383	6.1	52
128	Modeling water availability for trees in tropical forests. <i>Agricultural and Forest Meteorology</i> , 2011 , 151, 1202-1213	5.8	50

127	Reconciling niche and neutrality through the Emergent Group approach. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2007 , 9, 71-78	3	50
126	Rapid Simultaneous Estimation of Aboveground Biomass and Tree Diversity Across Neotropical Forests: A Comparison of Field Inventory Methods. <i>Biotropica</i> , 2013 , 45, 288-298	2.3	49
125	Interannual and Seasonal Variations in Ecosystem Transpiration and Water Use Efficiency in a Tropical Rainforest. <i>Forests</i> , 2019 , 10, 14	2.8	46
124	Climate drivers of the Amazon forest greening. <i>PLoS ONE</i> , 2017 , 12, e0180932	3.7	46
123	Effects of Plot Size and Census Interval on Descriptors of Forest Structure and Dynamics. <i>Biotropica</i> , 2010 , 42, 664-671	2.3	46
122	Evaluation of the ecological restoration potential of plant communities in Norway spruce plantations using a life-trait based approach. <i>Journal of Applied Ecology</i> , 2005 , 42, 536-545	5.8	45
121	Generalization of the partitioning of shannon diversity. PLoS ONE, 2014, 9, e90289	3.7	45
120	Estimating aboveground net biomass change for tropical and subtropical forests: Refinement of IPCC default rates using forest plot data. <i>Global Change Biology</i> , 2019 , 25, 3609-3624	11.4	44
119	Pan-tropical analysis of climate effects on seasonal tree growth. <i>PLoS ONE</i> , 2014 , 9, e92337	3.7	43
118	Contrasting above-ground biomass balance in a Neotropical rain forest. <i>Journal of Vegetation Science</i> , 2010 , 21, 672	3.1	42
117	Aboveground biomass mapping in French Guiana by combining remote sensing, forest inventories and environmental data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016 , 52, 502-514	7.3	42
116	The Tropical managed Forests Observatory: a research network addressing the future of tropical logged forests. <i>Applied Vegetation Science</i> , 2015 , 18, 171-174	3.3	40
115	The decomposition of Shannon's entropy and a confidence interval for beta diversity. <i>Oikos</i> , 2012 , 121, 516-522	4	37
114	Key drivers of ecosystem recovery after disturbance in a neotropical forest. <i>Forest Ecosystems</i> , 2018 , 5,	3.8	36
113	Soil properties explain tree growth and mortality, but not biomass, across phosphorus-depleted tropical forests. <i>Scientific Reports</i> , 2020 , 10, 2302	4.9	35
112	Predicting tree heights for biomass estimates in tropical forests (b) test from French Guiana. <i>Biogeosciences</i> , 2014 , 11, 3121-3130	4.6	35
111	Carbon recovery dynamics following disturbance by selective logging in Amazonian forests. <i>ELife</i> , 2016 , 5,	8.9	35
110	Can timber provision from Amazonian production forests be sustainable?. <i>Environmental Research Letters</i> , 2019 , 14, 064014	6.2	33

(2007-2018)

109	In Situ Reference Datasets From the TropiSAR and AfriSAR Campaigns in Support of Upcoming Spaceborne Biomass Missions. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018 , 11, 3617-3627	4.7	33	
108	Gold-rush in a forested El Dorado: deforestation leakages and the need for regional cooperation. <i>Environmental Research Letters</i> , 2017 , 12, 034013	6.2	32	
107	Temperature and pH define the realised niche space of arbuscular mycorrhizal fungi. <i>New Phytologist</i> , 2021 , 231, 763-776	9.8	31	
106	The Forest Observation System, building a global reference dataset for remote sensing of forest biomass. <i>Scientific Data</i> , 2019 , 6, 198	8.2	29	
105	Leaf functional response to increasing atmospheric CO(2) concentrations over the last century in two northern Amazonian tree species: a historical (113) C and (118) O approach using herbarium samples. <i>Plant, Cell and Environment</i> , 2011 , 34, 1332-44	8.4	29	
104	Evolutionary heritage influences Amazon tree ecology. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	29	
103	Asynchronism in leaf and wood production in tropical forests: a study combining satellite and ground-based measurements. <i>Biogeosciences</i> , 2013 , 10, 7307-7321	4.6	28	
102	What drives long-term variations in carbon flux and balance in a tropical rainforest in French Guiana?. <i>Agricultural and Forest Meteorology</i> , 2018 , 253-254, 114-123	5.8	27	
101	Regional Scale Rain-Forest Height Mapping Using Regression-Kriging of Spaceborne and Airborne LiDAR Data: Application on French Guiana. <i>Remote Sensing</i> , 2016 , 8, 240	5	27	
100	Tree Height Reduction After Selective Logging in a Tropical Forest. <i>Biotropica</i> , 2016 , 48, 285-289	2.3	27	
99	Climate change impact on neotropical social wasps. <i>PLoS ONE</i> , 2011 , 6, e27004	3.7	26	
98	Local spatial structure of forest biomass and its consequences for remote sensing of carbon stocks		26	
97	Recent deforestation drove the spike in Amazonian fires. <i>Environmental Research Letters</i> , 2020 , 15, 121	06.3	26	
96	Assessing the potential of natural woody species regeneration for the conversion of Norway spruce plantations on alluvial soils. <i>Annals of Forest Science</i> , 2004 , 61, 711-719	3.1	25	
95	Vertical stratification reduces competition for light in dense tropical forests. <i>Forest Ecology and Management</i> , 2014 , 329, 79-88	3.9	24	
94	Emerging threats linking tropical deforestation and the COVID-19 pandemic. <i>Perspectives in Ecology and Conservation</i> , 2020 , 18, 243-246	3.5	24	
93	Multidimensional tropical forest recovery. <i>Science</i> , 2021 , 374, 1370-1376	33.3	23	
92	Using life-history traits to achieve a functional classification of habitats. <i>Applied Vegetation Science</i> , 2007 , 10, 73-80	3.3	22	

91	Drivers of biomass recovery in a secondary forested landscape of West Africa. <i>Forest Ecology and Management</i> , 2019 , 433, 325-331	3.9	22
90	The global abundance of tree palms. <i>Global Ecology and Biogeography</i> , 2020 , 29, 1495-1514	6.1	21
89	Spatial Structure of Above-Ground Biomass Limits Accuracy of Carbon Mapping in Rainforest but Large Scale Forest Inventories Can Help to Overcome. <i>PLoS ONE</i> , 2015 , 10, e0138456	3.7	21
88	Estimating tropical tree diversity indices from forestry surveys: A method to integrate taxonomic uncertainty. <i>Forest Ecology and Management</i> , 2014 , 328, 270-281	3.9	21
87	Toward trait-based mortality models for tropical forests. <i>PLoS ONE</i> , 2013 , 8, e63678	3.7	21
86	Disentangling competitive vs. climatic drivers of tropical forest mortality. <i>Journal of Ecology</i> , 2018 , 106, 1165-1179	6	20
85	Soil seed bank and vegetation dynamics in Sahelian fallows; the impact of past cropping and current grazing treatments. <i>Journal of Tropical Ecology</i> , 2004 , 20, 683-691	1.3	19
84	Taxonomic and functional composition of arthropod assemblages across contrasting Amazonian forests. <i>Journal of Animal Ecology</i> , 2016 , 85, 227-39	4.7	19
83	Disturbance Regimes Drive The Diversity of Regional Floristic Pools Across Guianan Rainforest Landscapes. <i>Scientific Reports</i> , 2018 , 8, 3872	4.9	18
82	Assessing timber volume recovery after disturbance in tropical forests IA new modelling framework. <i>Ecological Modelling</i> , 2018 , 384, 353-369	3	17
81	A Tank Bromeliad Favors Spider Presence in a Neotropical Inundated Forest. <i>PLoS ONE</i> , 2014 , 9, e1145	92 3.7	17
80	For the sake of resilience and multifunctionality, let's diversify planted forests!. <i>Conservation Letters</i> ,e12829	6.9	17
79	Environmental control of natural gap size distribution in tropical forests. <i>Biogeosciences</i> , 2017 , 14, 353-	-3 .6 .€	16
78	Identifying climatic drivers of tropical forest dynamics. <i>Biogeosciences</i> , 2015 , 12, 5583-5596	4.6	16
77	Insect herbivores should follow plants escaping their relatives. <i>Oecologia</i> , 2014 , 176, 521-32	2.9	16
76	Tropical rainforests that persisted: inferences from the Quaternary demographic history of eight tree species in the Guiana shield. <i>Molecular Ecology</i> , 2017 , 26, 1161-1174	5.7	15
75	Stay out (almost) all night: contrasting responses in flight activity among tropical moth assemblages. <i>Neotropical Entomology</i> , 2015 , 44, 109-15	1.2	15
74	Long-term influence of early human occupations on current forests of the Guiana Shield. <i>Ecology</i> , 2019 , 100, e02806	4.6	15

(2019-2015)

73	A joint individual-based model coupling growth and mortality reveals that tree vigor is a key component of tropical forest dynamics. <i>Ecology and Evolution</i> , 2015 , 5, 2457-65	2.8	15	
72	How habitat area, local and regional factors shape plant assemblages in isolated closed depressions. <i>Acta Oecologica</i> , 2009 , 35, 385-392	1.7	15	
71	Redundancy and niche differentiation among the European invasive Elodea species. <i>Biological Invasions</i> , 2008 , 10, 1099-1107	2.7	15	
70	Beyond species richness and biomass: Impact of selective logging and silvicultural treatments on the functional composition of a neotropical forest. <i>Forest Ecology and Management</i> , 2019 , 433, 528-534	3.9	15	
69	Taking the pulse of Earth's tropical forests using networks of highly distributed plots. <i>Biological Conservation</i> , 2021 , 260, 108849	6.2	15	
68	Topography consistently drives intra- and inter-specific leaf trait variation within tree species complexes in a Neotropical forest. <i>Oikos</i> , 2020 , 129, 1521-1530	4	13	
67	Functional traits partially mediate the effects of chronic anthropogenic disturbance on the growth of a tropical tree. <i>AoB PLANTS</i> , 2018 , 10, ply036	2.9	13	
66	Temperature rising would slow down tropical forest dynamic in the Guiana Shield. <i>Scientific Reports</i> , 2019 , 9, 10235	4.9	13	
65	Functional traits help predict post-disturbance demography of tropical trees. <i>PLoS ONE</i> , 2014 , 9, e1050	23.7	13	
64	Efficacy of Bagassa guianensis Aubl. extract against wood decay and human pathogenic fungi. <i>International Biodeterioration and Biodegradation</i> , 2012 , 70, 55-59	4.8	12	
63	Functional diversity improves tropical forest resilience: Insights from a long-term virtual experiment. <i>Journal of Ecology</i> , 2020 , 108, 831-843	6	12	
62	A methodological framework to assess the carbon balance of tropical managed forests. <i>Carbon Balance and Management</i> , 2016 , 11, 15	3.6	12	
61	Decomposing phylodiversity. <i>Methods in Ecology and Evolution</i> , 2015 , 6, 333-339	7.7	11	
60	Monitoring canopy bird activity in disturbed landscapes with automatic recorders: A case study in the tropics. <i>Biological Conservation</i> , 2020 , 245, 108574	6.2	11	
59	Bats Fertilize Roost Trees. <i>Biotropica</i> , 2015 , 47, 403-406	2.3	11	
58	Diversity of plant assemblages in isolated depressional wetlands from Central-Western Europe. <i>Biodiversity and Conservation</i> , 2008 , 17, 2169-2183	3.4	11	
57	Root traits explain plant species distributions along climatic gradients yet challenge the nature of ecological trade-offs. <i>Nature Ecology and Evolution</i> , 2021 , 5, 1123-1134	12.3	11	
56	Climate change would lead to a sharp acceleration of Central African forests dynamics by the end of the century. <i>Environmental Research Letters</i> , 2019 , 14, 044002	6.2	10	

55	Are Commonly Measured Functional Traits Involved in Tropical Tree Responses to Climate?. <i>International Journal of Ecology</i> , 2014 , 2014, 1-10	1.9	10
54	A temporary social parasite of tropical plant-ants improves the fitness of a myrmecophyte. <i>Die Naturwissenschaften</i> , 2010 , 97, 925-34	2	10
53	Slow rate of secondary forest carbon accumulation in the Guianas compared with the rest of the Neotropics. <i>Ecological Applications</i> , 2020 , 30, e02004	4.9	10
52	A simulation method to infer tree allometry and forest structure from airborne laser scanning and forest inventories. <i>Remote Sensing of Environment</i> , 2020 , 251, 112056	13.2	10
51	Simulation of succession in a neotropical forest: High selective logging intensities prolong the recovery times of ecosystem functions. <i>Forest Ecology and Management</i> , 2018 , 430, 517-525	3.9	10
50	Biological traits, rather than environment, shape detection curves of large vertebrates in neotropical rainforests 2017 , 27, 1564-1577		9
49	Assimilating satellite-based canopy height within an ecosystem model to estimate aboveground forest biomass. <i>Geophysical Research Letters</i> , 2017 , 44, 6823-6832	4.9	9
48	The long-term performance of 35 tree species of sudanian West Africa in pure and mixed plantings. <i>Forest Ecology and Management</i> , 2020 , 468, 118171	3.9	9
47	Vulnerability of Commercial Tree Species to Water Stress in Logged Forests of the Guiana Shield. <i>Forests</i> , 2016 , 7, 105	2.8	9
46	Moving forward socio-economically focused models of deforestation. <i>Global Change Biology</i> , 2017 , 23, 3484-3500	11.4	7
45	Mycorrhizae support oaks growing in a phylogenetically distant neighbourhood. <i>Soil Biology and Biochemistry</i> , 2014 , 78, 204-212	7.5	6
44	Rapid tree carbon stock recovery in managed Amazonian forests. <i>Current Biology</i> , 2015 , 25, 2738	6.3	6
43	The number of tree species on Earth <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	6
42	Predicting tree heights for biomass estimates in tropical forests		6
41	sPlotOpen [An environmentally balanced, open-access, global dataset of vegetation plots. <i>Global Ecology and Biogeography</i> , 2021 , 30, 1740-1764	6.1	6
40	Ant-lepidopteran associations along African forest edges. <i>Die Naturwissenschaften</i> , 2017 , 104, 7	2	5
39	Will Tropical Rainforests Survive Climate Change? 2016 , 183-196		5
38	Understanding the recruitment response of juvenile Neotropical trees to logging intensity using functional traits. <i>Ecological Applications</i> , 2018 , 28, 1998-2010	4.9	5

37	A bromeliad species reveals invasive ant presence in urban areas of French Guiana. <i>Ecological Indicators</i> , 2015 , 58, 1-7	5.8	5
36	Phosphorus and nitrogen allocation in Allium ursinum on an alluvial floodplain (Eastern France). Is there an effect of flooding history?. <i>Plant and Soil</i> , 2009 , 324, 279-289	4.2	5
35	Aboveground forest biomass varies across continents, ecological zones and successional stages: refined IPCC default values for tropical and subtropical forests. <i>Environmental Research Letters</i> , 2022 , 17, 014047	6.2	5
34	Questioning emissions-based approaches for the definition of REDD+ deforestation baselines in high forest cover/low deforestation countries. <i>Carbon Balance and Management</i> , 2018 , 13, 21	3.6	5
33	Relevance of secondary tropical forest for landscape restoration. <i>Forest Ecology and Management</i> , 2021 , 493, 119265	3.9	5
32	Diverging taxonomic and functional trajectories following disturbance in a Neotropical forest. <i>Science of the Total Environment</i> , 2020 , 720, 137397	10.2	4
31	Black Curassow habitat relationships interra firmeforests of the Guiana Shield: A multiscale approach. <i>Condor</i> , 2016 , 118, 253-273	2.1	4
30	High foliar K and P resorption efficiencies in old-growth tropical forests growing on nutrient-poor soils. <i>Ecology and Evolution</i> , 2021 , 11, 8969-8982	2.8	4
29	Optimal strategies for ecosystem services provision in Amazonian production forests. <i>Environmental Research Letters</i> , 2019 , 14, 124090	6.2	4
28	Causes and consequences of Cedrela odorata invasion in West African semi-deciduous tropical forests. <i>Biological Invasions</i> , 2021 , 23, 537-552	2.7	4
27	Climate change alters the ability of neotropical forests to provide timber and sequester carbon. <i>Forest Ecology and Management</i> , 2021 , 492, 119166	3.9	4
26	Asynchronism in leaf and wood production in tropical forests: a study combining satellite and ground-based measurements		3
25	Topography shapes the local coexistence of tree species within species complexes of Neotropical forests. <i>Oecologia</i> , 2021 , 196, 389-398	2.9	3
24	A whole-plant functional scheme predicting the early growth of tropical tree species: evidence from 15 tree species in Central Africa. <i>Trees - Structure and Function</i> , 2019 , 33, 491-505	2.6	3
23	Weak environmental controls on the composition and diversity of medium and large-sized vertebrate assemblages in neotropical rain forests of the Guiana Shield. <i>Diversity and Distributions</i> , 2018 , 24, 1545-1559	5	3
22	Using life-history traits to achieve a functional classification of habitats 2007 , 10, 73		2
21	GUYASIM: UN OUTIL DAIDE LA DÉISION POUR LAMBIAGEMENT DE N TERRITOIRE FORESTIER, LA GUYANE. <i>Bois Et Forets Des Tropiques</i> , 2015 , 326, 67		2
20	Identifying climatic drivers of tropical forest dynamics		2

19	Mapping global forest age from forest inventories, biomass and climate data. <i>Earth System Science Data</i> , 2021 , 13, 4881-4896	10.5	2
18	Weak Environmental Controls of Tropical Forest Canopy Height in the Guiana Shield. <i>Remote Sensing</i> , 2016 , 8, 747	5	2
17	A cuckoo-like parasitic moth leads African weaver ant colonies to their ruin. <i>Scientific Reports</i> , 2016 , 6, 23778	4.9	2
16	Topography drives microgeographic adaptations of closely related species in two tropical tree species complexes. <i>Molecular Ecology</i> , 2021 , 30, 5080-5093	5.7	2
15	Birds of a feather flock together: Functionally similar vertebrates positively co-occur in Guianan forests. <i>Ecosphere</i> , 2019 , 10, e02566	3.1	1
14	Bat aggregation mediates the functional structure of ant assemblages. <i>Comptes Rendus - Biologies</i> , 2015 , 338, 688-95	1.4	1
13	Regional scale rain-forest height mapping using regression-kriging of spaceborne and airborne LiDAR data: Application on French Guiana 2015 ,		1
12	Accurate Estimation of Commercial Volume in Tropical Forests. Forest Science, 2021, 67, 14-21	1.4	1
11	Taking advantage of natural regeneration potential in secondary forests to recover commercial tree resources in CEe dEvoire. Forest Ecology and Management, 2021, 493, 119240	3.9	1
10	Disturbed habitats locally reduce the signal of deep evolutionary history in functional traits of plants. <i>New Phytologist</i> , 2021 , 232, 1849-1862	9.8	1
9	Prospective carbon balance of the wood sector in a tropical forest territory using a temporally-explicit model. <i>Forest Ecology and Management</i> , 2021 , 497, 119532	3.9	1
8	30 Years of postdisturbance recruitment in a Neotropical forest. <i>Ecology and Evolution</i> , 2021 , 11, 1444	8- 1: \$45	80
7	The potential of secondary forests to restore biodiversity of the lost forests in semi-deciduous West Africa. <i>Biological Conservation</i> , 2021 , 259, 109154	6.2	0
6	Local farmers shape ecosystem service provisioning in West African cocoa agroforests. <i>Agroforestry Systems</i> ,1	2	O
5	How wildfires increase sensitivity of Amazon forests to droughts. <i>Environmental Research Letters</i> , 2022 , 17, 044031	6.2	O
4	Opportunities and constraints of using understory plants to set forest restoration and conservation priorities 2001 , 227-243		
3	Gestö das florestas degradadas, uma nova prioridade na Amazōia brasileira 2017 , 1-4		
2	Managing degraded forests, a new priority in the Brazilian Amazon. <i>Perspective</i> , 2017 , 1-4	0.2	

Wood Nutrient-Water-Density Linkages Are Influenced by Both Species and Environment.. *Frontiers in Plant Science*, **2022**, 13, 778403

6.2