

# Shiro Imagama

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5722741/shiro-imagama-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44  
papers

372  
citations

12  
h-index

17  
g-index

48  
ext. papers

509  
ext. citations

2.9  
avg, IF

3.48  
L-index

#	Paper	IF	Citations
44	How does intraoperative fracture malalignment affect postoperative function and bone healing following distal femoral fracture? : a retrospective multicentre study.. <i>Bone &amp; Joint Open</i> , <b>2022</b> , 3, 165-172 <sup>28</sup>		
43	Implant-Related Complications after Spinal Fusion: A Multicenter Study.. <i>Global Spine Journal</i> , <b>2022</b> , 21925682221094267		
42	Bioelectrical Impedance Analysis and Manual Measurements of Neck Circumference Are Interchangeable, and Declining Neck Circumference Is Related to Presarcopenia. <i>BioMed Research International</i> , <b>2021</b> , 2021, 6622398	3	2
41	Differences in the prevalence of locomotive syndrome and osteoporosis in Japanese urban and rural regions: The Kashiwara and Yakumo studies. <i>Modern Rheumatology</i> , <b>2021</b> , 1-6	3.3	0
40	Impact of Neck and Shoulder Pain on Health-Related Quality of Life in a Middle-Aged Community-Living Population. <i>BioMed Research International</i> , <b>2021</b> , 2021, 6674264	3	0
39	Intraoperative pedicle screw migration to the abdominal cavity in a severe osteoporotic spine surgery. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , <b>2021</b> , 23, 100943	0.5	
38	Primary cervical decompression surgery may improve lumbar symptoms in patients with tandem spinal stenosis. <i>European Spine Journal</i> , <b>2021</b> , 30, 899-906	2.7	2
37	Cervical Spinal Cord Compression in Adult Scoliosis. <i>Global Spine Journal</i> , <b>2021</b> , 21925682211041979	2.7	
36	Impact of pelvic incidence on lumbar osteophyte formation and disc degeneration in middle-aged and elderly people in a prospective cross-sectional cohort. <i>European Spine Journal</i> , <b>2020</b> , 29, 2262-2271	2.7	3
35	Influence of Global Spine Sagittal Balance and Spinal Degenerative Changes on Locomotive Syndrome Risk in a Middle-Age and Elderly Community-Living Population. <i>BioMed Research International</i> , <b>2020</b> , 2020, 3274864	3	6
34	Systemic treatment with a novel basic fibroblast growth factor mimic small-molecule compound boosts functional recovery after spinal cord injury. <i>PLoS ONE</i> , <b>2020</b> , 15, e0236050	3.7	3
33	Age-related changes in upper and lower cervical alignment and range of motion: normative data of 600 asymptomatic individuals. <i>European Spine Journal</i> , <b>2020</b> , 29, 2378-2383	2.7	1
32	Associations of Serum MicroRNA with Bone Mineral Density in Community-Dwelling Subjects: The Yakumo Study. <i>BioMed Research International</i> , <b>2020</b> , 2020, 5047243	3	3
31	Declining neck circumference is an anthropometric marker related to frailty in middle-aged and elderly women. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 598-603	3.3	7
30	Weakness of grip strength reflects future locomotive syndrome and progression of locomotive risk stage: A 10-year longitudinal cohort study. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 573-579	3.3	6
29	Shoulder pain has most impact on poor quality of life among various types of musculoskeletal pain in middle-aged and elderly people: Yakumo study. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 568-572	3.3	18
28	Epidemiology and effect on physical function of osteosarcopenia in community-dwelling elderly people in Japan. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 592-597	3.3	9

27	Impact of comorbidity rates of lumbar spondylosis, knee osteoarthritis, and osteoporosis on physical QOL and risk factors for poor physical QOL in middle-aged and elderly people. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 402-409	3.3	9
26	Reduction in body cell mass as a predictor of osteoporosis: A cross-sectional study. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 391-396	3.3	4
25	Differences of locomotive syndrome and frailty in community-dwelling middle-aged and elderly people: Pain, osteoarthritis, spinal alignment, body balance, and quality of life. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 921-929	3.3	3
24	Increase in lumbar kyphosis and spinal inclination, declining back muscle strength, and sarcopenia are risk factors for onset of GERD: a 5-year prospective longitudinal cohort study. <i>European Spine Journal</i> , <b>2019</b> , 28, 2619-2628	2.7	7
23	Carotid artery plaque screening using abdominal aortic calcification on lumbar radiographs. <i>PLoS ONE</i> , <b>2019</b> , 14, e0209175	3.7	5
22	Characteristics of multi-channel Br(E)-MsEP waveforms for the lower extremity muscles in thoracic spine surgery: comparison based on preoperative motor status. <i>European Spine Journal</i> , <b>2019</b> , 28, 484-491	2.7	8
21	Predictors of locomotive syndrome in community-living people: A prospective five-year longitudinal study. <i>Modern Rheumatology</i> , <b>2019</b> , 29, 669-675	3.3	12
20	The decrease in phase angle measured by bioelectrical impedance analysis reflects the increased locomotive syndrome risk in community-dwelling people: The Yakumo study. <i>Modern Rheumatology</i> , <b>2019</b> , 29, 496-502	3.3	12
19	Low Bioelectrical Impedance Phase Angle Is a Significant Risk Factor for Frailty. <i>BioMed Research International</i> , <b>2019</b> , 2019, 6283153	3	20
18	Waist Circumference Measured by Bioelectrical Impedance Analysis Is Interchangeable with Manual Measurement: Increased Waist Circumference Is Associated with Locomotive Syndrome Risk. <i>BioMed Research International</i> , <b>2019</b> , 2019, 5971030	3	3
17	Utility of the Serum Cystatin C Level for Diagnosis of Osteoporosis among Middle-Aged and Elderly People. <i>BioMed Research International</i> , <b>2019</b> , 2019, 5046852	3	9
16	Locomotive Syndrome Stage 1 Predicts Significant Worsening of Future Motor Performance: The Prospective Yakumo Study. <i>BioMed Research International</i> , <b>2019</b> , 2019, 1970645	3	7
15	Musculoskeletal Factors and Geriatric Syndromes Related to the Absence of Musculoskeletal Degenerative Disease in Elderly People Aged over 70 Years. <i>BioMed Research International</i> , <b>2019</b> , 2019, 7097652	3	3
14	Predictors of presarcopenia in community-dwelling older adults: A 5-year longitudinal study. <i>Modern Rheumatology</i> , <b>2019</b> , 29, 1053-1058	3.3	8
13	Variety of preoperative MRI changes in spinal cord ependymoma of WHO grade II: a case series. <i>European Spine Journal</i> , <b>2019</b> , 28, 426-433	2.7	4
12	Relationship between locomotive syndrome and body composition among community-dwelling middle-age and elderly individuals in Japan: The Yakumo study. <i>Modern Rheumatology</i> , <b>2019</b> , 29, 491-493	3.3	18
11	Serum cystatin C level is associated with locomotive syndrome risk and can be an early predictor in community-living people: The Yakumo study. <i>Modern Rheumatology</i> , <b>2018</b> , 28, 1035-1040	3.3	17
10	Reoperation within 2 years after lumbar interbody fusion: a multicenter study. <i>European Spine Journal</i> , <b>2018</b> , 27, 1972-1980	2.7	17

9	Epidemiological trends in spine surgery over 10 years in a multicenter database. <i>European Spine Journal</i> , <b>2018</b> , 27, 1698-1703	2.7	58
8	Post-operative regression of retro-odontoid pseudotumors treated with and without fusion. <i>European Spine Journal</i> , <b>2018</b> , 27, 3105-3112	2.7	13
7	Effects of a self-assembling peptide as a scaffold on bone formation in a defect. <i>PLoS ONE</i> , <b>2018</b> , 13, e0190833	3.7	19
6	A retrospective imaging study of surgical outcomes and range of motion in patients with cervical ossification of the posterior longitudinal ligament. <i>European Spine Journal</i> , <b>2018</b> , 27, 1416-1422	2.7	6
5	Surgical intervention for a pediatric isolated intramedullary spinal aneurysm. <i>European Spine Journal</i> , <b>2018</b> , 27, 342-346	2.7	2
4	Acute non-traumatic idiopathic spinal subdural hematoma: radiographic findings and surgical results with a literature review. <i>European Spine Journal</i> , <b>2017</b> , 26, 2739-2743	2.7	21
3	Prevention of spinal cord injury using brain-evoked muscle-action potential (Br(E)-MsEP) monitoring in cervical spinal screw fixation. <i>European Spine Journal</i> , <b>2017</b> , 26, 1154-1161	2.7	14
2	Aggressive osteoblastoma of the cervical spine involving the canal and vertebral artery: a case report. <i>European Spine Journal</i> , <b>2017</b> , 26, 111-116	2.7	4
1	Analysis of cervical kyphosis and spinal balance in young idiopathic scoliosis patients classified by the apex of thoracic kyphosis. <i>European Spine Journal</i> , <b>2016</b> , 25, 3220-3225	2.7	9