

# Sybren L Meijer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5723411/publications.pdf>

Version: 2024-02-01

156  
papers

6,146  
citations

87723

38  
h-index

82410

72  
g-index

159  
all docs

159  
docs citations

159  
times ranked

8093  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of increasing lymph node yield on staging, morbidity and survival after esophagectomy for esophageal adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2023, 49, 89-96.	0.5	3
2	Individual risk calculator to predict lymph node metastases in patients with submucosal (T1b) esophageal adenocarcinoma: a multicenter cohort study. <i>Endoscopy</i> , 2022, 54, 109-117.	1.0	13
3	Feasibility of sentinel node navigated surgery in high-risk T1b esophageal adenocarcinoma patients using a hybrid tracer of technetium-99m and indocyanine green. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 2671-2679.	1.3	11
4	Extending treatment criteria for Barrett's neoplasia: results of a nationwide cohort of 138 endoscopic submucosal dissection procedures. <i>Endoscopy</i> , 2022, 54, 531-541.	1.0	13
5	Tumor-immune landscape patterns before and after chemoradiation in resectable esophageal adenocarcinomas. <i>Journal of Pathology</i> , 2022, 256, 282-296.	2.1	11
6	miR-511 Deficiency Protects Mice from Experimental Colitis by Reducing TLR3 and TLR4 Responses via WD Repeat and FYVE-Domain-Containing Protein 1. <i>Cells</i> , 2022, 11, 58.	1.8	4
7	Analysis of metastases rates during follow-up after endoscopic resection of early 'high-risk' esophageal adenocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2022, 96, 237-247.e3.	0.5	18
8	Improved Clinical and Survival Outcomes After Esophagectomy for Cancer Over 25 Years. <i>Annals of Thoracic Surgery</i> , 2022, 114, 1118-1126.	0.7	8
9	FOXO transcriptional activity is associated with response to chemoradiation in EAC. <i>Journal of Translational Medicine</i> , 2022, 20, 183.	1.8	1
10	A phase Ib/II study of regorafenib and paclitaxel in patients with beyond first-line advanced esophagogastric carcinoma (REPEAT). <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592211091.	1.4	3
11	Circulating tumor DNA predicts outcome in metastatic gastroesophageal cancer. <i>Gastric Cancer</i> , 2022, 25, 906-915.	2.7	15
12	Active Surveillance Versus Immediate Surgery in Clinically Complete Responders After Neoadjuvant Chemoradiotherapy for Esophageal Cancer. <i>Annals of Surgery</i> , 2021, 274, 1009-1016.	2.1	38
13	Radiofrequency vapor ablation for Barrett's esophagus: feasibility, safety and proof of concept in a stepwise study with in vitro, animal, and the first in-human application. <i>Endoscopy</i> , 2021, 53, 1162-1168.	1.0	3
14	The SpaTemp cohort: 168 nondysplastic Barrett's esophagus surveillance patients with and without progression to early neoplasia to evaluate the distribution of biomarkers over space and time. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.2	1
15	Prospective development and validation of a volumetric laser endomicroscopy computer algorithm for detection of Barrett's neoplasia. <i>Gastrointestinal Endoscopy</i> , 2021, 93, 871-879.	0.5	11
16	Neoadjuvant Chemoradiotherapy Combined with Atezolizumab for Resectable Esophageal Adenocarcinoma: A Single-arm Phase II Feasibility Trial (PERFECT). <i>Clinical Cancer Research</i> , 2021, 27, 3351-3359.	3.2	143
17	A Phase II Study Demonstrates No Feasibility of Adjuvant Treatment with Six Cycles of S-1 and Oxaliplatin in Resectable Esophageal Adenocarcinoma, with ERCC1 as Biomarker for Response to SOX. <i>Cancers</i> , 2021, 13, 839.	1.7	2
18	Dietary Curdlan Enhances Bifidobacteria and Reduces Intestinal Inflammation in Mice. <i>Nutrients</i> , 2021, 13, 1305.	1.7	10

#	ARTICLE	IF	CITATIONS
19	P032 MiR-511 deficiency aggravates T cell transfer colitis in mice. <i>Journal of Crohn's and Colitis</i> , 2021, 15, S147-S147.	0.6	0
20	Significant variation in histopathological assessment of endoscopic resections for Barrett's neoplasia suggests need for consensus reporting: propositions for improvement. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.2	3
21	Barrett's esophagus surveillance in a prospective Dutch multi-center community-based cohort of 985 patients demonstrates low risk of neoplastic progression. <i>United European Gastroenterology Journal</i> , 2021, 9, 929-937.	1.6	10
22	Dataset for the reporting of carcinoma of the esophagus in resection specimens: recommendations from the International Collaboration on Cancer Reporting. <i>Human Pathology</i> , 2021, 114, 54-65.	1.1	3
23	Interobserver agreement of a gastric adenocarcinoma tumor regression grading system that incorporates assessment of lymph nodes. <i>Human Pathology</i> , 2021, 116, 94-101.	1.1	9
24	Tissue Systems Pathology Test Objectively Risk Stratifies Barrett's Esophagus Patients With Low-Grade Dysplasia. <i>American Journal of Gastroenterology</i> , 2021, 116, 675-682.	0.2	23
25	Lymphovascular invasion quantification could improve risk prediction of lymph node metastases in patients with submucosal (T1b) esophageal adenocarcinoma. <i>United European Gastroenterology Journal</i> , 2021, 9, 1066-1073.	1.6	3
26	Machine learning for grading and prognosis of esophageal dysplasia using mass spectrometry and histological imaging. <i>Computers in Biology and Medicine</i> , 2021, 138, 104918.	3.9	12
27	Distribution of lymph node metastases in esophageal adenocarcinoma after neoadjuvant chemoradiation therapy: a prospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4347-4357.	1.3	16
28	Circulating tumor DNA quantity is related to tumor volume and both predict survival in metastatic pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2020, 146, 1445-1456.	2.3	67
29	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2-Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 462-471.	0.8	44
30	Priming the tumor immune microenvironment with chemo(radio)therapy: A systematic review across tumor types. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2020, 1874, 188386.	3.3	67
31	Multicenter study on the diagnostic performance of multiframe volumetric laser endomicroscopy targets for Barrett's esophagus neoplasia with histopathology correlation. <i>Ecological Management and Restoration</i> , 2020, 33, .	0.2	6
32	Increased assessment of HER2 in metastatic gastroesophageal cancer patients: a nationwide population-based cohort study. <i>Gastric Cancer</i> , 2020, 23, 579-590.	2.7	16
33	Automated Detection and Grading of Non-Muscle-Invasive Urothelial Cell Carcinoma of the Bladder. <i>American Journal of Pathology</i> , 2020, 190, 1483-1490.	1.9	34
34	Histopathologist features predictive of diagnostic concordance at expert level among a large international sample of pathologists diagnosing Barrett's dysplasia using digital pathology. <i>Gut</i> , 2020, 69, 811-822.	6.1	39
35	A genomic biomarker-based model for cancer risk stratification of non-dysplastic Barrett's esophagus patients after extended follow up; results from Dutch surveillance cohorts.. <i>PLoS ONE</i> , 2020, 15, e0231419.	1.1	9
36	The Amsterdam ReBus progressor cohort: identification of 165 Barrett's surveillance patients who progressed to early neoplasia and 723 nonprogressor patients. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.2	5

#	ARTICLE	IF	CITATIONS
37	Distribution of lymph node metastases in esophageal carcinoma [TIGER study]: study protocol of a multinational observational study. <i>BMC Cancer</i> , 2019, 19, 662.	1.1	62
38	Loss of intestinal sympathetic innervation elicits an innate immune driven colitis. <i>Molecular Medicine</i> , 2019, 25, 1.	1.9	59
39	Stromal-derived interleukin 6 drives epithelial-to-mesenchymal transition and therapy resistance in esophageal adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2237-2242.	3.3	128
40	Deep learning for automatic Gleason pattern classification for grade group determination of prostate biopsies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 77-83.	1.4	94
41	Phase I Dose Escalation Study with Expansion Cohort of the Addition of Nab-Paclitaxel to Capecitabine and Oxaliplatin (CapOx) as First-Line Treatment of Metastatic Esophagogastric Adenocarcinoma (ACTION Study). <i>Cancers</i> , 2019, 11, 827.	1.7	6
42	Chemoradiation induces epithelial-to-mesenchymal transition in esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2019, 145, 2792-2803.	2.3	23
43	Needle-based confocal laser endomicroscopy for real-time diagnosing and staging of lung cancer. <i>European Respiratory Journal</i> , 2019, 53, 1801520.	3.1	29
44	Results of a two-phased clinical study evaluating a new multiband mucosectomy device for early Barrett's neoplasia: a randomized pre-esophagectomy trial and a pilot therapeutic pilot study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 2864-2872.	1.3	4
45	Three-dimensional histopathological reconstruction of bladder tumours. <i>Diagnostic Pathology</i> , 2019, 14, 25.	0.9	18
46	O108 GENOMIC BIOMARKERS FOR CANCER RISK IN BARRETT'S ESOPHAGUS: AN UPDATE ON THE LONGITUDINAL DUTCH BARRETT'S ESOPHAGUS COHORT. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.2	0
47	Adherence to pre-set benchmark quality criteria to qualify as expert assessor of dysplasia in Barrett's esophagus biopsies – towards digital review of Barrett's esophagus. <i>United European Gastroenterology Journal</i> , 2019, 7, 889-896.	1.6	11
48	Microscopic tumor spread beyond (echo)endoscopically determined tumor borders in esophageal cancer. <i>Radiation Oncology</i> , 2019, 14, 219.	1.2	2
49	Strategies for managing multi-patient 3D mass spectrometry imaging data. <i>Journal of Proteomics</i> , 2019, 193, 184-191.	1.2	19
50	Epithelial-to-mesenchymal transition status of primary breast carcinomas and its correlation with metastatic behavior. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 649-659.	1.1	37
51	A biomarker panel predicts progression of Barrett's esophagus to esophageal adenocarcinoma. <i>Ecological Management and Restoration</i> , 2019, 32, .	0.2	26
52	A phase II feasibility trial of neoadjuvant chemoradiotherapy combined with atezolizumab for resectable esophageal adenocarcinoma: The PERFECT trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 4045-4045.	0.8	20
53	Histopathology: ditch the slides, because digital and 3D are on show. <i>World Journal of Urology</i> , 2018, 36, 549-555.	1.2	23
54	Improved diagnostic stratification of digitised Barrett's oesophagus biopsies by p53 immunohistochemical staining. <i>Histopathology</i> , 2018, 72, 1015-1023.	1.6	28

#	ARTICLE	IF	CITATIONS
55	Long-term follow-up results of stepwise radical endoscopic resection for Barrett's esophagus with early neoplasia. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 77-84.	0.5	19
56	Neuronal control of experimental colitis occurs via sympathetic intestinal innervation. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13163.	1.6	50
57	Lymph node metastases near the celiac trunk should be considered separately from other nodal metastases in patients with cancer of the esophagus or gastroesophageal junction after neoadjuvant treatment and surgery. <i>Journal of Thoracic Disease</i> , 2018, 10, 1511-1521.	0.6	3
58	A single-step sizing and radiofrequency ablation catheter for circumferential ablation of Barrett's esophagus: Results of a pilot study. <i>United European Gastroenterology Journal</i> , 2018, 6, 990-999.	1.6	12
59	A systematic review and meta-analysis of prognostic biomarkers in resectable esophageal adenocarcinomas. <i>Scientific Reports</i> , 2018, 8, 13281.	1.6	28
60	Detection of residual disease after neoadjuvant chemoradiotherapy for oesophageal cancer (preSANO): a prospective multicentre, diagnostic cohort study. <i>Lancet Oncology</i> , The, 2018, 19, 965-974.	5.1	211
61	Chapter 2: Role of pathologic confirmation for Barrett's esophagus and dysplasia. <i>Techniques in Gastrointestinal Endoscopy</i> , 2018, 20, 62-69.	0.3	0
62	microRNA 125a Regulates MHC-I Expression on Esophageal Adenocarcinoma Cells, Associated With Suppression of Antitumor Immune Response and Poor Outcomes of Patients. <i>Gastroenterology</i> , 2018, 155, 784-798.	0.6	70
63	Development of benchmark quality criteria for assessing whole-endoscopy Barrett's esophagus biopsy cases. <i>United European Gastroenterology Journal</i> , 2018, 6, 830-837.	1.6	10
64	Feasibility of Optical Coherence Tomography (OCT) for Intra-Operative Detection of Blood Flow during Gastric Tube Reconstruction. <i>Sensors</i> , 2018, 18, 1331.	2.1	11
65	Feasibility of using optical coherence tomography to detect radiation-induced fibrosis and residual cancer extent after neoadjuvant chemo-radiation therapy: an ex vivo study. <i>Biomedical Optics Express</i> , 2018, 9, 4196.	1.5	4
66	Endoscopic management and follow-up of patients with a submucosal esophageal adenocarcinoma. <i>United European Gastroenterology Journal</i> , 2018, 6, 669-677.	1.6	31
67	Intestinal fibrosis is associated with lack of response to Infliximab therapy in Crohn's disease. <i>PLoS ONE</i> , 2018, 13, e0190999.	1.1	30
68	Feasibility study of trastuzumab (T) and pertuzumab (P) added to neoadjuvant chemoradiotherapy (nCRT) in resectable HER2+ esophageal adenocarcinoma (EAC) patients (pts): The TRAP study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4057-4057.	0.8	4
69	The dynamics of HER2 status in esophageal adenocarcinoma. <i>Oncotarget</i> , 2018, 9, 26787-26799.	0.8	17
70	Ex-vivo study in nephroureterectomy specimens defining the role of 3-D upper urinary tract visualization using optical coherence tomography and endoluminal ultrasound. <i>Journal of Medical Imaging</i> , 2018, 5, 1.	0.8	3
71	Prognostic Value of Pretreatment Pathological Tumor Extent in Patients Treated With Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal or Junctional Cancer. <i>Annals of Surgery</i> , 2017, 265, 356-362.	2.1	34
72	Feasibility of laser marking in Barrett's esophagus with volumetric laser endomicroscopy: first-in-man pilot study. <i>Gastrointestinal Endoscopy</i> , 2017, 86, 464-472.	0.5	42

#	ARTICLE	IF	CITATIONS
73	Computer-aided detection of early Barrett's neoplasia using volumetric laser endomicroscopy. <i>Gastrointestinal Endoscopy</i> , 2017, 86, 839-846.	0.5	117
74	Patients With Barrett's Esophagus and Confirmed Persistent Low-Grade Dysplasia Are at Increased Risk for Progression to Neoplasia. <i>Gastroenterology</i> , 2017, 152, 993-1001.e1.	0.6	91
75	Efficacy of the CryoBalloon Focal Ablation System for the eradication of dysplastic Barrett's esophagus islands. <i>Endoscopy</i> , 2017, 49, 169-175.	1.0	37
76	Pilot-study on the feasibility of sentinel node navigation surgery in combination with thoracoscopic lymphadenectomy without esophagectomy in early esophageal adenocarcinoma patients. <i>Ecological Management and Restoration</i> , 2017, 30, 1-8.	0.2	18
77	Treatment strategies in recurrent esophageal or junctional cancer. <i>Ecological Management and Restoration</i> , 2017, 30, 1-9.	0.2	18
78	Discordance in HER2 Status in Gastro-esophageal Adenocarcinomas: A Systematic Review and Meta-analysis. <i>Scientific Reports</i> , 2017, 7, 3135.	1.6	9
79	Clinical value of ctDNA in upper-GI cancers: A systematic review and meta-analysis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017, 1868, 394-403.	3.3	45
80	Discordance Among Pathologists in the United States and Europe in Diagnosis of Low-Grade Dysplasia for Patients With Barrett's Esophagus. <i>Gastroenterology</i> , 2017, 152, 564-570.e4.	0.6	133
81	Identification of volumetric laser endomicroscopy features predictive for early neoplasia in Barrett's esophagus using high-quality histological correlation. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 918-926.e7.	0.5	66
82	Digital microscopy as valid alternative to conventional microscopy for histological evaluation of Barrett's esophagus biopsies. <i>Ecological Management and Restoration</i> , 2017, 30, 1-7.	0.2	13
83	Evaluation of collimated polarized light imaging for real-time intraoperative selective nerve identification in the human hand. <i>Biomedical Optics Express</i> , 2017, 8, 4122.	1.5	8
84	Quantitative attenuation analysis for identification of early Barrett's neoplasia in volumetric laser endomicroscopy. <i>Journal of Biomedical Optics</i> , 2017, 22, 086001.	1.4	10
85	Inhibition of miR-142-5P ameliorates disease in mouse models of experimental colitis. <i>PLoS ONE</i> , 2017, 12, e0185097.	1.1	16
86	Genetic Abnormalities in Biliary Brush Samples for Distinguishing Cholangiocarcinoma from Benign Strictures in Primary Sclerosing Cholangitis. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-9.	0.7	11
87	ADAM10-mediated release of heregulin confers resistance to trastuzumab by activating HER3. <i>Oncotarget</i> , 2016, 7, 10243-10254.	0.8	27
88	Dynamic clonal equilibrium and predetermined cancer risk in Barrett's oesophagus. <i>Nature Communications</i> , 2016, 7, 12158.	5.8	75
89	Su2076 How Good are Experts in Identifying Early Barrett's Neoplasia in Endoscopic Resection Specimens Using Volumetric Laser Endomicroscopy?. <i>Gastroenterology</i> , 2016, 150, S628.	0.6	3
90	237 Feasibility of a Computer Algorithm for Detection of Early Barrett's Neoplasia Using Volumetric Laser Endomicroscopy. <i>Gastroenterology</i> , 2016, 150, S56.	0.6	7

#	ARTICLE	IF	CITATIONS
91	What Makes an Expert Barrett's Histopathologist?. <i>Advances in Experimental Medicine and Biology</i> , 2016, 908, 137-159.	0.8	11
92	The immunology of the vermiform appendix: a review of the literature. <i>Clinical and Experimental Immunology</i> , 2016, 186, 1-9.	1.1	130
93	Role of omentectomy as part of radical surgery for gastric cancer. <i>British Journal of Surgery</i> , 2016, 103, 1497-1503.	0.1	50
94	Real-Time Optical Biopsy of Lung Cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 194, e10-e11.	2.5	19
95	Prognostic impact of extracapsular lymph node involvement after neoadjuvant therapy and oesophagectomy. <i>British Journal of Surgery</i> , 2016, 103, 1658-1664.	0.1	17
96	Bcl-2 is a critical mediator of intestinal transformation. <i>Nature Communications</i> , 2016, 7, 10916.	5.8	55
97	Prognostic Significance of the Location of Lymph Node Metastases in Patients With Adenocarcinoma of the Distal Esophagus or Gastroesophageal Junction. <i>Annals of Surgery</i> , 2016, 264, 847-853.	2.1	37
98	Volumetric laser endomicroscopy in Barrett's esophagus: a feasibility study on histological correlation. <i>Ecological Management and Restoration</i> , 2016, 29, 505-512.	0.2	22
99	Tu1201 How Good Are Experts in Identifying Endoscopically Visible Early Barrett's Neoplasia on in vivo Volumetric Laser Endomicroscopy?. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB573.	0.5	6
100	Fluorescence characteristics of human Barrett tissue specimens grafted on chick chorioallantoic membrane. <i>Lasers in Medical Science</i> , 2016, 31, 137-144.	1.0	4
101	Evolution of oesophageal adenocarcinoma from metaplastic columnar epithelium without goblet cells in Barrett's oesophagus. <i>Gut</i> , 2016, 65, 907-913.	6.1	39
102	Detection of buried Barrett's glands after radiofrequency ablation with volumetric laser endomicroscopy. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 80-88.	0.5	52
103	The Link between the Appendix and Ulcerative Colitis: Clinical Relevance and Potential Immunological Mechanisms. <i>American Journal of Gastroenterology</i> , 2016, 111, 163-169.	0.2	84
104	Derivation of genetic biomarkers for cancer risk stratification in Barrett's oesophagus: a prospective cohort study. <i>Gut</i> , 2016, 65, 1602-1610.	6.1	39
105	Multicenter feasibility study of chemoradiation, trastuzumab and pertuzumab in resectable HER2+ esophageal carcinoma: The TRAP study.. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS4142-TPS4142.	0.8	0
106	Effects of Dietary Plant Sterols and Stanol Esters with Low- and High-Fat Diets in Chronic and Acute Models for Experimental Colitis. <i>Nutrients</i> , 2015, 7, 8518-8531.	1.7	20
107	Establishment of patient-derived xenograft models and cell lines for malignancies of the upper gastrointestinal tract. <i>Journal of Translational Medicine</i> , 2015, 13, 115.	1.8	60
108	Aberrant TP53 detected by combining immunohistochemistry and DNA-FISH improves Barrett's esophagus progression prediction: A prospective follow-up study. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 82-90.	1.5	38



#	ARTICLE	IF	CITATIONS
109	The combination of autofluorescence endoscopy and molecular biomarkers is a novel diagnostic tool for dysplasia in Barrett's oesophagus. <i>Gut</i> , 2015, 64, 49-56.	6.1	60
110	420 Quantitative Analysis of Volumetric Laser Endomicroscopy of Histologically Correlated Images Potentially Identifies Early Neoplasia in Barrett's Esophagus. <i>Gastroenterology</i> , 2015, 148, S-91.	0.6	2
111	Efficacy and safety of a novel submucosal lifting gel used for endoscopic submucosal dissection: a study in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015, 29, 2651-2660.	1.3	3
112	Pathological Findings in Gynecomastia. <i>Annals of Plastic Surgery</i> , 2015, 74, 163-166.	0.5	26
113	Barrett's oesophagus patients with low-grade dysplasia can be accurately risk-stratified after histological review by an expert pathology panel. <i>Gut</i> , 2015, 64, 700-706.	6.1	241
114	Orally delivered Î²-glucans aggravate dextran sulfate sodium (DSS)-induced intestinal inflammation. <i>Nutrition Research</i> , 2015, 35, 1106-1112.	1.3	36
115	Quality assessment of estrogen receptor and progesterone receptor testing in breast cancer using a tissue microarray-based approach. <i>Breast Cancer Research and Treatment</i> , 2015, 152, 247-252.	1.1	18
116	Simultaneous use of endoscopic resection and radiofrequency ablation is not safe in an esophageal porcine model. <i>Ecological Management and Restoration</i> , 2015, 28, 25-31.	0.2	6
117	Fluorescence spectroscopy incorporated in an Optical Biopsy System for the detection of early neoplasia in Barrett's esophagus. <i>Ecological Management and Restoration</i> , 2015, 28, 345-351.	0.2	9
118	Development of Fibrosis in Acute and Longstanding Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2015, 9, 966-972.	0.6	61
119	Metformin Use During Treatment of Potentially Curable Esophageal Cancer Patients is not Associated with Better Outcomes. <i>Annals of Surgical Oncology</i> , 2015, 22, 766-771.	0.7	17
120	Deficiency of Nuclear Receptor Nur77 Aggravates Mouse Experimental Colitis by Increased NFÎ±B Activity in Macrophages. <i>PLoS ONE</i> , 2015, 10, e0133598.	1.1	60
121	Treatment strategies in recurrent esophageal or junctional cancer after neoadjuvant therapy followed by esophagectomy.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15024-e15024.	0.8	0
122	The prognostic value of a modified tumor regression grade after neoadjuvant chemoradiotherapy and resection of esophageal carcinoma.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4066-4066.	0.8	3
123	The prognostic impact of extracapsular lymph node involvement after neoadjuvant therapy and esophagectomy .. <i>Journal of Clinical Oncology</i> , 2015, 33, 4058-4058.	0.8	1
124	Pathologic Findings in Primary Capsulectomy Specimens: Analysis of 2531 Patients. <i>Aesthetic Surgery Journal</i> , 2014, 34, 714-718.	0.9	13
125	Is it justified to ablate flat-type esophageal squamous cancer? An analysis of endoscopic submucosal dissection specimens of lesions meeting the selection criteria of radiofrequency studies. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 995-1002.	0.5	20
126	Comparison of two neoadjuvant chemoradiotherapy regimens in patients with potentially curable esophageal carcinoma. <i>Ecological Management and Restoration</i> , 2014, 27, 380-387.	0.2	41



#	ARTICLE	IF	CITATIONS
127	Third-generation autofluorescence endoscopy for the detection of early neoplasia in Barrett's esophagus: a pilot study. <i>Ecological Management and Restoration</i> , 2014, 27, 276-284.	0.2	19
128	Radiofrequency Ablation vs Endoscopic Surveillance for Patients With Barrett Esophagus and Low-Grade Dysplasia. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1209.	3.8	545
129	A Full Stomach. <i>Gastroenterology</i> , 2014, 147, 974-976.	0.6	3
130	Preoperative Chemoradiation Therapy in Combination With Panitumumab for Patients With Resectable Esophageal Cancer: The PACT Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 190-196.	0.4	24
131	Targeted therapy for advanced esophagogastric adenocarcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 90, 68-76.	2.0	22
132	37 Quantitative Analysis of Volumetric Laser Endomicroscopy Images With Histological Correlation of Ex-Vivo Endoscopic Resection Specimens of Barrett's Esophagus With and Without Early Neoplasia. <i>Gastroenterology</i> , 2014, 146, S-10.	0.6	3
133	Effects of Autofluorescence Imaging on Detection and Treatment of Early Neoplasia in Patients With Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 774-781.	2.4	39
134	Survival after pathologic complete response in patients with cancer of the esophagus or gastroesophageal junction.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15084-e15084.	0.8	1
135	The role of statines in the treatment of esophageal cancer patients.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15083-e15083.	0.8	0
136	Circumferential Balloon-based Radiofrequency Ablation of Barrett's Esophagus With Dysplasia Can Be Simplified, yet Efficacy Maintained, by Omitting the Cleaning Phase. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 491-498.e1.	2.4	50
137	Human type 1 innate lymphoid cells accumulate in inflamed mucosal tissues. <i>Nature Immunology</i> , 2013, 14, 221-229.	7.0	868
138	Remission of Barrett's Esophagus With Early Neoplasia 5 Years After Radiofrequency Ablation With Endoscopic Resection: A Netherlands Cohort Study. <i>Gastroenterology</i> , 2013, 145, 96-104.	0.6	237
139	Predictive factors for initial treatment response after circumferential radiofrequency ablation for Barrett's esophagus with early neoplasia: a prospective multicenter study. <i>Endoscopy</i> , 2013, 45, 516-525.	1.0	70
140	Optimized endoscopic autofluorescence spectroscopy for the identification of premalignant lesions in Barrett's esophagus. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 1442-1449.	0.8	8
141	Miltefosine Suppresses Inflammation in a Mouse Model of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 1.	0.9	8
142	Determining sensitivity and specificity of HER2 testing in breast cancer using a tissue micro-array approach. <i>Breast Cancer Research</i> , 2012, 14, R93.	2.2	50
143	Murine CD4+CD25- cells activated in vitro with PMA/ionomycin and anti-CD3 acquire regulatory function and ameliorate experimental colitis in vivo. <i>BMC Gastroenterology</i> , 2012, 12, 172.	0.8	10
144	Adeno-associated virus mediated delivery of Tregitope 167 ameliorates experimental colitis. <i>World Journal of Gastroenterology</i> , 2012, 18, 4288.	1.4	18

#	ARTICLE	IF	CITATIONS
145	Prognostic value of estrogen receptor $\hat{\pm}$ and progesterone receptor conversion in distant breast cancer metastases. <i>Cancer</i> , 2012, 118, 4929-4935.	2.0	81
146	Disseminated bread yeast fungaemia in a baker's wife with acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2012, 158, 298-298.	1.2	12
147	Multicenter phase II study combining panitumumab with chemoradiation followed by surgery for patients with operable esophageal cancer (PACT-study).. <i>Journal of Clinical Oncology</i> , 2012, 30, 4094-4094.	0.8	2
148	HER2 gene amplification in patients with breast cancer with equivocal IHC results. <i>Journal of Clinical Pathology</i> , 2011, 64, 1069-1072.	1.0	28
149	Induction of Circulating Tumor-reactive CD8+ T Cells After Vaccination of Melanoma Patients With the gp100209-2M Peptide. <i>Journal of Immunotherapy</i> , 2007, 30, 533-543.	1.2	21
150	Reduced L-selectin (CD62LLow) expression identifies tumor-specific type 1 T cells from lymph nodes draining an autologous tumor cell vaccine. <i>Cellular Immunology</i> , 2004, 227, 93-102.	1.4	11
151	Immunological Monitoring of Patients with Melanoma After Peptide Vaccination Using Soluble Peptide/HLA-A2 Dimer Complexes. <i>Journal of Immunotherapy</i> , 2004, 27, 48-59.	1.2	9
152	Vaccination of Women with Metastatic Breast Cancer, Using a Costimulatory Gene (CD80)-Modified, HLA-A2-Matched, Allogeneic, Breast Cancer Cell Line: Clinical and Immunological Results. <i>Human Gene Therapy</i> , 2003, 14, 1117-1123.	1.4	74
153	Identification of Tumor-Specific Antibodies in Patients With Breast Cancer Vaccinated With Gene-Modified Allogeneic Tumor Cells. <i>Journal of Immunotherapy</i> , 2003, 26, 163-170.	1.2	32
154	Regression of a Mammary Adenocarcinoma in STAT6 $\hat{\sim}$ /Mice Is Dependent on the Presence of STAT6-Reactive T Cells. <i>Journal of Immunology</i> , 2003, 170, 2014-2021.	0.4	24
155	Adoptive Cellular Therapy With Tumor Vaccine Draining Lymph Node Lymphocytes After Vaccination With HLA-B7/ $\hat{I}^2$ -Microglobulin Gene-Modified Autologous Tumor Cells. <i>Journal of Immunotherapy</i> , 2002, 25, 359-372.	1.2	29
156	Immunological and Molecular Analysis of the Sentinel Lymph Node: a Potential Approach to Predict Outcome, Tailor Therapy, and Optimize Parameters for Tumor Vaccine Development. <i>Journal of Clinical Pharmacology</i> , 2001, 41, 81-94.	1.0	0