

# Rikard Gebart

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5725954/publications.pdf>

Version: 2024-02-01

51  
papers

2,287  
citations

279487

23  
h-index

214527

47  
g-index

51  
all docs

51  
docs citations

51  
times ranked

1552  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid change of particle velocity due to volatile gas release during biomass devolatilization. <i>Combustion and Flame</i> , 2022, 238, 111898.	2.8	9
2	Effect of acoustic perturbation on particle dispersion in a swirl-stabilized pulverized fuel burner: Cold-flow conditions. <i>Fuel Processing Technology</i> , 2022, 228, 107142.	3.7	2
3	Numerical simulation of a biomass cyclone gasifier: Effects of operating conditions on gasifier performance. <i>Fuel Processing Technology</i> , 2021, 218, 106861.	3.7	6
4	Computational fluid dynamic simulations of thermochemical conversion of pulverized biomass in a dilute flow using spheroidal approximation. <i>Fuel</i> , 2020, 271, 117495.	3.4	9
5	Morphology and volume fraction of biomass particles in a jet flow during devolatilization. <i>Fuel</i> , 2020, 278, 118241.	3.4	4
6	A study of black liquor and pyrolysis oil co-gasification in pilot scale. <i>Biomass Conversion and Biorefinery</i> , 2018, 8, 113-124.	2.9	13
7	Soot reduction in an entrained flow gasifier of biomass by active dispersion of fuel particles. <i>Fuel</i> , 2017, 201, 111-117.	3.4	20
8	Active fuel particles dispersion by synthetic jet in an entrained flow gasifier of biomass: Cold flow. <i>Powder Technology</i> , 2016, 302, 275-282.	2.1	11
9	Cold flow experiments in an entrained flow gasification reactor with a swirl-stabilized pulverized biofuel burner. <i>International Journal of Multiphase Flow</i> , 2016, 85, 267-277.	1.6	14
10	Performance of a Pilot-Scale Entrained-Flow Black Liquor Gasifier. <i>Energy &amp; Fuels</i> , 2016, 30, 3175-3185.	2.5	44
11	Does distance among biomass particles affect soot formation in an entrained flow gasification process?. <i>Fuel Processing Technology</i> , 2016, 141, 99-105.	3.7	24
12	Influence of process parameters on the performance of an oxygen blown entrained flow biomass gasifier. <i>Fuel</i> , 2015, 153, 510-519.	3.4	54
13	Numerical modeling of a 500kW air-blown cyclone gasifier. <i>Applied Thermal Engineering</i> , 2015, 90, 694-702.	3.0	9
14	Two years experience of the BioDME project – A complete wood to wheel concept. <i>Environmental Progress and Sustainable Energy</i> , 2014, 33, 744-750.	1.3	55
15	Online Characterization of Syngas Particulates Using Aerosol Mass Spectrometry in Entrained-Flow Biomass Gasification. <i>Aerosol Science and Technology</i> , 2014, 48, 1145-1155.	1.5	17
16	Influence from fuel type on the performance of an air-blown cyclone gasifier. <i>Fuel</i> , 2014, 116, 751-759.	3.4	19
17	High-speed imaging of biomass particles heated with a laser. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013, 103, 278-286.	2.6	8
18	Numerical modeling of counter-current condensation in a Black Liquor Gasification plant. <i>Applied Thermal Engineering</i> , 2013, 58, 327-335.	3.0	6

#	ARTICLE	IF	CITATIONS
19	Pressurized Oxygen Blown Entrained-Flow Gasification of Wood Powder. <i>Energy &amp; Fuels</i> , 2013, 27, 932-941.	2.5	78
20	Analysis of trace components in synthesis gas generated by black liquor gasification. <i>Fuel</i> , 2012, 102, 173-179.	3.4	24
21	High-speed interferometric measurement and visualization of the conversion of a black liquor droplet during laser heating. <i>Optics and Lasers in Engineering</i> , 2012, 50, 1654-1661.	2.0	6
22	Experimental investigation of an industrial scale black liquor gasifier. Part 2: Influence of quench operation on product gas composition. <i>Fuel</i> , 2012, 93, 117-129.	3.4	32
23	Catalytic methanol synthesis via black liquor gasification. <i>Fuel Processing Technology</i> , 2012, 94, 10-15.	3.7	20
24	Computational Fluid Dynamics Simulations of Raw Gas Composition from a Black Liquor Gasifier – Comparison with Experiments. <i>Energy &amp; Fuels</i> , 2011, 25, 4122-4128.	2.5	4
25	Design and methodology of a high temperature gas sampling system for pressurized black liquor gasification. <i>Fuel</i> , 2010, 89, 2583-2591.	3.4	25
26	Experimental investigation of an industrial scale black liquor gasifier. 1. The effect of reactor operation parameters on product gas composition. <i>Fuel</i> , 2010, 89, 4025-4034.	3.4	57
27	Experiments and mathematical models of black liquor gasification – influence of minor gas components on temperature, gas composition, and fixed carbon conversion. <i>Tappi Journal</i> , 2010, 9, 15-24.	0.2	16
28	Spatially resolved measurements of gas composition in a pressurised black liquor gasifier. <i>Environmental Progress and Sustainable Energy</i> , 2009, 28, 316-323.	1.3	6
29	Comparisons of Initial Experiments and Reactor Model Predictions in High Temperature Black Liquor Gasification. <i>Tappi Journal</i> , 2009, 8, 12-18.	0.2	4
30	Influence of fuel ash composition on high temperature aerosol formation in fixed bed combustion of woody biomass pellets. <i>Fuel</i> , 2007, 86, 181-193.	3.4	104
31	CFD modelling of black liquor gasification: Identification of important model parameters. <i>Fuel</i> , 2007, 86, 1918-1926.	3.4	33
32	High-temperature aerosol formation in wood pellets flames: Spatially resolved measurements. <i>Combustion and Flame</i> , 2006, 147, 278-293.	2.8	58
33	DETERMINATION OF THE INFLUENCE OF UNCERTAIN MODEL PARAMETERS IN PRESSURIZED GASIFICATION OF BLACK LIQUOR USING A FACTORIAL DESIGN. <i>Combustion Science and Technology</i> , 2005, 177, 435-453.	1.2	3
34	THE INFLUENCE OF AIR DISTRIBUTION RATE ON PARTICLE EMISSIONS IN FIXED BED COMBUSTION OF BIOMASS. <i>Combustion Science and Technology</i> , 2005, 177, 1747-1766.	1.2	44
35	THE INFLUENCE OF FUEL TYPE ON PARTICLE EMISSIONS IN COMBUSTION OF BIOMASS PELLETS. <i>Combustion Science and Technology</i> , 2005, 177, 741-763.	1.2	31
36	Experimental investigations of the influence from different operating conditions on the particle emissions from a small-scale pellets combustor. <i>Biomass and Bioenergy</i> , 2004, 27, 645-652.	2.9	37

#	ARTICLE	IF	CITATIONS
37	Critical Parameters for Particle Emissions in Small-Scale Fixed-Bed Combustion of Wood Pellets. Energy & Fuels, 2004, 18, 897-907.	2.5	53
38	Application of digital speckle photography to measure thickness variations in the vacuum infusion process. Polymer Composites, 2003, 24, 448-455.	2.3	23
39	Squeeze Flow Rheology of Glass Mat Thermoplastic (GMT) in Large Tools and at High Closing Velocities. International Polymer Processing, 2002, 17, 158-165.	0.3	2
40	Assessment of Response Surface-Based Optimization Techniques for Unsteady Flow Around Bluff Bodies. , 2002, , .		3
41	Flow-enhancing layers in the vacuum infusion process. Polymer Composites, 2002, 23, 895-901.	2.3	17
42	Analysis of an image processing method for fiber orientation in polymer composites. Polymer Composites, 2001, 22, 327-336.	2.3	9
43	Analysis of the vacuum infusion molding process. Polymer Composites, 2000, 21, 28-40.	2.3	113
44	Estimation of numerical accuracy for the flow field in a draft tube. International Journal of Numerical Methods for Heat and Fluid Flow, 1999, 9, 472-487.	1.6	25
45	In-plane permeability measurements on fiber reinforcements by the multi-cavity parallel flow technique. Polymer Composites, 1999, 20, 146-154.	2.3	51
46	Measurement of in-plane permeability of anisotropic fiber reinforcements. Polymer Composites, 1996, 17, 43-51.	2.3	92
47	Effect of Perturbation of Fibre Architecture on Permeability Inside Fibre Tows. Journal of Composite Materials, 1995, 29, 424-443.	1.2	70
48	Influence from process parameters on void formation in resin transfer molding. Polymer Composites, 1994, 15, 25-33.	2.3	164
49	Critical parameters for heat transfer and chemical reactions in thermosetting materials. Journal of Applied Polymer Science, 1994, 51, 153-168.	1.3	18
50	Optimization of cure kinetics model parameters from DSC-data. Thermochimica Acta, 1993, 214, 145-148.	1.2	5
51	Permeability of Unidirectional Reinforcements for RTM. Journal of Composite Materials, 1992, 26, 1100-1133.	1.2	736