

# Kensuke Mitsunari

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5728347/publications.pdf>

Version: 2024-02-01

46  
papers

485  
citations

687220

13  
h-index

713332

21  
g-index

48  
all docs

48  
docs citations

48  
times ranked

747  
citing authors

#	ARTICLE	IF	CITATIONS
1	Alternative Treatment with Every-Other-Day Dosing of Sunitinib for Metastatic Renal Cell Carcinoma: Extended Follow-Up. <i>Urologia Internationalis</i> , 2022, , 1-7.	0.6	0
2	Relationship between Urinary Calcium Excretion and Lower Urinary Tract Symptoms. <i>Metabolites</i> , 2022, 12, 229.	1.3	2
3	Impact of Mirabegron Administration on the Blood Pressure and Pulse Rate in Patients with Overactive Bladder. <i>Medicina (Lithuania)</i> , 2022, 58, 825.	0.8	1
4	Pharmacological Effects and Potential Clinical Usefulness of Polyphenols in Benign Prostatic Hyperplasia. <i>Molecules</i> , 2021, 26, 450.	1.7	18
5	Detection of Novel Urine Markers Using Immune Complexome Analysis in Bladder Cancer Patients: A Preliminary Study. <i>In Vivo</i> , 2021, 35, 2073-2080.	0.6	2
6	Editorial Comment from Dr Mitsunari to Intraprostatic prophylactic antibiotic injection in patients undergoing transrectal ultrasonographyâ€guided prostate biopsy. <i>International Journal of Urology</i> , 2021, 28, 687-687.	0.5	0
7	Pathological significance and prognostic role of LATS2 in prostate cancer. <i>Prostate</i> , 2021, 81, 1252-1260.	1.2	2
8	Excessive accumulation of visceral fat is associated with lower urinary symptoms including overactive bladder in female patients. <i>International Journal of Urology</i> , 2021, 28, 397-403.	0.5	5
9	Pathological Significance of Macrophages in Erectile Dysfunction Including Peyronieâ€™s Disease. <i>Biomedicines</i> , 2021, 9, 1658.	1.4	6
10	Effect of oral intake of royal jelly on endothelium function in hemodialysis patients: study protocol for multicenter, double-blind, randomized control trial. <i>Trials</i> , 2021, 22, 950.	0.7	3
11	Mechanisms Underlying the Inhibition of Tyrosine Kinase Inhibitor-Induced Anorexia and Fatigue by Royal Jelly in Renal Cell Carcinoma Patients and the Correlation between Macrophage Colony Stimulating Factor and Inflammatory Mediators. <i>Medical Sciences (Basel, Switzerland)</i> , 2020, 8, 43.	1.3	0
12	Pathological and Pharmacological Roles of Mitochondrial Reactive Oxygen Species in Malignant Neoplasms: Therapies Involving Chemical Compounds, Natural Products, and Photosensitizers. <i>Molecules</i> , 2020, 25, 5252.	1.7	7
13	Present Status, Limitations and Future Directions of Treatment Strategies Using Fucoidan-Based Therapies in Bladder Cancer. <i>Cancers</i> , 2020, 12, 3776.	1.7	8
14	Molecular Mechanisms of the Anti-Cancer Effects of Isothiocyanates from Cruciferous Vegetables in Bladder Cancer. <i>Molecules</i> , 2020, 25, 575.	1.7	34
15	Long-term outcomes of patients with locally advanced bladder cancer that underwent intra-arterial chemotherapy with/without radiotherapy for organ preservation.. <i>Journal of Clinical Oncology</i> , 2020, 38, 574-574.	0.8	1
16	A randomized, double-blinded clinical trial of royal jelly intake for anticancer effects and suppressing adverse events in renal cell carcinoma patients treated with tyrosine kinase inhibitors.. <i>Journal of Clinical Oncology</i> , 2020, 38, 697-697.	0.8	3
17	MP37-01â€INHIBITION OF E-TYPE PROSTANOID RECEPTOR 1 INHIBITS THE MALIGNANT POTENTIAL OF PROSTATE CANCER CELLS IN AN ANIMAL MODEL. <i>Journal of Urology</i> , 2020, 203, .	0.2	0
18	Oral intake of royal jelly improves antiâ€cancer effects and suppresses adverse events of molecular targeted therapy by regulating TNFâ€&alpha; and TGFâ€&beta;; in renal cell carcinoma: A preliminary study based on a randomized doubleâ€blind clinical trial. <i>Molecular and Clinical Oncology</i> , 2020, 13, 29.	0.4	9

#	ARTICLE	IF	CITATIONS
19	MP08-20â€fKIBRA AND PHOSPHORYLATED LATS-2 ARE NEGATIVELY ASSOCIATED WITH MALIGNANT AGGRESSIVENESS AND ARE PROGNOSTIC INDICATORS IN PATIENTS WITH RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2020, 203, .	0.2	0
20	PD14-08â€fPREOPERATIVE NUTRITIONAL STATUS OF TRANSURETHRAL LITHOTRIPSY AFFECTS DEVELOPMENT OF POSTOPERATIVE SYSTEMIC INFLAMMATORY RESPONSE SYNDROME. <i>Journal of Urology</i> , 2020, 203, .	0.2	0
21	Pathological roles of câ€Met in bladder cancer: Association with cyclooxygenaseâ€2, heme oxygenaseâ€1, vascular endothelial growth factorâ€A and programmed death ligandï½1. <i>Oncology Letters</i> , 2020, 20, 135-144.	0.8	3
22	Periodontal Disease in Patients Receiving Dialysis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3805.	1.8	28
23	Pathological Characteristics of Periodontal Disease in Patients with Chronic Kidney Disease and Kidney Transplantation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3413.	1.8	39
24	Four-weekly Low-dose Gemcitabine and Paclitaxel in Patients With Platinum-resistant Urothelial Cancer and Performance Status 2/3. <i>In Vivo</i> , 2019, 33, 2217-2224.	0.6	2
25	A Review of Oxidative Stress and Urinary Dysfunction Caused by Bladder Outlet Obstruction and Treatments Using Antioxidants. <i>Antioxidants</i> , 2019, 8, 132.	2.2	34
26	The Pathological Significance and Prognostic Roles of Thrombospondin-1, and -2, and 4N1K-peptide in Bladder Cancer. <i>Anticancer Research</i> , 2019, 39, 2317-2324.	0.5	12
27	Preliminary Study of a Single Instillation of Low-Concentration High-Volume Silver Nitrate Solution for Chyluria: Is >10 mL Instillation an Absolute Contraindication in the Real World?. <i>Tropical Medicine and Infectious Disease</i> , 2019, 4, 128.	0.9	2
28	Efficacy and safety of sunitinib alternate day regimen in patients with metastatic renal cell carcinoma in Japan: Comparison with standard 4/2 schedule. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, 153-158.	0.7	19
29	Human antigen R as a predictive marker for response to gemcitabine-based chemotherapy in advanced cisplatin-resistant urothelial cancer. <i>Oncology Letters</i> , 2017, 13, 811-818.	0.8	2
30	Pathological significance and prognostic implications of heme oxygenase 1 expression in non-muscle-invasive bladder cancer: Correlation with cell proliferation, angiogenesis, lymphangiogenesis and expression of VEGFs and COX-2. <i>Oncology Letters</i> , 2017, 13, 275-280.	0.8	22
31	Stromal expression of Fer suppresses tumor progression in renal cell carcinoma and is a predictor of survival. <i>Oncology Letters</i> , 2017, 13, 834-840.	0.8	8
32	Human antigen R is positively associated with malignant aggressiveness via upregulation of cell proliferation, migration, and vascular endothelial growth factors and cyclooxygenase-2 in prostate cancer. <i>Translational Research</i> , 2016, 175, 116-128.	2.2	37
33	Human antigen R as a predictive marker for response to gemcitabine-based chemotherapy in advanced cisplatin-resistant urothelial cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 421-421.	0.8	0
34	MP49-02 RELATIONSHIPS BETWEEN C-FES EXPRESSION AND MALIGNANT AGGRESSIVENESS IN BLADDER CANCER IN VIVO AND IN VITRO. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
35	Smoking-induced changes in cancer-related factors in patients with upper tract urothelial cancer. <i>Molecular and Clinical Oncology</i> , 2015, 3, 287-294.	0.4	13
36	MP55-03 PATHOLOGICAL ROLES OF HUR EXPRESSION IN PROSTATE CANCER. <i>Journal of Urology</i> , 2015, 193, .	0.2	0

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of combination therapy with low-dose gemcitabine, paclitaxel, and sorafenib in patients with cisplatin-resistant urothelial cancer. <i>Medical Oncology</i> , 2015, 32, 235.	1.2	9
38	Met in Urological Cancers. <i>Cancers</i> , 2014, 6, 2387-2403.	1.7	18
39	Heme oxygenase-1 expression is associated with tumor aggressiveness and outcomes in patients with bladder cancer: a correlation with smoking intensity. <i>Translational Research</i> , 2014, 164, 468-476.	2.2	38
40	Left atrial metastasis of renal cell carcinoma: a case report and review of the literature. <i>BMC Research Notes</i> , 2014, 7, 520.	0.6	15
41	MP77-13 DIFFERENCE AMONG CANCER-RELATED FACTORS BY SMOKING STATUS IN PATIENTS WITH UROTHELIAL CANCER OF THE UPPER URINARY TRACT: THEIR IMPACT ON METASTASIS AFTER RADICAL NEPHROURETERECTOMY.. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
42	MP39-03 HIGH EXPRESSION OF HEME OXYGENASE-1 IS ASSOCIATED WITH TUMOR PROGRESSION AND POOR CLINICAL OUTCOME IN ANON-MUSCLE INVASIVE BLADDER CANCER PATIENTS. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
43	High expression of Twist is associated with tumor aggressiveness and poor prognosis in patients with renal cell carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 3158-65.	0.5	20
44	1135 CIGARETTE SMOKING INDUCES LYMPHANGIOGENESIS, BUT NOT ANGIOGENESIS, AND VASCULAR ENDOTHELIAL GROWTH FACTOR-D, BUT NOT -A OR -C IN HUMAN BLADDER CANCER TISSUES. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
45	600 CHANGE OF HUR EXPRESSION BY INTAKE OF GREEN TEA POLYPHENOL IN CHEMICAL INDUCED BLADDER CANCER ANIMAL MODEL. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
46	High Expression of HuR in Cytoplasm, but Not Nuclei, Is Associated with Malignant Aggressiveness and Prognosis in Bladder Cancer. <i>PLoS ONE</i> , 2013, 8, e59095.	1.1	53