
Leixuri Aguirre

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5729279/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Impact of Polyphenols and Polyphenol-Rich Dietary Sources on Gut Microbiota Composition. Journal of Agricultural and Food Chemistry, 2013, 61, 9517-9533.	2.4	306
2	Resveratrol: Anti-Obesity Mechanisms of Action. Molecules, 2014, 19, 18632-18655.	1.7	152
3	Resveratrol attenuates steatosis in obese Zucker rats by decreasing fatty acid availability and reducing oxidative stress. British Journal of Nutrition, 2012, 107, 202-210.	1.2	137
4	Effects of resveratrol and other polyphenols in hepatic steatosis. World Journal of Gastroenterology, 2014, 20, 7366.	1.4	114
5	Pterostilbeneâ€induced changes in gut microbiota composition in relation to obesity. Molecular Nutrition and Food Research, 2017, 61, 1500906.	1.5	88
6	Quercetin can reduce insulin resistance without decreasing adipose tissue and skeletal muscle fat accumulation. Genes and Nutrition, 2014, 9, 361.	1.2	58
7	Pterostilbene, a Dimethyl Ether Derivative of Resveratrol, Reduces Fat Accumulation in Rats Fed an Obesogenic Diet. Journal of Agricultural and Food Chemistry, 2014, 62, 8371-8378.	2.4	54
8	The combination of resveratrol and quercetin enhances the individual effects of these molecules on triacylglycerol metabolism in white adipose tissue. European Journal of Nutrition, 2016, 55, 341-348.	1.8	49
9	MicroRNAs involved in the browning process of adipocytes. Journal of Physiology and Biochemistry, 2016, 72, 509-521.	1.3	43
10	Pterostilbene improves glycaemic control in rats fed an obesogenic diet: involvement of skeletal muscle and liver. Food and Function, 2015, 6, 1968-1976.	2.1	39
11	Involvement of miR-539-5p in the inhibition of de novo lipogenesis induced by resveratrol in white adipose tissue. Food and Function, 2016, 7, 1680-1688.	2.1	39
12	Several statins increase body and liver fat accumulation in a model of metabolic syndrome. Journal of Physiology and Pharmacology, 2013, 64, 281-8.	1.1	39
13	Effects of Pomegranate Seed Oil on Glucose and Lipid Metabolism-Related Organs in Rats Fed an Obesogenic Diet. Journal of Agricultural and Food Chemistry, 2013, 61, 5089-5096.	2.4	33
14	Anti-obesity effects of resveratrol: comparison between animal models and humans. Journal of Physiology and Biochemistry, 2016, 73, 417-429.	1.3	32
15	Relationship between Changes in Microbiota and Liver Steatosis Induced by High-Fat Feeding—A Review of Rodent Models. Nutrients, 2019, 11, 2156.	1.7	30
16	Anti-Obesity Effects of Microalgae. International Journal of Molecular Sciences, 2020, 21, 41.	1.8	30
17	Effects of pterostilbene in brown adipose tissue from obese rats. Journal of Physiology and Biochemistry, 2016, 73, 457-464.	1.3	29
18	Limited beneficial effects of piceatannol supplementation on obesity complications in the obese Zucker rat: gut microbiota, metabolic, endocrine, and cardiac aspects. Journal of Physiology and Biochemistry, 2016, 72, 567-582.	1.3	28

Leixuri Aguirre

#	Article	IF	CITATIONS
19	Comparative Effects of Pterostilbene and Its Parent Compound Resveratrol on Oxidative Stress and Inflammation in Steatohepatitis Induced by High-Fat High-Fructose Feeding. Antioxidants, 2020, 9, 1042.	2.2	23
20	Effects of Pterostilbene on Diabetes, Liver Steatosis and Serum Lipids. Current Medicinal Chemistry, 2020, 28, 238-252.	1.2	23
21	The Dietary Antioxidant Piceatannol Inhibits Adipogenesis of Human Adipose Mesenchymal Stem Cells and Limits Glucose Transport and Lipogenic Activities in Adipocytes. International Journal of Molecular Sciences, 2018, 19, 2081.	1.8	22
22	Pterostilbene Reduces Liver Steatosis and Modifies Hepatic Fatty Acid Profile in Obese Rats. Nutrients, 2019, 11, 961.	1.7	18
23	Do the Effects of Resveratrol on Thermogenic and Oxidative Capacities in IBAT and Skeletal Muscle Depend on Feeding Conditions?. Nutrients, 2018, 10, 1446.	1.7	17
24	Anti-Obesity Effects of Macroalgae. Nutrients, 2020, 12, 2378.	1.7	17
25	Liver delipidating effect of a combination of resveratrol and quercetin in rats fed an obesogenic diet. Journal of Physiology and Biochemistry, 2015, 71, 569-576.	1.3	16
26	The combination of resveratrol and conjugated linoleic acid is not useful in preventing obesity. Journal of Physiology and Biochemistry, 2011, 67, 471-477.	1.3	15
27	Potential renoprotective effects of piceatannol in ameliorating the early-stage nephropathy associated with obesity in obese Zucker rats. Journal of Physiology and Biochemistry, 2016, 72, 555-566.	1.3	14
28	Lack of Additive Effects of Resveratrol and Energy Restriction in the Treatment of Hepatic Steatosis in Rats. Nutrients, 2017, 9, 737.	1.7	14
29	The combination of resveratrol and conjugated linoleic acid attenuates the individual effects of these molecules on triacylglycerol metabolism in adipose tissue. European Journal of Nutrition, 2014, 53, 575-582.	1.8	12
30	Involvement of autophagy in the beneficial effects of resveratrol in hepatic steatosis treatment. A comparison with energy restriction. Food and Function, 2018, 9, 4207-4215.	2.1	12
31	Comparative effects of energy restriction and resveratrol intake on glycemic control improvement. BioFactors, 2017, 43, 371-378.	2.6	11
32	Resveratrol-Induced Effects on Body Fat Differ Depending on Feeding Conditions. Molecules, 2017, 22, 2091.	1.7	8
33	Effect of Wakame and Carob Pod Snacks on Non-Alcoholic Fatty Liver Disease. Nutrients, 2019, 11, 86.	1.7	7
34	The influence of dietary conditions in the effects of resveratrol on hepatic steatosis. Food and Function, 2020, 11, 9432-9444.	2.1	6
35	Effect of Microalgae and Macroalgae Extracts on Non-Alcoholic Fatty Liver Disease. Nutrients, 2021, 13, 2017.	1.7	4

Resveratrol and Protection in Hepatic Steatosis: Antioxidant Effects. , 2018, , 199-209.

1