

# Shintaro Onishi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5732746/publications.pdf>

Version: 2024-02-01

12  
papers

113  
citations

1307594

7  
h-index

1372567

10  
g-index

12  
all docs

12  
docs citations

12  
times ranked

99  
citing authors

#	ARTICLE	IF	CITATIONS
1	Successful treatment of degenerative medial meniscal tears in well-aligned knees with fibrin clot implantation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3466-3473.	4.2	19
2	Clinical outcome of meniscus repair for isolated meniscus tear in athletes. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2017, 10, 4-7.	1.0	16
3	Return to sports rate after opening wedge high tibial osteotomy in athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 381-388.	4.2	16
4	Double-level osteotomy for severe varus osteoarthritic knees can prevent change in leg length and restore physiological joint geometry. <i>Knee</i> , 2021, 31, 136-143.	1.6	14
5	Hinge fracture in lateral closed-wedge distal femoral osteotomy in knees undergoing double-level osteotomy: assessment of postoperative change in rotational alignment using CT evaluation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3337-3345.	4.2	13
6	Incidence of and risk factors for deep vein thrombosis in patients undergoing osteotomies around the knee: comparative analysis of different osteotomy types. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3488-3494.	4.2	13
7	Changes in patellar height and patellofemoral alignment following double level osteotomy performed for osteoarthritic knees with severe varus deformity. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2020, 22, 20-26.	1.0	10
8	Cartilage repair examined by second-look arthroscopy following double-level osteotomy performed for osteoarthritic knees with severe varus deformity. <i>Knee</i> , 2021, 29, 411-417.	1.6	7
9	Tibial Tubercle-Midpicondyle Distance Can Be a Better Index to Predict the Outcome of Medial Patellofemoral Ligament Reconstruction Than Tibial Tubercle-Trochlear Groove Distance. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2020, 2, e697-e704.	1.7	3
10	Mucoid degeneration of the posterior cruciate ligament in a college soccer player: a case report. <i>Journal of Medical Case Reports</i> , 2021, 15, 284.	0.8	2
11	How the orientation of osteotomy in biplanar lateral closed-wedge distal femoral osteotomy influences the rotational alignment of the knee in all dimensional planes. <i>Knee</i> , 2021, 29, 167-173.	1.6	0
12	Nonunion of a Stress Fracture at the Base of the Second Metatarsal in a Soccer Player Treated by Osteosynthesis with the Bridging Plate Fixation Technique. <i>Case Reports in Orthopedics</i> , 2020, 2020, 1-5.	0.3	0