

Sung Hwoan Cho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5733118/publications.pdf>

Version: 2024-02-01

85
papers

1,810
citations

304368

22
h-index

301761

39
g-index

85
all docs

85
docs citations

85
times ranked

1143
citing authors

#	ARTICLE	IF	CITATIONS
1	Substitution effect of <i>Saccharina japonica</i> with beet leaf by-product in feed on the growth and chemical composition of the soft body of juvenile abalone (<i>Haliotis discus hannai</i> Ino 1952) subjected to air exposure. <i>Aquaculture Reports</i> , 2022, 22, 100918.	0.7	4
2	Comparative studies on growth, and stressor resistance of abalone (<i>Haliotis discus</i>) fed extruded pellets substituting tunic meal of sea squirt (<i>Halocynthia roretzi</i>) for fish meal and macroalgae in long term trial. <i>Aquaculture Reports</i> , 2022, 23, 100935.	0.7	1
3	Dietary effect of substituting <i>Saccharina japonica</i> with cabbage extract by-product on the growth, body composition and air exposure of juvenile abalone (<i>Haliotis discus hannai</i> Ino 1952). <i>Aquaculture Reports</i> , 2022, 22, 100977.	0.7	3
4	Macroalgal substitution effect in diet on growth, body composition, and stress resistance of juvenile sea cucumber (<i>Apostichopus japonicus</i>) subjected to air and low salinity exposures. <i>Journal of Applied Phycology</i> , 2022, 34, 1123-1130.	1.5	3
5	Evaluating the efficacy of partially substituting fish meal with unfermented tuna by-product meal in diets on the growth, feed utilization, chemical composition and non-specific immune responses of olive flounder (<i>Paralichthys olivaceus</i>). <i>Aquaculture Reports</i> , 2022, 24, 101150.	0.7	3
6	Dietary optimum inclusion level of jack mackerel meal for olive flounder (<i>Paralichthys olivaceus</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5</i>	1.7	7
7	Dietary inclusion effect of citrus peel by-product as an additive on the growth performance, body composition, and various stress resistance of juvenile abalone (<i>Haliotis discus</i>) compared to ethoxyquin. <i>Aquaculture Reports</i> , 2022, 24, 101187.	0.7	3
8	Dietary substitution effect of fish meal with chicken by-product meal on growth, feed utilization, body composition, haematology and non-specific immune responses of olive flounder (<i>Paralichthys</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 1</i>	1.0	10
9	Effects of sulphur type and concentration on growth performance, body composition and resistance of juvenile sea cucumber (<i>Apostichopus japonicus</i>) subjected to air and low salinity exposure stressors. <i>Aquaculture Research</i> , 2021, 52, 2481-2491.	0.9	0
10	Substitution effect of fish meal with various sources of animal by-product meals in feed on growth, feed utilization, body composition, haematology and non-specific immune response of olive flounder (<i>Paralichthys</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 10</i> 2802-2817.	0.9	14
11	Dietary protein requirements of abalone (<i>Haliotis discus</i> , Reeve 1846) depending on abalone size. <i>Fisheries and Aquatic Sciences</i> , 2021, 24, 129-136.	0.3	3
12	Ethanol Extracts of Yacon and Ginger in Diet of Juvenile Olive Flounder (<i>Paralichthys olivaceus</i>): Effect on Growth, Feed Utilization, Body Composition, Plasma Chemistry and Challenge Test against <i>Vibrio anguillarum</i> . <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2021, 21, 265-274.	0.4	5
13	Dietary substitution of fish meal by meat meal: Effects on juvenile olive flounder (<i>Paralichthys</i>) resistance against <i>Streptococcus iniae</i> . <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 5</i> <i>Aquaculture Nutrition</i> , 2021, 27, 1888-1902.	1.1	12
14	Dietary substitution effect of <i>Saccharina japonica</i> with residues of citrus juice production in formulated diets on the growth, body composition and air exposure of juvenile abalone (<i>Haliotis</i>). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2</i>	1.0	10
15	Dietary inclusion effect of various levels of jack mackerel meal on the growth performance, feed efficiency and whole body composition of rockfish (<i>Sebastes schlegeli</i>). <i>Fisheries and Aquatic Sciences</i> , 2021, 24, 311-317.	0.3	2
16	Attractiveness of various protein sources to juvenile rockfish (<i>Sebastes schlegeli</i> , Hilgendorf). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5</i>	0.7	8
17	Substitution effect of <i>Undaria pinnatifida</i> with citrus (<i>Citrus unshiu</i> , Marcovitch) peel by-product in feed on the growth, body composition and air exposure stressor of juvenile abalone (<i>Haliotis</i>). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 5</i>	1.0	10
18	Dietary substitution effect of <i>Undaria pinnatifida</i> with onion extract by-product on growth, chemical composition and air exposure stress of juvenile abalone (<i>Haliotis discus</i> , Reeve 1846). <i>Aquaculture</i> , 2020, 529, 735718.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Attractiveness of various crude feed ingredients to juvenile olive flounder (<i>Paralichthys</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tff 50 2020, 51, 4517-4532.	0.9	7
20	Growth performance and the soft body composition of juvenile abalone, <i>Haliotis discus</i> , Reeve 1846, fed the extruded pellets substituting fish meal and macroalgae with tunic meal of sea squirt, <i>Halocynthia roretzi</i> . Aquaculture Nutrition, 2020, 26, 885-893.	1.1	2
21	Oral administration effect of yacon, ginger and blueberry on the growth, body composition and plasma chemistry of juvenile olive flounder (<i>Paralichthys olivaceus</i>) and immunity test against <i>Streptococcus iniae</i> compared to a commercial probiotic, <i>Lactobacillus fermentum</i> . Aquaculture Reports, 2019, 15, 100212.	0.7	14
22	Substitution effect of the combined fouling macroalgae <i>Ulva australis</i> and <i>Sargassum horneri</i> for <i>Undaria pinnatifida</i> in formulated diets on growth and body composition of juvenile abalone (<i>Haliotis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tff 50	0.9	7
23	The effect of dietary substitution of <i>Undaria pinnatifida</i> with carrot leaf by-product on the growth and soft body composition of juvenile abalone (<i>Haliotis discus</i> , Reeve 1846). Journal of Applied Phycology, 2019, 31, 3235-3243.	1.5	9
24	Dietary inclusion effect of feed ingredients showing high feeding attractiveness to rockfish (<i>Sebastes</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tff 50 body composition of fish (II). Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2019, 231, 66-73.	0.8	18
25	Dietary substitution effect of <i>Ulva australis</i> for <i>Undaria pinnatifida</i> on growth, body composition and air exposure of juvenile abalone, <i>Haliotis discus</i> (Reeve 1846). Journal of Applied Phycology, 2019, 31, 1467-1474.	1.5	18
26	The effect of substituting <i>Undaria pinnatifida</i> in formulated feeds with <i>Sargassum horneri</i> on growth and body composition of juvenile abalone (<i>Haliotis discus</i> , Reeve 1846). Journal of Applied Phycology, 2019, 31, 2125-2132.	1.5	16
27	Effect of Dietary Carbohydrateâ€”Lipid Ratio on Growth and Carcass Composition of Juvenile Abalone, <i>Haliotis discus</i> , Reeve 1846. Journal of the World Aquaculture Society, 2019, 50, 604-613.	1.2	9
28	Substitution effect of white radish (<i>Raphanus sativus</i> L.)â€™ by-product and tunic of sea squirt (<i>Halocynthia roretzi</i> , von Drasche) for <i>Undaria pinnatifida</i> in feed of abalone (<i>Haliotis discus</i> , Reeve) Tj ETQq0 0 0 rgBT /Overlock 10 Tff 50	0.9	7
29	Effects of dietary inclusion of yacon, ginger and blueberry on growth, body composition and challenge test of juvenile rockfish (<i>Sebastes schlegeli</i>) against <i>Edwardsiella tarda</i> . Aquaculture Nutrition, 2018, 24, 1048-1055.	1.1	12
30	Substitution effect of sea tangle (ST) (<i>Laminaria japonica</i>) with tunic of sea squirt (SS) (<i>Halocynthia roretzi</i>) in diet on growth and carcass composition of juvenile abalone (<i>Haliotis discus</i> , Reeve 1846). Aquaculture Nutrition, 2018, 24, 586-593.	1.1	18
31	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2018, 18, .	0.4	0
32	Inclusion effect of soybean meal, fermented soybean meal, and <i>Saccharina japonica</i> in extruded pellet for juvenile abalone (<i>Haliotis discus</i> , Reeve 1846). Fisheries and Aquatic Sciences, 2018, 21, .	0.3	3
33	Dietary Substitution Effect of Fishmeal with Tunic Meal of Sea Squirt, <i>Halocynthia roretzi</i> , Drasche, on Growth and Soft Body Composition of Juvenile Abalone, <i>Haliotis discus</i> , Reeve 1846. Journal of the World Aquaculture Society, 2018, 49, 1095-1104.	1.2	18
34	Effects of Dietary Carbohydrate Sources on Growth and Body Composition of Juvenile Abalone (<i>Haliotis discus</i> , Reeve). Journal of Shellfish Research, 2017, 36, 151-156.	0.3	15
35	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2017, 17, .	0.4	1
36	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2016, 16, .	0.4	9

#	ARTICLE	IF	CITATIONS
37	Effect of dietary substitution of sea tangle (ST), <i>Laminaria japonica</i> with rice bran (RB) on growth and body composition of juvenile abalone (<i>Haliotis discus</i>). Aquaculture Research, 2016, 47, 1202-1208.	0.9	18
38	Effects of dietary substitution of fishmeal with the combined dry microalgae, <i>Nannochloropsis oceanica</i> (NO) biomass residue and casein on growth and body composition of juvenile abalone (<i>Haliotis discus</i>). Aquaculture Research, 2016, 47, 341-348.	0.9	18
39	Effect of the Formulated Diets on Performance and Resistance of Juvenile Abalone [<i>Haliotis discus</i> (Reeve, 1846)] Subjected to Various Stress Conditions. Journal of Shellfish Research, 2016, 35, 481-491.	0.3	23
40	Growth and Body Composition Effects of Tuna Byproduct Meal Substituted for Fish Meal in the Diet of Juvenile Abalone, <i>Haliotis discus</i> . Journal of the World Aquaculture Society, 2016, 47, 74-81.	1.2	26
41	Effects of Dietary Antioxidant Supplementation on the Growth, Serum Chemistry, Body Composition and Challenge Test Results of Juvenile Rockfish <i>Sebastes schlegelii</i> . Han'guk Susan Hakhoe Chi = Bulletin of the Korean Fisheries Society, 2016, 49, 323-329.	0.1	4
42	Optimum dietary protein and lipid levels for juvenile rockfish (<i>Sebastes schlegelii</i> , Hilgendorf) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.9	21
43	The Effects of Substituting Squid Meal and Macroalgae with Soybean Meal in a Commercial Diet on Growth and Body Composition of Juvenile Abalone <i>Haliotis discus hannai</i> . Han'guk Susan Hakhoe Chi = Bulletin of the Korean Fisheries Society, 2015, 48, 329-336.	0.1	2
44	The effect of the dietary substitution of fishmeal with tuna by-product meal on growth, body composition, plasma chemistry and amino acid profiles of juvenile Korean rockfish (<i>Sebastes</i>) Tj ETQq0 0 0 rgBT /Overlock 25 Tf 50 4	1.0	25
45	Substitution effects of fishmeal with tuna byproduct meal in the diet on growth, body composition, plasma chemistry and amino acid profiles of juvenile olive flounder (<i>Paralichthys olivaceus</i>). Aquaculture, 2014, 431, 92-98.	1.7	55
46	Effects of Dietary Nutrient Content, Feeding Period, and Feed Allowance on Juvenile Olive Flounder <i>Paralichthys olivaceus</i> at Different Feeding Period and Ration. Fisheries and Aquatic Sciences, 2014, 17, 441-448.	0.3	2
47	Effects of Food Deprivation and Feeding Ratio on the Growth, Feed Utilization and Body Composition of Juvenile Olive Flounder <i>Paralichthys olivaceus</i> . Fisheries and Aquatic Sciences, 2014, 17, 449-454.	0.3	4
48	Expression of aquaporin-3 and α 8 mRNAs in the parr and smolt stages of sockeye salmon, <i>Oncorhynchus nerka</i> : Effects of cortisol treatment and seawater acclimation. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2013, 165, 228-236.	0.8	24
49	Nitrite Toxicity and Methemoglobin Changes in Southern Flounder, <i>Paralichthys lethostigma</i> , in Brackish Water. Journal of the World Aquaculture Society, 2013, 44, 726-734.	1.2	7
50	Could a Manipulation of Dietary Nutrient Contents Including Phosphorous Affect Compensatory Growth of Juvenile Olive Flounder <i>Paralichthys olivaceus</i> ?. Fisheries and Aquatic Sciences, 2013, 16, 57-61.	0.3	0
51	Hypoosmotic shock adaptation by prolactin involves upregulation of arginine vasotocin and osmotic stress transcription factor 1 mRNA in the cinnamon clownfish <i>Amphiprion melanopus</i> . Animal Cells and Systems, 2012, 16, 391-399.	0.8	3
52	Onion Powder in the Diet of the Olive Flounder, <i>Paralichthys olivaceus</i> : Effects on the Growth, Body Composition, and Lysozyme Activity. Journal of the World Aquaculture Society, 2012, 43, 30-38.	1.2	50
53	Effects of Feed Type and Temperature on Growth of Juvenile Abalone, <i>Haliotis discus hannai</i> Ino. Journal of the World Aquaculture Society, 2012, 43, 114-119.	1.2	22
54	Effect of dietary nutrient composition on compensatory growth of juvenile olive flounder <i>Paralichthys olivaceus</i> using different feeding regimes. Aquaculture Nutrition, 2011, 17, 90-97.	1.1	28

#	ARTICLE	IF	CITATIONS
55	Effects of Putative Growth or Health-Enhancing Dietary Additives on Juvenile Olive Flounder, <i>Paralichthys olivaceus</i> , Performance. Journal of the World Aquaculture Society, 2011, 42, 90-95.	1.2	14
56	Effect of Feeding Regime on Compensatory Growth of Juvenile Abalone, <i>Haliotis discus hannai</i> , Fed on the Dry Sea Tangle, <i>Laminaria japonica</i> . Journal of the World Aquaculture Society, 2011, 42, 122-126.	1.2	6
57	Effect of dietary nutrient composition on the growth of olive flounder (<i>Paralichthys olivaceus</i>) with different feeding regimes. Fish Physiology and Biochemistry, 2010, 36, 377-385.	0.9	8
58	Effect of fishmeal substitution with various animal and/or plant protein sources in the diet of the abalone <i>Haliotis discus hannai</i> Ino. Aquaculture Research, 2010, 41, no-no.	0.9	14
59	Effects of Dietary Protein and Lipid Levels on Growth and Body Composition of Subadult Olive Flounder, <i>Paralichthys olivaceus</i> , at a Suboptimal Water Temperature. Journal of the World Aquaculture Society, 2010, 41, 263-269.	1.2	17
60	Influences of dietary fatty acid profile on growth, body composition and blood chemistry in juvenile fat cod (<i>Hexagrammos otakii</i>) Jordan et Starks). Aquaculture Nutrition, 2009, 15, 19-28.	1.1	28
61	Effect of dietary inclusion of various sources of additives on growth and body composition of juvenile olive flounder <i>Paralichthys olivaceus</i> . Aquaculture Research, 2009, 40, 625-629.	0.9	8
62	Compensatory growth of juvenile abalone <i>Haliotis discus hannai</i> with different feeding regime. Aquaculture Research, 2009, 40, 984-987.	0.9	3
63	Long-term Effects of Passive Integrated Transponder Tagging on the Growth of Olive Flounder, <i>Paralichthys olivaceus</i> . Journal of the World Aquaculture Society, 2009, 40, 134-139.	1.2	6
64	Compensatory growth and body composition of juvenile black rockfish <i>Sebastes schlegelii</i> following feed deprivation. Fisheries Science, 2008, 74, 846-852.	0.7	46
65	Effect of casein substitution with fishmeal, soybean meal and crustacean meal in the diet of the abalone <i>Haliotis discus hannai</i> Ino. Aquaculture Nutrition, 2008, 14, 61-66.	1.1	30
66	Effect of Daily Feeding Ratio on Growth and Body Composition of Subadult Olive Flounder, <i>Paralichthys olivaceus</i> , Fed an Extruded Diet during the Summer Season. Journal of the World Aquaculture Society, 2007, 38, 68-73.	1.2	38
67	Effect of Restricted Feeding Regimes on Compensatory Growth and Body Composition of Red Sea Bream, <i>Pagrus major</i> . Journal of the World Aquaculture Society, 2007, 38, 443-449.	1.2	39
68	Optimum temperature and salinity conditions for growth of green algae <i>Chlorella ellipsoidea</i> and <i>Nannochloris oculata</i> . Fisheries Science, 2007, 73, 1050-1056.	0.7	73
69	Effect of dietary inclusion of various sources of green tea on growth, body composition and blood chemistry of the juvenile olive flounder, <i>Paralichthys olivaceus</i> . Fish Physiology and Biochemistry, 2007, 33, 49-57.	0.9	77
70	Effects of starvation on morphometric characteristics of olive flounder, <i>Paralichthys olivaceus</i> . Ichthyological Research, 2007, 54, 297-302.	0.5	22
71	Effect of feeding ratio on growth and body composition of juvenile olive flounder <i>Paralichthys olivaceus</i> fed extruded pellets during the summer season. Aquaculture, 2006, 251, 78-84.	1.7	88
72	Lidocaine hydrochloride-sodium bicarbonate as an anesthetic for soft-shelled turtle <i>Pelodiscus sinensis</i> . Fisheries Science, 2006, 72, 115-118.	0.7	3

#	ARTICLE	IF	CITATIONS
73	Compensatory Growth of Juvenile Olive Flounder, <i>Paralichthys olivaceus</i> L., and Changes in Proximate Composition and Body Condition Indexes during Fasting and after Refeeding in Summer Season. <i>Journal of the World Aquaculture Society</i> , 2006, 37, 168-174.	1.2	48
74	Optimum Dietary Protein for Growth of Juvenile Starry Flounder, <i>Platichthys stellatus</i> . <i>Journal of the World Aquaculture Society</i> , 2006, 37, 200-203.	1.2	26
75	Compensatory Growth of Juvenile Flounder <i>Paralichthys olivaceus</i> L. and Changes in Biochemical Composition and Body Condition Indices during Starvation and after Refeeding in Winter Season. <i>Journal of the World Aquaculture Society</i> , 2005, 36, 508-514.	1.2	48
76	Effect of dietary protein and lipid levels on growth and body composition of juvenile turbot (<i>Scophthalmus maximus</i> L) reared under optimum salinity and temperature conditions. <i>Aquaculture Nutrition</i> , 2005, 11, 235-240.	1.1	73
77	Effect of Partial Dietary Substitution of Meat Meal for Fish Meal on the Growth and Body Composition of the Juvenile Olive Flounder <i>Paralichthys olivaceus</i> . <i>Journal of Fisheries Science and Technology</i> , 2005, 8, 138-141.	0.2	8
78	Effect of Partial Replacement of Fish Meal with Squid Liver Meal in the Diet on Growth and Body Composition of Juvenile Olive Flounder (<i>Paralichthys olivaceus</i>) during Winter Season. <i>Journal of Fisheries Science and Technology</i> , 2005, 8, 65-69.	0.2	10
79	Dietary protein requirement for young turbot (<i>Scophthalmus maximus</i> L.). <i>Aquaculture Nutrition</i> , 2003, 9, 283-286.	1.1	66
80	Effects of Feeding Rate and Feeding Frequency on Survival, Growth, and Body Composition of Ayu Post-Larvae <i>Plecoglossus altivelis</i> . <i>Journal of the World Aquaculture Society</i> , 2003, 34, 85-91.	1.2	72
81	Variable feed allowance with constant protein input for channel catfish (<i>Ictalurus punctatus</i>) cultured in ponds. <i>Aquaculture</i> , 2002, 204, 101-112.	1.7	5
82	Effects of dietary protein and lipid level on growth and body composition of juvenile ayu (<i>Plecoglossus altivelis</i>) reared in seawater. <i>Aquaculture Nutrition</i> , 2002, 8, 53-58.	1.1	24
83	Effects of Dietary Energy Level and Number of Meals on Growth and Body Composition of Nile Tilapia <i>Oreochromis niloticus</i> (L.) During Summer and Winter Seasons. <i>Journal of the World Aquaculture Society</i> , 2002, 33, 48-56.	1.2	10
84	Effects of feeding frequency and dietary moisture content on growth, body composition and gastric evacuation of juvenile Korean rockfish (<i>Sebastes schlegeli</i>). <i>Aquaculture</i> , 2000, 187, 399-409.	1.7	143
85	Effects of Dietary Protein and Energy Levels on Growth and Body Composition of Juvenile Flounder <i>Paralichthys olivaceus</i> . <i>Journal of the World Aquaculture Society</i> , 2000, 31, 306-315.	1.2	133