

Kim Han-Do

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5733645/kim-han-do-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

1,574

citations

25

h-index

37

g-index

63

ext. papers

1,714

ext. citations

2.6

avg, IF

4.65

L-index

#	Paper	IF	Citations
63	Preparation and properties of acid-treated multiwalled carbon nanotube/waterborne polyurethane nanocomposites. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 595-604	2.9	118
62	Synthesis and characterization of waterborne polyurethane adhesives containing different amount of ionic groups (I). <i>Journal of Applied Polymer Science</i> , 2006 , 102, 5684-5691	2.9	98
61	Synthesis and properties of waterborne polyurethane hydrogels for wound healing dressings. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 85, 326-33	3.5	73
60	Preparation and properties of segmented thermoplastic polyurethane elastomers with two different soft segments. <i>Journal of Applied Polymer Science</i> , 1999 , 73, 345-352	2.9	61
59	Properties of Waterborne Polyurethane Adhesives: Effect of Chain Extender and Polyol Content. <i>Journal of Adhesion Science and Technology</i> , 2009 , 23, 177-193	2	56
58	Characterization of waterborne polyurethane adhesives containing different soft segments. <i>Journal of Adhesion Science and Technology</i> , 2007 , 21, 81-96	2	55
57	Colorimetric Assay and Antibacterial Activity of Cotton, Silk, and Wool Fabrics Dyed with Peony, Pomegranate, Clove, Coptis chinensis and Gallnut Extracts. <i>Materials</i> , 2009 , 2, 10-21	3.5	52
56	Dyeing, fastness, and deodorizing properties of cotton, silk, and wool fabrics dyed with gardenia, coffee sludge, Cassia tora. L., and pomegranate extracts. <i>Fibers and Polymers</i> , 2008 , 9, 334-340	2	50
55	Preparation and properties of waterborne polyurethane-urea anionomers. I. The influence of the degree of neutralization and counterion. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 2375-2383	2.9	49
54	Characteristics of waterborne polyurethane/poly(N-vinylpyrrolidone) composite films for wound-healing dressings. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 331-338	2.9	46
53	Dyeing properties and colour fastness of cotton and silk fabrics dyed with Cassia tora L. extract. <i>Fibers and Polymers</i> , 2004 , 5, 303-308	2	41
52	Preparation and properties of waterborne-polyurethane coating materials containing conductive polyaniline. <i>Macromolecular Research</i> , 2004 , 12, 303-310	1.9	39
51	Preparation and properties of polydimethylsiloxane (PDMS)/polytetramethyleneadipate glycol (PTAd)-based waterborne polyurethane adhesives: Effect of PDMS molecular weight and content. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 88-96	2.9	36
50	Dyeing and deodorizing properties of cotton, silk, wool fabrics dyed with Amur Corktree, Dryopteris crassirhizoma, Chrysanthemum boreale, Artemisia extracts. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 2246-2253	2.9	36
49	Preparation and properties of waterborne polyurethane-urea/sodium alginate blends for high water vapor permeable coating materials. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 1168-1176	2.9	33
48	Preparation and properties of waterborne polyurethane-urea anionomers. Influences of the type of neutralizing agent and chain extender. <i>Colloid and Polymer Science</i> , 2003 , 281, 957-963	2.4	33
47	Preparation and properties of waterborne polyurethanes for water-vapor-permeable coating materials. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 123-129	2.9	32

46	Surface modification of low-density polyethylene (LDPE) film and improvement of adhesion between evaporated copper metal film and LDPE. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 1677-1690	2.9	32
45	Synthesis and properties of waterborne poly(urethane urea)s containing polydimethylsiloxane. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 212-219	2.9	30
44	Deodorizing function and antibacterial activity of fabrics dyed with gallnut (<i>Galla Chinensis</i>) extract. <i>Textile Reseach Journal</i> , 2015 , 85, 1045-1054	1.7	29
43	Synthesis and properties of highly hydrophilic waterborne polyurethane-ureas containing various hardener content for waterproof breathable Fabrics. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 1745-1751	2.9	29
42	Preparation and characterization of waterborne polyurethane/clay nanocomposite: Effect on water vapor permeability. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 3697-3705	2.9	28
41	Preparation and application of polyurethane-urea microcapsules containing phase change materials. <i>Fibers and Polymers</i> , 2006 , 7, 12-19	2	28
40	Preparation and properties of waterborne polyurethane-urea/poly(vinyl alcohol) blends for high water vapor permeable coating materials. <i>Macromolecular Research</i> , 2007 , 15, 22-30	1.9	26
39	Preparation and properties of UV-curable fluorinated polyurethane acrylates. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	25
38	Graft copolymerization of γ -Caprolactam onto Kevlar-49 fiber surface and properties of grafted Kevlar fiber reinforced composite. <i>Journal of Applied Polymer Science</i> , 1997 , 65, 99-107	2.9	25
37	Effect of hot pressing/melt mixing on the properties of thermoplastic polyurethane. <i>Macromolecular Research</i> , 2009 , 17, 616-622	1.9	22
36	Synthesis and properties of liquid crystalline polyurethane elastomers. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 577-585	2.9	21
35	Deodorizing and antibacterial performance of cotton, silk and wool fabrics dyed with <i>Punica granatum</i> L. extracts. <i>Fibers and Polymers</i> , 2013 , 14, 1445-1453	2	20
34	Synthesis and properties of polyurethane-urea-based liquid bandage materials. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 3516-3524	2.9	20
33	Effect of polyisocyanate hardener on adhesive force of waterborne polyurethane adhesives. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 3663-3669	2.9	20
32	Effect of polyisocyanate hardener on waterborne polyurethane adhesive containing different amounts of ionic groups. <i>Macromolecular Research</i> , 2006 , 14, 634-639	1.9	20
31	Characterization of waterborne polyurethane/clay nanocomposite adhesives containing different amounts of ionic groups. <i>Journal of Adhesion Science and Technology</i> , 2007 , 21, 1575-1588	2	19
30	Synthesis and Characterization of Waterborne Polyurethane/Clay Nanocomposite [Effect on Adhesive Strength. <i>Macromolecular Symposia</i> , 2007 , 249-250, 251-258	0.8	18
29	Properties of crosslinked waterborne polyurethane adhesives with modified melamine: Effect of curing time, temperature, and HMMM content. <i>Fibers and Polymers</i> , 2009 , 10, 6-13	2	17

28	Preparation and properties of waterborne poly(urethane-urea) ionomers effect of the type of neutralizing agent. <i>Fibers and Polymers</i> , 2002 , 3, 97-102	2	17
27	Effect of blend ratio of PP/kapok blend nonwoven fabrics on oil sorption capacity. <i>Environmental Technology (United Kingdom)</i> , 2013 , 34, 3169-75	2.6	16
26	Preparation and properties of waterborne polyurethane/polyaniline codoped with dodecyl benzene sulfonic acid and hydrochloric acid blends. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 700-710	2.9	15
25	Comparision of the properties of UV-cured polyurethane acrylates containing different diisocyanates and low molecular weight diols. <i>Fibers and Polymers</i> , 2001 , 2, 122-128	2	15
24	Polyimide-polyurethane/urea block copolymers for highly sensitive humidity sensor with low hysteresis. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	14
23	Characteristics of crosslinked blends of Pellethene and multiblock polyurethanes containing phospholipid. <i>Biomaterials</i> , 2005 , 26, 2877-86	15.6	12
22	Effect of chemical structure on the properties of UV-cured polyurethane acrylates films. <i>Fibers and Polymers</i> , 2001 , 2, 141-147	2	12
21	Preparation and properties of emulsifier-/solvent-free slightly crosslinked waterborne polyurethane-acrylic hybrid emulsions for footwear adhesives (III)Effect of trimethylol propane (TMP)/ethylene diamine (EDA) content. <i>Journal of Adhesion Science and Technology</i> , 2017 , 31, 1872-1887	2	11
20	Preparation and properties of chemical cellulose from ascidian tunic and their regenerated cellulose fibers. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 1634-1643	2.9	11
19	Colorimetric assay and deodorizing/antibacterial performance of natural fabrics dyed with immature pine cone extract. <i>Textile Reseach Journal</i> , 2018 , 88, 731-743	1.7	10
18	Preparation and properties of UV-curable fluorinated polyurethane acrylates containing crosslinkable vinyl methacrylate for antifouling coatings. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	10
17	Synthesis of thermotropic polyurethanes containing imide units and their mesophase behavior. <i>Fibers and Polymers</i> , 2000 , 1, 12-17	2	10
16	Properties of crosslinked blends of pellethene and multiblock polyurethane containing poly(ethylene oxide) for biomaterials. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 2348-2357	2.9	9
15	Preparation and Properties of Thermoresponsive P(N-Isopropylacrylamide-co-butylacrylate) Hydrogel Materials for Smart Windows. <i>International Journal of Polymer Science</i> , 2019 , 2019, 1-7	2.4	9
14	Poly(urethane acrylate)-based gel polymer films for mechanically stable, transparent, and highly conductive polymer electrolyte applications. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	8
13	Properties of Waterborne Polyurethane/Clay Nanocomposite Adhesives. <i>Journal of Adhesion Science and Technology</i> , 2009 , 23, 739-751	2	8
12	Dyeing properties and deodorizing/antibacterial performance of cotton/silk/wool fabrics dyed with myrrh (<i>Commiphora myrrha</i>) extract. <i>Textile Reseach Journal</i> , 2017 , 87, 973-983	1.7	6
11	Preparation and properties of emulsifier/N-methylpyrrolidone-free crosslinkable waterborne polyurethaneacrylate emulsions for footwear adhesives. I. Effect of the acrylic monomer content. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	6

10	Preparation and properties of emulsifier-/solvent-free polyurethane-acrylic hybrid emulsions for binder materials: Effect of the glycidyl methacrylate/acrylonitrile content. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	6
9	Preparation and Properties of DMF-Based Polyurethanes for Wet-Type Polyurethane Artificial Leather. <i>International Journal of Polymer Science</i> , 2018 , 2018, 1-9	2.4	6
8	Preparation and properties of emulsifier-/NMP-free crosslinkable waterborne polyurethane-acrylic hybrid emulsions for footwear adhesives (II) Effect of dimethylol propionic acid (DMPA)/pentaerythritol triacrylate (PETA) content. <i>E-Polymers</i> , 2016 , 16, 189-197	2.7	5
7	Surface graft polymerization of conducting polyaniline on waterborne polyurethane-urea film and its phenol sensing. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 1643-1652	2.9	5
6	Effect of acrylic monomer content on the properties of waterborne poly(urethane-urea)/acrylic hybrid materials. <i>Journal of Applied Polymer Science</i> , 2011 , 124, n/a-n/a	2.9	4
5	Properties of Blood Compatible Crosslinked Blends of Pellethene /Multiblock polyurethanes containing phospholipid moiety/C-18 alkyl chain. <i>Macromolecular Research</i> , 2008 , 16, 596-603	1.9	4
4	Preparation and characterization of thermoresponsive poly(N-isopropylacrylamide-co-N-isopropylmethacrylamide) hydrogel materials for smart windows. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49788	2.9	3
3	Preparation and Properties of UV-Curable Polyurethane-acrylate Coatings Based on Polyhedral Oligomeric Silsesquioxanes (POSS). <i>Molecular Crystals and Liquid Crystals</i> , 2019 , 688, 122-129	0.5	2
2	Preparation and properties of flame-retardant epoxy resins containing reactive phosphorus flame retardant. <i>Journal of Engineered Fibers and Fabrics</i> , 2020 , 15, 155892502090132	0.9	2
1	Preparation and properties of high-performance recyclable ethylene propylene diene rubber. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	1