

Pedro Puech-Leao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5733793/publications.pdf>

Version: 2024-02-01

162
papers

5,808
citations

136740

32
h-index

82410

72
g-index

165
all docs

165
docs citations

165
times ranked

4673
citing authors

#	ARTICLE	IF	CITATIONS
1	Cohort study on 20 yearsâ€™ experience of bilateral video-assisted thoracic sympathectomy (VATS) for treatment of hyperhidrosis in 2431 patients. Sao Paulo Medical Journal, 2022, 140, 284-289.	0.4	5
2	The use of a low-fidelity simulator to improve vascular anastomosis skills of residents during the COVID-19 pandemic. Annals of Vascular Surgery, 2022, , .	0.4	0
3	In peripheral artery disease, diabetes is associated with reduced physical activity level and physical function and impaired cardiac autonomic control: A cross-sectional study. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101365.	1.1	14
4	Functional and Cardiovascular Parameters in Peripheral Artery Disease Patients with Interarm Blood Pressure Difference. Annals of Vascular Surgery, 2021, 70, 355-361.	0.4	2
5	Expanding the Use of Six-Minute Walking Test in Patients with Intermittent Claudication. Annals of Vascular Surgery, 2021, 70, 258-262.	0.4	13
6	A randomized clinical trial of the effects of saphenous and perforating veins radiofrequency ablation on venous ulcer healing (VUERT trial). Phlebology, 2021, 36, 194-202.	0.6	8
7	Symptoms of anxiety and depression in patients with primary hyperhidrosis and its association with the result of clinical treatment with oxybutynin. Clinics, 2021, 76, e2892.	0.6	3
8	Trends in abdominal aortic aneurysm-related mortality in Brazil, 2000-2016: a multiple-cause-of-death study. Clinics, 2021, 76, e2388.	0.6	6
9	Removal of Intravascular Foreign Bodies With a Simple Low-Cost Method: A Report of 5 Cases. Journal of Endovascular Therapy, 2021, 28, 474-480.	0.8	1
10	Normal Costoclavicular Distance as a Standard in the Radiological Evaluation of Thoracic Outlet Syndrome in the Costoclavicular Space. Annals of Vascular Surgery, 2021, 72, 138-146.	0.4	5
11	Natural History of Splanchnic Artery Aneurysms. Annals of Vascular Surgery, 2021, 73, 290-295.	0.4	7
12	Are Vascular Parameters Associated with Walking Impairment in Patients with Claudication?. Annals of Vascular Surgery, 2021, , .	0.4	0
13	Evaluation of compensatory hyperhidrosis after sympathectomy: The use of an objective method. Annals of Vascular Surgery, 2021, , .	0.4	5
14	Effect of frailty on physical activity levels and walking capacity in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2021, 39, 84-88.	0.2	6
15	Symptoms of anxiety and depression and their relationship with barriers to physical activity in patients with intermittent claudication. Clinics, 2021, 76, e1802.	0.6	8
16	Catheter-directed foam sclerotherapy with tumescence of the great saphenous vein versus ultrasound-guided foam sclerotherapy: A randomized controlled trial. Phlebology, 2020, 35, 84-91.	0.6	14
17	Long-term Results of Endovascular Treatment of Chronic Type B Aortic Dissection by Closure of the Primary Tear. Annals of Vascular Surgery, 2020, 66, 179-182.	0.4	5
18	Combined Angioplasty Technique of the Carotid Territory and Supra-Aortic Trunk by Double Access (Cervical and Limbs) for Tandem Lesions. Annals of Vascular Surgery, 2020, 68, 570.e9-570.e15.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Are cardiovascular function and habitual physical activity levels similar in patients with classic and atypical claudication symptoms? A cross-sectional study. <i>Vascular</i> , 2020, 28, 360-367.	0.4	5
20	Prevalence of left renal vein compression (nutcracker phenomenon) signs on computed tomography angiography of healthy individuals. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2020, 8, 1058-1065.	0.9	19
21	Endovascular Therapy Provides Similar Results of Bypass Graft Surgery in the Treatment of Infrainguinal Multilevel Arterial Disease in Patients with Chronic Limb-Threatening Ischemia in All GLASS Stages. <i>Annals of Vascular Surgery</i> , 2020, 68, 400-408.	0.4	7
22	Impact of obesity on walking capacity and cardiovascular parameters in patients with peripheral artery disease: A cross-sectional study. <i>Journal of Vascular Nursing</i> , 2020, 38, 66-71.	0.2	8
23	Long-term results of the treatment of primary hyperhidrosis with oxybutynin: follow-up of 1,658 cases. <i>International Journal of Dermatology</i> , 2020, 59, 709-715.	0.5	19
24	Effects of Isometric Handgrip Training in Patients With Peripheral Artery Disease: A Randomized Controlled Trial. <i>Journal of the American Heart Association</i> , 2020, 9, e013596.	1.6	16
25	COVID-19, Vascular Diseases, and Vascular Services. <i>Clinics</i> , 2020, 75, e1979.	0.6	2
26	Number of Preoperative Hyperhidrosis Sites Does Not Affect the Sympathectomy Postoperative Results and Compensatory Hyperhidrosis Occurrence. <i>Thoracic and Cardiovascular Surgeon</i> , 2019, 67, 407-414.	0.4	9
27	Analysis of the Correlation Between Central Obesity and Abdominal Aortic Diseases. <i>Annals of Vascular Surgery</i> , 2019, 54, 176-184.	0.4	11
28	Influence of smoking on physical function, physical activity, and cardiovascular health parameters in patients with symptomatic peripheral arterial disease: A cross-sectional study. <i>Journal of Vascular Nursing</i> , 2019, 37, 106-112.	0.2	6
29	The Need for a Vena Cava Filter in Oncological Patients with Acute Venous Thrombosis: A Marker of a Worse Prognosis. <i>Annals of Vascular Surgery</i> , 2019, 60, 35-44.	0.4	8
30	Barriers and Levels of Physical Activity in Patients With Symptomatic Peripheral Artery Disease: Comparison Between Women and Men. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 719-724.	0.5	14
31	Physical Activity Levels in Peripheral Artery Disease Patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 410-416.	0.3	22
32	Relationship between gait speed and physical function in patients with symptomatic peripheral artery disease. <i>Clinics</i> , 2019, 74, e1254.	0.6	15
33	Paraplegia of Lower Limbs Caused by a Segmental Thrombosis of the Descending Thoracic Aorta Reversed with Endovascular Treatment—A Case Report and Literature Review. <i>Annals of Vascular Surgery</i> , 2018, 50, 300.e5-300.e10.	0.4	1
34	Medical Therapy for Asymptomatic Patients and Stent Placement for Symptomatic Patients Presenting with Carotid Artery Near-Occlusion with Full Collapse. <i>Journal of Vascular and Interventional Radiology</i> , 2018, 29, 998-1005.	0.2	9
35	Characterization and Natural History of Patients with Internal Carotid Occlusion: A Comparative Study. <i>Annals of Vascular Surgery</i> , 2018, 53, 44-52.	0.4	4
36	Type II Endoleaks, Left-Arm Complications, and Need of Revascularization after Left Subclavian Artery Coverage for Thoracic Aortic Aneurysms Endovascular Repair: A Systematic Review. <i>Annals of Vascular Surgery</i> , 2017, 41, 294-299.	0.4	11

#	ARTICLE	IF	CITATIONS
37	Videothoroscopic Sympathectomy Results after Oxybutynin Chloride Treatment Failure. <i>Annals of Vascular Surgery</i> , 2017, 43, 283-287.	0.4	11
38	Graduated Compression Stockings Does Not Decrease Walking Capacity and Muscle Oxygen Saturation during 6-Minute Walk Test in Intermittent Claudication Patients. <i>Annals of Vascular Surgery</i> , 2017, 40, 239-242.	0.4	9
39	Carotid Plaque Morphology in Asymptomatic Patients with and without Metabolic Syndrome. <i>Annals of Vascular Surgery</i> , 2017, 39, 173-181.	0.4	5
40	Evaluation of patients who underwent resympathectomy for treatment of primary hyperhidrosis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017, 25, 716-719.	0.5	4
41	Epidemiologic analysis of prevalence of the hyperhidrosis. <i>Anais Brasileiros De Dermatologia</i> , 2017, 92, 630-634.	0.5	30
42	Translation and validation of Hyperhidrosis Disease Severity Scale. <i>Revista Da Associação Médica Brasileira</i> , 2016, 62, 843-847.	0.3	20
43	CTHRSSVVC Peptide as a Possible Early Molecular Imaging Target for Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1383.	1.8	6
44	First-case tardiness reduction in a tertiary academic medical center operating room: A lean six sigma perspective. <i>Perioperative Care and Operating Room Management</i> , 2016, 5, 7-12.	0.2	5
45	Common Carotid Artery Occlusion: A Single-Center Experience in 40 Cases. <i>International Journal of Angiology</i> , 2016, 25, 039-043.	0.2	20
46	Analysis of risk factors and diseases associated with atherosclerosis in the progression of carotid artery stenosis. <i>Vascular</i> , 2016, 24, 59-63.	0.4	10
47	Biomechanical Properties and Microstructural Analysis of the Human Nonaneurysmal Aorta as a Function of Age, Gender and Location: An Autopsy Study. <i>Journal of Vascular Research</i> , 2015, 52, 257-264.	0.6	22
48	Can contrast-enhanced ultrasound with second-generation contrast agents replace computed tomography angiography for distinguishing between occlusion and pseudo-occlusion of the internal carotid artery?. <i>Clinics</i> , 2015, 70, 1-6.	0.6	20
49	Generic versus branded enoxaparin in prophylaxis and treatment of vein thrombosis. <i>Revista Da Associação Médica Brasileira</i> , 2015, 61, 44-50.	0.3	9
50	A Prospective Randomized Study Comparing Polidocanol Foam Sclerotherapy with Surgical Treatment of Patients with Primary Chronic Venous Insufficiency and Ulcer. <i>Annals of Vascular Surgery</i> , 2015, 29, 1128-1135.	0.4	39
51	The similarities and differences among patients with abdominal aortic aneurysms referred to a tertiary hospital and found at necropsy. <i>Vascular</i> , 2015, 23, 411-418.	0.4	8
52	Long-term Efficacy of Oxybutynin for Palmar and Plantar Hyperhidrosis in Children Younger than 14 Years. <i>Pediatric Dermatology</i> , 2015, 32, 663-667.	0.5	38
53	Long-term results of the use of oxybutynin for the treatment of plantar hyperhidrosis. <i>International Journal of Dermatology</i> , 2015, 54, 605-611.	0.5	16
54	Absence of the infrarenal inferior vena cava. <i>Journal of Vascular Surgery</i> , 2015, 62, 1641.	0.6	2

#	ARTICLE	IF	CITATIONS
55	Developing a new endograft for the treatment of juxtarenal aortic aneurysms: definition and experimentation. <i>Clinics</i> , 2015, 70, 435-440.	0.6	0
56	Analysis of oxybutynin treatment for hyperhidrosis in patients aged over 40 years. <i>Einstein (Sao Paulo)</i> , 2014, 10, 100-105.	0.3	15
57	Long-term results of oxybutynin use in treating facial hyperhidrosis. <i>Anais Brasileiros De Dermatologia</i> , 2014, 89, 912-916.	0.5	29
58	Long-term results of oxybutynin treatment for palmar hyperhidrosis. <i>Clinical Autonomic Research</i> , 2014, 24, 297-303.	1.4	35
59	Efficacy and Quality of Life Outcomes of Oxybutynin for Treating Palmar Hyperhidrosis in Children Younger than 14 Years Old. <i>Pediatric Dermatology</i> , 2014, 31, 48-53.	0.5	54
60	Obesity Is a Risk Factor for Significant Carotid Atherosclerosis in Patients Aged 39 to 55 Years. <i>Angiology</i> , 2014, 65, 602-606.	0.8	11
61	Effects of Clustered Comorbid Conditions on Walking Capacity in Patients with Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2014, 28, 279-283.	0.4	20
62	Quality of Life before Hyperhidrosis Treatment as a Predictive Factor for Oxybutynin Treatment Outcomes in Palmar and Axillary Hyperhidrosis. <i>Annals of Vascular Surgery</i> , 2014, 28, 970-976.	0.4	15
63	Clinical Efficacy of Successful Angioplasty in Critical Ischemia—A Cohort Study. <i>Annals of Vascular Surgery</i> , 2014, 28, 1143-1148.	0.4	3
64	Compensatory Hyperhidrosis: Results of Pharmacologic Treatment With Oxybutynin. <i>Annals of Thoracic Surgery</i> , 2014, 98, 1797-1802.	0.7	26
65	Histologic, histochemical, and biomechanical properties of fragments isolated from the anterior wall of abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2014, 59, 1393-1401.e2.	0.6	48
66	Long-term Results of the Use of Oxybutynin for the Treatment of Axillary Hyperhidrosis. <i>Annals of Vascular Surgery</i> , 2014, 28, 1106-1112.	0.4	40
67	Treatment of uncommon sites of focal primary hyperhidrosis: experience with pharmacological therapy using oxybutynin. <i>Clinics</i> , 2014, 69, 608-614.	0.6	22
68	Open and endovascular repair of juxtarenal abdominal aortic aneurysms: a systematic review. <i>Clinics</i> , 2014, 69, 641-646.	0.6	11
69	Use of oxybutynin for treating plantar hyperhidrosis. <i>International Journal of Dermatology</i> , 2013, 52, 620-623.	0.5	40
70	Effectiveness of oxybutynin for treatment of hyperhidrosis in overweight and obese patients. <i>Revista Da Associação Médica Brasileira</i> , 2013, 59, 143-147.	0.3	32
71	Effectiveness of oxybutynin for treatment of hyperhidrosis in overweight and obese patients. <i>Revista Da Associação Médica Brasileira (English Edition)</i> , 2013, 59, 143-147.	0.1	0
72	Objective evaluation of plantar hyperhidrosis after sympathectomy. <i>Clinics</i> , 2013, 68, 311-315.	0.6	11

#	ARTICLE	IF	CITATIONS
73	Coil embolization of an excluded internal iliac artery aneurysm with rapid expansion via gluteal artery approach. <i>Vascular</i> , 2013, 21, 391-395.	0.4	5
74	Compara��o entre os m�todos subjetivo e objetivo para avalia�o da capacidade funcional durante tratamento cl�nico em pacientes com claudica�o intermitente. <i>Einstein (Sao Paulo, Brazil)</i> , 2013, 11, 495-499.	0.3	5
75	Remote ischemic preconditioning in patients with intermittent claudication. <i>Clinics</i> , 2013, 68, 495-499.	0.6	13
76	Phage Display Identification of CD100 in Human Atherosclerotic Plaque Macrophages and Foam Cells. <i>PLoS ONE</i> , 2013, 8, e75772.	1.1	18
77	Totally Implantable Venous Catheters: Insertion via Internal Jugular Vein with Pocket Implantation in the Arm is an Alternative for Diseased Thoracic Walls. <i>Journal of Vascular Access</i> , 2012, 13, 71-74.	0.5	10
78	Long-term Comparison of Video-Assisted Thoracic Sympathectomy and Clinical Observation for the Treatment of Palmar Hyperhidrosis in Children Younger Than 14. <i>Pediatric Dermatology</i> , 2012, 29, 575-579.	0.5	20
79	Review of the surgical technique for the treatment of hyperhidrosis. <i>Expert Review of Dermatology</i> , 2012, 7, 529-538.	0.3	0
80	Isokinetic Strength and Endurance in Proximal and Distal Muscles in Patients With Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2012, 26, 1114-1119.	0.4	30
81	Comparison of Laser Versus Sclerotherapy in the Treatment of Lower Extremity Telangiectases: A Prospective Study. <i>Dermatologic Surgery</i> , 2012, 38, 635-639.	0.4	40
82	Endovascular repair of a traumatic arteriovenous fistula involving the iliac bifurcation using an iliac branch device. <i>Journal of Vascular Surgery</i> , 2012, 55, 1474-1476.	0.6	9
83	A randomized placebo-controlled trial of oxybutynin for the initial treatment of palmar and axillary hyperhidrosis. <i>Journal of Vascular Surgery</i> , 2012, 55, 1696-1700.	0.6	102
84	Trends in aortic aneurysm- and dissection-related mortality in the state of S�o Paulo, Brazil, 1985�2009: multiple-cause-of-death analysis. <i>BMC Public Health</i> , 2012, 12, 859.	1.2	15
85	Oxybutynin treatment for hyperhidrosis: a comparative analysis between genders. <i>Einstein (Sao Paulo,)</i> Tj ETQq1 1 0.784314,rgBT /Ov	0.3	39
86	Bradycardia sinusal persistente por nove dias ap�s angioplastia carot�dea com stent. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 99, e134-e136.	0.3	2
87	Utilisation de l'oxybutynine dans le traitement de l'hyperhidrose axillaire. <i>Annales De Chirurgie Vasculaire</i> , 2011, 25, 1126-1132.	0.0	0
88	The Use of Oxybutynin for Treating Axillary Hyperhidrosis. <i>Annals of Vascular Surgery</i> , 2011, 25, 1057-1062.	0.4	45
89	Impact of Endovascular Technique in Vascular Surgery Training at a Large University Hospital in Brazil. <i>Journal of Surgical Education</i> , 2011, 68, 19-23.	1.2	17
90	The use of oxybutynin for treating facial hyperhidrosis. <i>Anais Brasileiros De Dermatologia</i> , 2011, 86, 451-456.	0.5	44

#	ARTICLE	IF	CITATIONS
91	Endovascular and open repair for blunt aortic injury, treated in one clinical institution in Brazil. A case series. <i>Clinics</i> , 2011, 66, 267-274.	0.6	10
92	An alternative to treat palmar hyperhidrosis: use of oxybutynin. <i>Clinical Autonomic Research</i> , 2011, 21, 389-393.	1.4	50
93	Is age group a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis?. <i>Jornal Vascular Brasileiro</i> , 2011, 10, 284-288.	0.1	1
94	Abdominal aortic pseudoaneurysm diagnosed 42 years after abdominal gunshot wound. <i>Clinics</i> , 2011, 66, 1113-1114.	0.6	12
95	Endovascular treatment for iliac artery pseudoaneurysm with arteriovenous fistula after abdominal aortic aneurysm open repair. <i>Clinics</i> , 2011, 66, 1499-1500.	0.6	4
96	Respostas cardiovasculares durante avaliação muscular isocinética em claudicantes. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 95, 571-576.	0.3	9
97	Oxidized low-density lipoprotein and ankle-brachial pressure index in patients with clinically evident peripheral arterial disease. <i>Clinics</i> , 2010, 65, 383-387.	0.6	10
98	Is gender a predictive factor for satisfaction among patients undergoing sympathectomy to treat palmar hyperhidrosis?. <i>Clinics</i> , 2010, 65, 583-6.	0.6	42
99	Endovascular Treatment for Chronic Arteriovenous Fistula Between Renal Artery and Inferior Vena Cava: Image in Vascular Surgery. <i>Vascular and Endovascular Surgery</i> , 2010, 44, 489-490.	0.3	10
100	Test-retest reliability of isokinetic strength and endurance tests in patients with intermittent claudication. <i>Vascular Medicine</i> , 2010, 15, 275-278.	0.8	15
101	Prevalence of Metabolic Syndrome in Patients With Intermittent Claudication and its Correlation With the Segment of Arterial Obstruction. <i>Angiology</i> , 2010, 61, 784-788.	0.8	13
102	Comparison of pain severity following video-assisted thoracoscopic sympathectomy: electric versus harmonic scalpels. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010, 10, 919-922.	0.5	15
103	Angioplasty and Stent Placement in Symptomatic Internal Carotid Occlusion. <i>Journal of Vascular and Interventional Radiology</i> , 2010, 21, 465-469.	0.2	7
104	Strength training increases walking tolerance in intermittent claudication patients: Randomized trial. <i>Journal of Vascular Surgery</i> , 2010, 51, 89-95.	0.6	85
105	Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis. <i>Journal of Vascular Surgery</i> , 2010, 51, 1190-1194.	0.6	36
106	Treadmill test is limited in elderly patients with peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2010, 39, 237-241.	0.6	10
107	Endovascular infrarenal aortic aneurysm repair combined with laparoscopic cholecystectomy. <i>Clinics</i> , 2010, 65, 743-744.	0.6	7
108	Eccentric Strength and Endurance in Patients with Unilateral Intermittent Claudication. <i>Clinics</i> , 2009, 64, 319-322.	0.6	15

#	ARTICLE	IF	CITATIONS
109	Classificaç�o angiogr�fica na revascularizaç�o do membro inferior isqu�mico: pode a angiografia definir a resist�ncia do leito receptor do enxerto?. <i>Jornal Vascular Brasileiro</i> , 2009, 8, 207-213.	0.1	2
110	Dabigatran versus Warfarin in the Treatment of Acute Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2009, 361, 2342-2352.	13.9	2,330
111	Twenty Months of Evolution Following Sympathectomy on Patients with Palmar Hyperhidrosis: Sympathectomy at the T3 Level is Better than at the T2 Level. <i>Clinics</i> , 2009, 64, 743-749.	0.6	69
112	Chronic Thrombosed Abdominal Aortic Aneurysms: A Report on Three Consecutive Cases and Literature Review. <i>Clinics</i> , 2009, 64, 1227-1230.	0.6	13
113	Classic Citations: Direct Arterial Anastomosis on Corpora Cavernosal Penis in the Therapy of Erectile Impotence. V. Michal, R. Kramar, J. Pospichal, and L. Hejhal. <i>Journal of Sexual Medicine</i> , 2008, 5, 1062-1065.	0.3	8
114	Incidence of ipsilateral postoperative deep venous thrombosis in the amputated lower extremity of patients with peripheral obstructive arterial disease. <i>Journal of Vascular Surgery</i> , 2008, 48, 1514-1519.	0.6	17
115	Is Sympathectomy at T4 Level Better Than at T3 Level for Treating Palmar Hyperhidrosis?. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2008, 18, 102-106.	0.5	49
116	Sustained Benefit Lasting One Year from T4 Instead of T3-T4 Sympathectomy for Isolated Axillary Hyperhidrosis. <i>Clinics</i> , 2008, 63, 771-774.	0.6	44
117	Aneurysm Pulsatility After Endovascular Exclusion - An Experimental Study Using Human Aortic Aneurysms. <i>Clinics</i> , 2008, 63, 67-70.	0.6	4
118	A randomized trial of T3-T4 versus T4 sympathectomy for isolated axillary hyperhidrosis. <i>Journal of Vascular Surgery</i> , 2007, 45, 130-133.	0.6	68
119	Late results of catheter-directed recombinant tissue plasminogen activator fibrinolytic therapy of iliofemoral deep venous thrombosis. <i>Clinics</i> , 2007, 62, 31-40.	0.6	8
120	Evaluation of plantar hyperhidrosis in patients undergoing video-assisted thoracoscopic sympathectomy. <i>Clinical Autonomic Research</i> , 2007, 17, 172-176.	1.4	45
121	Endovascular repair of ruptured aortic aneurysms: do not let the patient die while you are planning. <i>Jornal Vascular Brasileiro</i> , 2007, 6, 201-203.	0.1	1
122	Mean-risk optimization for index tracking. <i>Statistics and Risk Modeling</i> , 2006, 24, 189-207.	0.7	0
123	Relationship between soluble thrombomodulin in patients with intermittent claudication and critical ischemia. <i>Thrombosis Research</i> , 2006, 117, 271-277.	0.8	7
124	Objective evaluation of upper limb claudication: use of isokinetic dynamometry. <i>Clinics</i> , 2006, 61, 189-96.	0.6	4
125	Performance of patients with intermittent claudication undergoing physical training, with or without an aggravation of arterial disease: retrospective cohort study. <i>Clinics</i> , 2006, 61, 535-8.	0.6	8
126	Arterial reconstructions associated with the resection of malignant tumors. <i>Clinics</i> , 2006, 61, 339-44.	0.6	9

#	ARTICLE	IF	CITATIONS
127	Color-Flow Duplex Hemodynamic Assessment of Runoff in Ischemic Lower Limb Revascularization. <i>Vascular</i> , 2006, 14, 149-155.	0.4	6
128	Follow-up of the aneurysmal sac after exclusion and bypass of popliteal artery aneurysms. <i>Clinics</i> , 2006, 61, 107-112.	0.6	9
129	Comparison of ultrasonography, computed tomography and magnetic resonance imaging with intraoperative measurements in the evaluation of abdominal aortic aneurysms. <i>Clinics</i> , 2005, 60, 21-28.	0.6	12
130	Palmar hyperhidrosis – which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion?. <i>Journal of Vascular Surgery</i> , 2005, 42, 281-285.	0.6	101
131	Endovascular treatment for intermittent claudication in patients who do not improve with clinical treatment. <i>Clinics</i> , 2005, 60, 193-200.	0.6	11
132	External aggression to the limb as a predictive factor in the evolution of patients undergoing arterial revascularization. <i>Clinics</i> , 2005, 60, 451-4.	0.6	2
133	Natural history of stenosis in the iliac arteries in patients with intermittent claudication undergoing clinical treatment. <i>Revista Do Hospital Das Clinicas</i> , 2004, 59, 341-348.	0.5	6
134	Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial. <i>Journal of Vascular Surgery</i> , 2004, 39, 967-975.	0.6	557
135	Tratamento cirúrgico para claudicação intermitente em pacientes que não melhoram com o tratamento clínico. <i>Arquivos Brasileiros De Cardiologia</i> , 2004, 82, 445-449.	0.3	8
136	Prevalence of abdominal aortic aneurysms: a screening program in São Paulo, Brazil. <i>Sao Paulo Medical Journal</i> , 2004, 122, 158-160.	0.4	23
137	Anxiety and high plasma catecholamines do not impair pharmaco-induced erection of psychogenic erectile dysfunctional patients. <i>International Journal of Impotence Research</i> , 2003, 15, 282-286.	1.0	4
138	Prevalence of factor V Leiden, FII G20210A, FXIII Val34Leu and MTHFR C677T polymorphisms in cancer patients with and without venous thrombosis. <i>Thrombosis Research</i> , 2003, 109, 171-174.	0.8	50
139	Primary Utilization of Stents in Angioplasty of Superficial Femoral Artery. <i>Vascular and Endovascular Surgery</i> , 2003, 37, 271-277.	0.3	26
140	Evaluation of Walking Capacity Over Time in 500 Patients With Intermittent Claudication Who Underwent Clinical Treatment. <i>Archives of Internal Medicine</i> , 2003, 163, 2296.	4.3	48
141	Screening for abdominal aortic aneurysms: is it worthy?. <i>Revista Do Hospital Das Clinicas</i> , 2003, 58, 61-62.	0.5	0
142	Aortofemoral thromboendarterectomy. <i>Revista Do Hospital Das Clinicas</i> , 2002, 57, 147-160.	0.5	5
143	The use of stents in the treatment of traumatic intimal flaps: case report. <i>Revista Do Hospital Das Clinicas</i> , 2001, 56, 119-122.	0.5	2
144	Infrarenal Aortic Aneurysm Repair by Retroperitoneal Approach Combined with Laparoscopic Cholecystectomy: Two Case Reports. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2001, 11, 115-117.	0.5	4

#	ARTICLE	IF	CITATIONS
145	Persistence of the embryonic lateral marginal vein: report of two cases. Revista Do Hospital Das Clinicas, 2001, 56, 159-162.	0.5	9
146	Ground Reaction Force Pattern in Limbs with Intermittent Claudication. European Journal of Vascular and Endovascular Surgery, 2000, 20, 254-259.	0.8	18
147	Predictive value of the ankle-brachial index in the evaluation of intermittent claudication. Revista Do Hospital Das Clinicas, 2000, 55, 61-64.	0.5	51
148	Banding of the common iliac artery: An expedient in endoluminal correction of aortoiliac aneurysms. Journal of Vascular Surgery, 2000, 32, 1232-1234.	0.6	15
149	Superficial femoral eversion endarterectomy combined with a vein segment as a composite artery-vein bypass graft for infrainguinal arterial reconstruction. Journal of Vascular Surgery, 1999, 29, 413-421.	0.6	6
150	The effects of carotid endarterectomy on the retrobulbar circulation of patients with severe occlusive carotid artery disease. Ophthalmology, 1999, 106, 306-310.	2.5	64
151	Collateral blood supply through the ophthalmic artery. Ophthalmology, 1998, 105, 689-693.	2.5	55
152	Predictive factors for rupture of thoracoabdominal aortic aneurysm. Journal of Vascular Surgery, 1998, 27, 446-453.	0.6	99
153	Variations in white blood count, thromboxane B2 levels and hematocrit in chronic venous hypertension. Sao Paulo Medical Journal, 1998, 116, 1721-1726.	0.4	1
154	Endovascular Grafting of a Popliteal Aneurysm Using the Saphenous Vein. Journal of Endovascular Therapy, 1998, 5, 64-70.	3.3	42
155	Clinical Findings and Hemodynamic Changes Associated with Severe Occlusive Carotid Artery Disease. Ophthalmology, 1997, 104, 1994-2002.	2.5	78
156	The value of a second injection on the pharmaco induced erection test. International Journal of Impotence Research, 1997, 9, 167-168.	1.0	9
157	Arterial embolectomy in lower limbs. Sao Paulo Medical Journal, 1996, 114, 1226-1230.	0.4	4
158	Venous Surgery in Erectile Dysfunction. Urologia Internationalis, 1992, 49, 29-32.	0.6	7
159	Gravity Caverosometry – a Simple Diagnostic test for Caverosal Incompetence. British Journal of Urology, 1990, 65, 391-394.	0.1	21
160	Surgical Exclusion of the Crural Ending of the Corpora cavernosa: Late Results. European Urology, 1990, 18, 42-44.	0.9	2
161	The noninvasive diagnosis of vasculogenic impotence. Journal of Vascular Surgery, 1988, 7, 820.	0.6	0
162	Post-Exercise Penile Blood Pressure in the Diagnosis of Vasculogenic Impotence. Vascular Surgery, 1983, 17, 216-219.	0.3	3