

Ryotaro Ishii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5734341/publications.pdf>

Version: 2024-02-01

18
papers

705
citations

933264

10
h-index

752573

20
g-index

20
all docs

20
docs citations

20
times ranked

1381
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of pre-morbid headaches on headache features and long-term health outcomes following traumatic brain injury: Insights from the American Registry for Migraine Research. <i>Headache</i> , 2022, 62, 566-576.	1.8	5
2	Chronic versus episodic migraine: The 15-day threshold does not adequately reflect substantial differences in disability across the full spectrum of headache frequency. <i>Headache</i> , 2021, 61, 992-1003.	1.8	44
3	Mild traumatic brain injury affects the features of migraine. <i>Journal of Headache and Pain</i> , 2021, 22, 80.	2.5	8
4	Should chronic migraine be defined by eight or more headache days per month?. <i>Headache</i> , 2021, 61, 983-984.	1.8	1
5	Childhood-onset multifocal motor neuropathy with IgM antibodies to GM2 and GalNac-GD1a. <i>Brain and Development</i> , 2020, 42, 88-92.	0.6	3
6	Effect of Migraine on Pregnancy Planning: Insights From the American Registry for Migraine Research. <i>Mayo Clinic Proceedings</i> , 2020, 95, 2079-2089.	1.4	23
7	Case Report: Shortest Course of Pediatric Paroxysmal Hemicrania. <i>Headache</i> , 2019, 59, 1084-1087.	1.8	6
8	Cerebellar ataxia with neuropathy and vestibular areflexia syndrome (CANVAS). <i>Auris Nasus Larynx</i> , 2018, 45, 866-870.	0.5	17
9	Biomarker repurposing: Therapeutic drug monitoring of serum theophylline offers a potential diagnostic biomarker of Parkinson's disease. <i>PLoS ONE</i> , 2018, 13, e0201260.	1.1	12
10	Development of a Biochemical Diagnosis of Parkinson Disease by Detection of β -Synuclein Misfolded Aggregates in Cerebrospinal Fluid. <i>JAMA Neurology</i> , 2017, 74, 163.	4.5	312
11	Increased levels of plasma total tau in adult Down syndrome. <i>PLoS ONE</i> , 2017, 12, e0188802.	1.1	36
12	$A\beta$ levels in the jugular vein and high molecular weight $A\beta$ oligomer levels in CSF can be used as biomarkers to indicate the anti-amyloid effect of IVIg for Alzheimer's disease. <i>PLoS ONE</i> , 2017, 12, e0174630.	1.1	8
13	Monoclonal antibody with conformational specificity for a toxic conformer of amyloid β 242 and its application toward the Alzheimer's disease diagnosis. <i>Scientific Reports</i> , 2016, 6, 29038.	1.6	50
14	Subgroup differences in brain-type transferrin and β -synuclein in Parkinson's disease and multiple system atrophy. <i>Journal of Biochemistry</i> , 2016, 160, 87-91.	0.9	7
15	Serum Levels of Coenzyme Q10 in Patients with Multiple System Atrophy. <i>PLoS ONE</i> , 2016, 11, e0147574.	1.1	39
16	The domestic cat as a natural animal model of Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2015, 3, 78.	2.4	62
17	Decrease in Plasma Levels of β -Synuclein Is Evident in Patients with Parkinson's Disease after Elimination of Heterophilic Antibody Interference. <i>PLoS ONE</i> , 2015, 10, e0123162.	1.1	54
18	Utility of SPM8 plus DARTEL (VSRAD) Combined with Magnetic Resonance Spectroscopy as Adjunct Techniques for Screening and Predicting Dementia due to Alzheimer's Disease in Clinical Practice. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 1207-1222.	1.2	16