Konstantin K Turoverov

List of Publications by Citations

Source: https://exaly.com/author-pdf/5734859/konstantin-k-turoverov-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144 papers

4,647 citations

37 h-index 65 g-index

172 ext. papers

5,238 ext. citations

3.9 avg, IF

5.62 L-index

#	Paper	IF	Citations
144	What macromolecular crowding can do to a protein. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 23090-140	6.3	318
143	Thioflavin T as a molecular rotor: fluorescent properties of thioflavin T in solvents with different viscosity. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 15893-902	3.4	256
142	Spectral Properties of Thioflavin T and Its Complexes with Amyloid Fibrils. <i>Journal of Applied Spectroscopy</i> , 2003 , 70, 868-874	0.7	177
141	Computational study of thioflavin T torsional relaxation in the excited state. <i>Journal of Physical Chemistry A</i> , 2007 , 111, 4829-35	2.8	173
140	Spectral properties of thioflavin T in solvents with different dielectric properties and in a fibril-incorporated form. <i>Journal of Proteome Research</i> , 2007 , 6, 1392-401	5.6	166
139	The protein kingdom extended: ordered and intrinsically disordered proteins, their folding, supramolecular complex formation, and aggregation. <i>Progress in Biophysics and Molecular Biology</i> , 2010 , 102, 73-84	4.7	157
138	Intrinsically disordered proteins as crucial constituents of cellular aqueous two phase systems and coacervates. <i>FEBS Letters</i> , 2015 , 589, 15-22	3.8	153
137	Fluorescence of dyes in solutions with high absorbance. Inner filter effect correction. <i>PLoS ONE</i> , 2014 , 9, e103878	3.7	146
136	Fluorescence quantum yield of thioflavin T in rigid isotropic solution and incorporated into the amyloid fibrils. <i>PLoS ONE</i> , 2010 , 5, e15385	3.7	131
135	Use of the phase diagram method to analyze the protein unfolding-refolding reactions: fishing out the "invisible" intermediates. <i>Journal of Proteome Research</i> , 2004 , 3, 485-94	5.6	120
134	Beyond the excluded volume effects: mechanistic complexity of the crowded milieu. <i>Molecules</i> , 2015 , 20, 1377-409	4.8	118
133	Fluorescent proteins as biomarkers and biosensors: throwing color lights on molecular and cellular processes. <i>Current Protein and Peptide Science</i> , 2008 , 9, 338-69	2.8	117
132	Partially folded conformations in the folding pathway of bovine carbonic anhydrase II: a fluorescence spectroscopic analysis. <i>ChemBioChem</i> , 2001 , 2, 813-21	3.8	115
131	Modern fluorescent proteins: from chromophore formation to novel intracellular applications. <i>BioTechniques</i> , 2011 , 51, 313-4, 316, 318 passim	2.5	105
130	High stability of Discosoma DsRed as compared to Aequorea EGFP. <i>Biochemistry</i> , 2003 , 42, 7879-84	3.2	89
129	Unraveling multistate unfolding of rabbit muscle creatine kinase. <i>BBA - Proteins and Proteomics</i> , 2002 , 1596, 138-55		88
128	Interaction of thioflavin T with amyloid fibrils: stoichiometry and affinity of dye binding, absorption spectra of bound dye. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 11519-24	3.4	81

(2011-1976)

127	Ultra-violet fluorescence of actin. Determination of native actin content in actin preparations. <i>FEBS Letters</i> , 1976 , 62, 4-6	3.8	80	
126	Interaction of thioflavin T with amyloid fibrils: fluorescence quantum yield of bound dye. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 2538-44	3.4	76	
125	Comparative studies on the structure and stability of fluorescent proteins EGFP, zFP506, mRFP1, "dimer2", and DsRed1. <i>Biochemistry</i> , 2004 , 43, 14913-23	3.2	73	
124	Differences in the pathways of proteins unfolding induced by urea and guanidine hydrochloride: molten globule state and aggregates. <i>PLoS ONE</i> , 2010 , 5, e15035	3.7	67	
123	Luminescence of Biopolymers and Cells 1969 ,		65	
122	Reevaluation of ANS binding to human and bovine serum albumins: key role of equilibrium microdialysis in ligand - receptor binding characterization. <i>PLoS ONE</i> , 2012 , 7, e40845	3.7	64	
121	Beta-barrel scaffold of fluorescent proteins: folding, stability and role in chromophore formation. <i>International Review of Cell and Molecular Biology</i> , 2013 , 302, 221-78	6	57	
120	Analyzing thioflavin T binding to amyloid fibrils by an equilibrium microdialysis-based technique. <i>PLoS ONE</i> , 2012 , 7, e30724	3.7	54	
119	Stochasticity of Biological Soft Matter: Emerging Concepts in Intrinsically Disordered Proteins and Biological Phase Separation. <i>Trends in Biochemical Sciences</i> , 2019 , 44, 716-728	10.3	53	
118	Near-infrared bioluminescent proteins for two-color multimodal imaging. <i>Scientific Reports</i> , 2016 , 6, 30	65 & &	53	
117	Intrinsically disordered proteins in crowded milieu: when chaos prevails within the cellular gumbo. <i>Cellular and Molecular Life Sciences</i> , 2018 , 75, 3907-3929	10.3	48	
116	Intrinsic Fluorescence of Actin. <i>Journal of Fluorescence</i> , 2003 , 13, 41-57	2.4	48	
115	A new trend in the experimental methodology for the analysis of the thioflavin T binding to amyloid fibrils. <i>Molecular Neurobiology</i> , 2012 , 45, 488-98	6.2	46	
114	Physico-chemical properties of actin cleaved with bacterial protease from E. coli A2 strain. <i>FEBS Letters</i> , 1991 , 279, 49-51	3.8	44	
113	Near-Infrared Fluorescent Proteins: Multiplexing and Optogenetics across Scales. <i>Trends in Biotechnology</i> , 2018 , 36, 1230-1243	15.1	42	
112	Effect of self-association on the structural organization of partially folded proteins: inactivated actin. <i>Biophysical Journal</i> , 1999 , 77, 2788-800	2.9	41	
111	Thioflavin T fluoresces as excimer in highly concentrated aqueous solutions and as monomer being incorporated in amyloid fibrils. <i>Scientific Reports</i> , 2017 , 7, 2146	4.9	39	
110	Proteomic analysis of the 20S proteasome (PSMA3)-interacting proteins reveals a functional link between the proteasome and mRNA metabolism. <i>Biochemical and Biophysical Research Communications</i> 2011 416 258-65	3.4	39	

109	The place of inactivated actin and its kinetic predecessor in actin folding-unfolding. <i>Biochemistry</i> , 2002 , 41, 13127-32	3.2	39
108	The environment of the tryptophan residue in Pseudomonas aeruginosa azurin and its fluorescence properties. <i>Biophysical Chemistry</i> , 1985 , 23, 79-89	3.5	36
107	Minimal domain of bacterial phytochrome required for chromophore binding and fluorescence. <i>Scientific Reports</i> , 2015 , 5, 18348	4.9	34
106	Kinetics of actin unfolding induced by guanidine hydrochloride. <i>Biochemistry</i> , 2002 , 41, 1014-9	3.2	33
105	Contribution of separate tryptophan residues to intrinsic fluorescence of actin. Analysis of 3D structure. <i>FEBS Letters</i> , 1999 , 452, 205-10	3.8	33
104	Conformational changes in subdomain I of actin induced by proteolytic cleavage within the DNase I-binding loop: energy transfer from tryptophan to AEDANS. <i>FEBS Letters</i> , 1996 , 383, 105-8	3.8	32
103	Changes of structure and intramolecular mobility in the course of actin denaturation. <i>Biophysical Chemistry</i> , 1988 , 32, 73-8	3.5	32
102	The structure and dynamics of partially folded actin. <i>Biochemistry</i> , 1999 , 38, 6261-9	3.2	31
101	High Fluorescence Anisotropy of Thioflavin T in Aqueous Solution Resulting from Its Molecular Rotor Nature. <i>Analytical Chemistry</i> , 2016 , 88, 718-24	7.8	28
100	Multi-functionality of proteins involved in GPCR and G protein signaling: making sense of structure-function continuum with intrinsic disorder-based proteoforms. <i>Cellular and Molecular Life Sciences</i> , 2019 , 76, 4461-4492	10.3	28
99	Hydrophobic interactions and ionic networks play an important role in thermal stability and denaturation mechanism of the porcine odorant-binding protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 71, 35-44	4.2	28
98	Allosteric effects of chromophore interaction with dimeric near-infrared fluorescent proteins engineered from bacterial phytochromes. <i>Scientific Reports</i> , 2016 , 6, 18750	4.9	28
97	Stability and dynamics of the porcine odorant-binding protein. <i>Biochemistry</i> , 2007 , 46, 11120-7	3.2	25
96	Unfolding and refolding of the glutamine-binding protein from Escherichia coli and its complex with glutamine induced by guanidine hydrochloride. <i>Biochemistry</i> , 2005 , 44, 5625-33	3.2	24
95	Protein unfolding in crowded milieu: what crowding can do to a protein undergoing unfolding?. <i>Journal of Biomolecular Structure and Dynamics</i> , 2016 , 34, 2155-70	3.6	23
94	Investigation of Esynuclein Amyloid Fibrils Using the Fluorescent Probe Thioflavin T. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	23
93	Stoichiometry and Affinity of Thioflavin T Binding to Sup35p Amyloid Fibrils. PLoS ONE, 2016 , 11, e015	53;1 / 4	22
92	Different conditions of fibrillogenesis cause polymorphism of lysozyme amyloid fibrils. <i>Journal of Molecular Structure</i> , 2017 , 1140, 52-58	3.4	20

(2011-2014)

91	A knot in the protein structure - probing the near-infrared fluorescent protein iRFP designed from a bacterial phytochrome. <i>FEBS Journal</i> , 2014 , 281, 2284-98	5.7	17	
90	Prion-associated proteins in yeast: comparative analysis of isogenic [PSI(+)] and [psi(-)] strains. <i>Yeast</i> , 2009 , 26, 611-31	3.4	17	
89	Conformational change of the dimeric DsbC molecule induced by GdnHCl. A study by intrinsic fluorescence. <i>Biochemistry</i> , 2004 , 43, 5296-303	3.2	17	
88	Accumulation of storage proteins in plant seeds is mediated by amyloid formation. <i>PLoS Biology</i> , 2020 , 18, e3000564	9.7	16	
87	Near-Infrared Fluorescent Proteins and Their Applications. <i>Biochemistry (Moscow)</i> , 2019 , 84, S32-S50	2.9	15	
86	Binding stoichiometry and affinity of fluorescent dyes to proteins in different structural states. <i>Methods in Molecular Biology</i> , 2012 , 895, 441-60	1.4	14	
85	Distinct effects of guanidine thiocyanate on the structure of superfolder GFP. PLoS ONE, 2012, 7, e488	09 .7	14	
84	Effect of the fluorescent probes ThT and ANS on the mature amyloid fibrils. <i>Prion</i> , 2020 , 14, 67-75	2.3	14	
83	Structural Analogue of Thioflavin T, DMASEBT, as a Tool for Amyloid Fibrils Study. <i>Analytical Chemistry</i> , 2019 , 91, 3131-3140	7.8	13	
82	Two Novel Amyloid Proteins, RopA and RopB, from the Root Nodule Bacterium. <i>Biomolecules</i> , 2019 , 9,	5.9	13	
81	Understanding the role of Arg96 in structure and stability of green fluorescent protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 73, 539-51	4.2	13	
80	Fluorescence properties of glutamine-binding protein from Escherichia coli and its complex with glutamine. <i>Journal of Proteome Research</i> , 2005 , 4, 417-23	5.6	13	
79	Sensitivity of superfolder GFP to ionic agents. <i>PLoS ONE</i> , 2014 , 9, e110750	3.7	13	
78	Spectral Manifestations of Thioflavin T Aggregation. <i>Journal of Applied Spectroscopy</i> , 2015 , 82, 33-39	0.7	12	
77	New insight in protein-ligand interactions. 2. Stability and properties of two mutant forms of the D-galactose/D-glucose-binding protein from E. coli. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 9022-32	3.4	12	
76	Spectral characteristics of the mutant form GGBP/H152C of D-glucose/D-galactose-binding protein labeled with fluorescent dye BADAN: influence of external factors. <i>PeerJ</i> , 2014 , 2, e275	3.1	12	
75	Stabilization of structure in near-infrared fluorescent proteins by binding of biliverdin chromophore. <i>Journal of Molecular Structure</i> , 2017 , 1140, 22-31	3.4	11	
74	New insight into protein-ligand interactions. The case of the D-galactose/D-glucose-binding protein from Escherichia coli. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 2765-73	3.4	11	

73	Different disturbancesone pathway of protein unfolding. Actin folding-unfolding and misfolding. <i>Cell Biology International</i> , 2007 , 31, 405-12	4.5	11
7 ²	Monitoring of actin unfolding by room temperature tryptophan phosphorescence. <i>Biochemistry</i> , 2003 , 42, 13551-7	3.2	11
71	Correlation between polymerizability and conformation in scallop beta-like actin and rabbit skeletal muscle alpha-actin. <i>Archives of Biochemistry and Biophysics</i> , 1999 , 368, 105-11	4.1	11
70	Structural Features of Amyloid Fibrils Formed from the Full-Length and Truncated Forms of Beta-2-Microglobulin Probed by Fluorescent Dye Thioflavin T. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	11
69	Trans-2-[4-(dimethylamino)styryl]-3-ethyl-1,3-benzothiazolium perchlorate - New fluorescent dye for testing of amyloid fibrils and study of their structure. <i>Dyes and Pigments</i> , 2018 , 157, 385-395	4.6	11
68	M60-like metalloprotease domain of the Escherichia coli YghJ protein forms amyloid fibrils. <i>PLoS ONE</i> , 2018 , 13, e0191317	3.7	10
67	Actinous enigma or enigmatic actin: Folding, structure, and functions of the most abundant eukaryotic protein. <i>Intrinsically Disordered Proteins</i> , 2014 , 2, e34500		10
66	The effect of red pigment on the amyloidization of yeast proteins. Yeast, 2011, 28, 505-26	3.4	10
65	Spectral properties and factors determining high quantum yield of thioflavin T incorporated in amyloid fibrils. <i>Spectroscopy</i> , 2010 , 24, 169-172		9
64	Expression of recombinant GFP-actin fusion protein in the methylotrophic yeast Pichia pastoris. <i>FEMS Yeast Research</i> , 2003 , 3, 105-11	3.1	9
63	Liquid-liquid phase separation as an organizing principle of intracellular space: overview of the evolution of the cell compartmentalization concept <i>Cellular and Molecular Life Sciences</i> , 2022 , 79, 251	10.3	9
62	Photophysical Properties of Fluorescent Probe Thioflavin T in Crowded Milieu. <i>Journal of Spectroscopy</i> , 2017 , 2017, 1-10	1.5	8
61	Investigation of the kinetics of insulin amyloid fibrils formation. <i>Cell and Tissue Biology</i> , 2014 , 8, 186-197	10.4	8
60	Interaction of Biliverdin Chromophore with Near-Infrared Fluorescent Protein BphP1-FP Engineered from Bacterial Phytochrome. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	8
59	Peculiarities of the Super-Folder GFP Folding in a Crowded Milieu. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	8
58	The effects of crowding agents Dextran-70k and PEG-8k on actin structure and unfolding reaction. Journal of Molecular Structure, 2017 , 1140, 46-51	3.4	7
57	Denaturant effect on amyloid fibrils: Declasterization, depolymerization, denaturation and reassembly. <i>International Journal of Biological Macromolecules</i> , 2020 , 150, 681-694	7.9	7
56	Structure and Conformational Properties of d-Glucose/d-Galactose-Binding Protein in Crowded Milieu. <i>Molecules</i> , 2017 , 22,	4.8	7

(2008-2014)

55	The trehalose/maltose-binding protein as the sensitive element of a glucose biosensor. <i>Optical Materials</i> , 2014 , 36, 1676-1679	3.3	7
54	Effect of red pigment on amyloidization of yeast. Cell and Tissue Biology, 2010, 4, 152-166	0.4	7
53	The quaternary structure of the recombinant bovine odorant-binding protein is modulated by chemical denaturants. <i>PLoS ONE</i> , 2014 , 9, e85169	3.7	7
52	Folding of poly-amino acids and intrinsically disordered proteins in overcrowded milieu induced by pH change. <i>International Journal of Biological Macromolecules</i> , 2019 , 125, 244-255	7.9	7
51	Thioflavin T Interaction with Acetylcholinesterase: New Evidence of 1:1 Binding Stoichiometry Obtained with Samples Prepared by Equilibrium Microdialysis. <i>ACS Chemical Neuroscience</i> , 2018 , 9, 1793-	⁵ 1801	6
50	Waveguide-type localized plasmon resonance biosensor for noninvasive glucose concentration detection 2012 ,		6
49	Folding perspectives of an intrinsically disordered transactivation domain and its single mutation breaking the folding propensity. <i>International Journal of Biological Macromolecules</i> , 2020 , 155, 1359-137	7 .9	6
48	Native globular actin has a thermodynamically unstable quasi-stationary structure with elements of intrinsic disorder. <i>FEBS Journal</i> , 2016 , 283, 438-45	5.7	6
47	Effects of low urea concentrations on protein-water interactions. <i>Journal of Biomolecular Structure and Dynamics</i> , 2017 , 35, 207-218	3.6	5
46	Tryptophan residue of the D-galactose/D-glucose-binding protein from E. Coli localized in its active center does not contribute to the change in intrinsic fluorescence upon glucose binding. <i>Journal of Fluorescence</i> , 2015 , 25, 87-94	2.4	5
45	Protein folding and stability in the presence of osmolytes. <i>Biophysics (Russian Federation)</i> , 2016 , 61, 185-	1 9 2	5
44	ThT as an instrument for testing and investigation of amyloid and amyloid-like fibrils 2007,		5
43	Inelastic Incoherent Neutron Scattering in Some Proteins. Ferroelectrics, 2007, 348, 154-160	0.6	5
42	What causes the depolarization of trypsin and trypsinogen fluorescence. Intramolecular mobility or non-radiative energy transfer?. <i>Biophysical Chemistry</i> , 1986 , 25, 315-23	3.5	5
41	Photo-dependent membrane-less organelles formed from plant phyB and PIF6 proteins in mammalian cells. <i>International Journal of Biological Macromolecules</i> , 2021 , 176, 325-331	7.9	5
40	Structure and stability of D-galactose/D-glucose-binding protein. The role of D-glucose binding and Ca ion depletion. <i>Spectroscopy</i> , 2010 , 24, 355-359		4
39	Denaturation of proteins with beta-barrel topology induced by guanidine hydrochloride. <i>Spectroscopy</i> , 2010 , 24, 367-373		4
38	Comparative assay of amyloid and prion contents in yeast cells. <i>Cell and Tissue Biology</i> , 2008 , 2, 71-80	0.4	4

37	Structure and stability of recombinant bovine odorant-binding protein: I. Design and analysis of monomeric mutants. <i>PeerJ</i> , 2016 , 4, e1933	3.1	4
36	Trypsin Induced Degradation of Amyloid Fibrils. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
35	The Role of Non-Specific Interactions in Canonical and ALT-Associated PML-Bodies Formation and Dynamics. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
34	Near-Infrared Markers based on Bacterial Phytochromes with Phycocyanobilin as a Chromophore. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	4
33	Design of near-infrared single-domain fluorescent protein GAF-FP based on bacterial phytochrome. <i>Cell and Tissue Biology</i> , 2017 , 11, 16-26	0.4	3
32	Formation of trans-2-[4-(Dimethylamino)Styryl]-3-Ethyl-1,3-Benzothiazolium Perchlorate Dimers in the Presence of Sodium Polystyrene Sulfonate. <i>Journal of Applied Spectroscopy</i> , 2017 , 83, 917-923	0.7	3
31	Photophysical Properties of Trans-2-[4-(dimethylamino)styryl]-3-ethyl-1,3-benzothiazolium Perchlorate, a New Structural Analog of Thioflavin T. <i>Journal of Applied Spectroscopy</i> , 2014 , 81, 205-213	0.7	3
30	Spectral properties of BADAN in solutions with different polarities. <i>Journal of Molecular Structure</i> , 2015 , 1090, 107-111	3.4	3
29	Actin and amphiphilic polymers influence on channel formation by Syringomycin E in lipid bilayers. <i>European Biophysics Journal</i> , 2006 , 35, 382-92	1.9	3
28	Structure and stability of recombinant bovine odorant-binding protein: III. Peculiarities of the wild type bOBP unfolding in crowded milieu. <i>PeerJ</i> , 2016 , 4, e1642	3.1	3
27	Protein-Ligand Interactions of the D-Galactose/D-Glucose-Binding Protein as a Potential Sensing Probe of Glucose Biosensors. <i>Spectroscopy</i> , 2012 , 27, 373-379		2
26	Ligand-Binding Proteins: Structure, Stability and Practical Application 2012,		2
25	Comparison of crude lysate pellets from isogenic strains of yeast with different prion composition: Identification of prion-associated proteins. <i>Cell and Tissue Biology</i> , 2010 , 4, 36-53	0.4	2
24	The Combined Use of Fluorescence Spectroscopy and X-Ray Crystallography Greatly Contributes to Elucidating Structure and Dynamics of Proteins 2005 , 25-61		2
23	Alentsev-Fok method of resolving complex spectra. <i>Journal of Applied Spectroscopy</i> , 1978 , 29, 844-849	0.7	2
22	New Evidence of the Importance of Weak Interactions in the Formation of PML-Bodies <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
21	Structure and stability of recombinant bovine odorant-binding protein: II. Unfolding of the monomeric forms. <i>PeerJ</i> , 2016 , 4, e1574	3.1	2
20	New findings on GFP-like protein application as fluorescent tags: Fibrillogenesis, oligomerization, and amorphous aggregation. <i>International Journal of Biological Macromolecules</i> , 2021 , 192, 1304-1310	7.9	2

19	Alpha-B-Crystallin Effect on Mature Amyloid Fibrils: Different Degradation Mechanisms and Changes in Cytotoxicity. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
18	Point mutations affecting yeast prion propagation change the structure of its amyloid fibrils. <i>Journal of Molecular Liquids</i> , 2020 , 314, 113618	6	1
17	Probing the allostery in dimeric near-infrared biomarkers derived from the bacterial phytochromes: The impact of the T204A substitution on the inter-monomer interaction. <i>International Journal of Biological Macromolecules</i> , 2020 , 162, 894-902	7.9	1
16	Osmolyte-Like Stabilizing Effects of Low GdnHCl Concentrations on d-Glucose/d-Galactose-Binding Protein. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	1
15	High stability of trehalose/maltose binding protein fromThermococcus litoralismakes it a good candidate as a sensitive element in biosensor systems for sugar control. <i>Spectroscopy</i> , 2010 , 24, 349-35	3	1
14	What causes the variation of polarization degree across the emission spectrum of proteins?. <i>Biophysical Chemistry</i> , 1986 , 24, 327-35	3.5	1
13	The Pathways of the iRFP713 Unfolding Induced by Different Denaturants. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	1
12	Structural Perturbation of Superfolder GFP in the Presence of Guanidine Thiocyanate. <i>Spectroscopy</i> , 2012 , 27, 381-386		O
11	New Evidence on a Distinction between AIIO and AII2 Amyloids: Thioflavin T Binding Modes, Clustering Tendency, Degradation Resistance, and Cross-Seeding. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5513	6.3	О
10	Structural Polymorphism of Lysozyme Amyloid Fibrils. <i>Cell and Tissue Biology</i> , 2022 , 16, 259-267	0.4	O
9	Interaction between non-histone chromatin protein HMGB1 and linker histone H1. <i>Cell and Tissue Biology</i> , 2011 , 5, 120-122	0.4	
8	Expression of recombinant actin 5C from Drosophila in the methylotrophyc yeast Pichia pastoris. <i>Cell and Tissue Biology</i> , 2007 , 1, 248-258	0.4	
7	Expression of recombinant GFP-actin fusion protein in the methylotrophic yeast Pichia pastoris. <i>FEMS Yeast Research</i> , 2003 , 3, 105-111	3.1	
6	Accumulation of storage proteins in plant seeds is mediated by amyloid formation 2020 , 18, e3000564		
5	Accumulation of storage proteins in plant seeds is mediated by amyloid formation 2020 , 18, e3000564		
4	Accumulation of storage proteins in plant seeds is mediated by amyloid formation 2020 , 18, e3000564		
3	Accumulation of storage proteins in plant seeds is mediated by amyloid formation 2020 , 18, e3000564		
2	Accumulation of storage proteins in plant seeds is mediated by amyloid formation 2020 , 18, e3000564		

Accumulation of storage proteins in plant seeds is mediated by amyloid formation **2020**, 18, e3000564