Alessandro Giordano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5735296/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diagnostic performance of Gallium-68 somatostatin receptor PET and PET/CT in patients with thoracic and gastroenteropancreatic neuroendocrine tumours: a meta-analysis. Endocrine, 2012, 42, 80-87.	1.1	239
2	Circulating tumor DNA reveals genetics, clonal evolution, and residual disease in classical Hodgkin lymphoma. Blood, 2018, 131, 2413-2425.	0.6	223
3	Cognitive impairment in chronic obstructive pulmonary disease. Journal of Neurology, 2003, 250, 325-332.	1.8	152
4	In Vivo Detection of Coronary Artery Anomalies in Asymptomatic Athletes by Echocardiographic Screening. Chest, 1998, 114, 89-93.	0.4	139
5	Comparison of 18F-DOPA, 18F-FDG and 68Ga-somatostatin analogue PET/CT in patients with recurrent medullary thyroid carcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 569-580.	3.3	136
6	Abnormal Cardiac Adrenergic Nerve Function in Patients With Syndrome X Detected By [¹²³ I]Metaiodobenzylguanidine Myocardial Scintigraphy. Circulation, 1997, 96, 821-826.	1.6	131
7	Dynamic O-(2-[18F]fluoroethyl)-L-tyrosine (F-18 FET) PET for Glioma Grading. Clinical Nuclear Medicine, 2011, 36, 841-847.	0.7	113
8	MIBG scintigraphy in differential diagnosis of Parkinsonism: a meta-analysis. Clinical Autonomic Research, 2012, 22, 43-55.	1.4	110
9	Diagnostic accuracy of 18 F-FDG-PET and PET/CT in patients with Ewing sarcoma family tumours: a systematic review and a meta-analysis. Skeletal Radiology, 2012, 41, 249-256.	1.2	108
10	Lung Abnormalities at Multimodality Imaging after Radiation Therapy for Non–Small Cell Lung Cancer. Radiographics, 2011, 31, 771-789.	1.4	99
11	Diagnostic performance of 18F-dihydroxyphenylalanine positron emission tomography in patients with paraganglioma: a meta-analysis. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1144-1153.	3.3	97
12	The role of positron emission tomography using carbon-11 and fluorine-18 choline in tumors other than prostate cancer: a systematic review. Annals of Nuclear Medicine, 2012, 26, 451-461.	1.2	94
13	Development and external validation of a predictive model for pathological complete response of rectal cancer patients including sequential PET-CT imaging. Radiotherapy and Oncology, 2011, 98, 126-133.	0.3	89
14	Usefulness of whole-body fluorine-18-fluorodeoxyglucose positron emission tomography in patients with large-vessel vasculitis: a systematic review. Clinical Rheumatology, 2011, 30, 1265-1275.	1.0	89
15	Performance of cardiac cadmium-zinc-telluride gamma camera imaging in coronary artery disease: a review from the cardiovascular committee of the European Association of Nuclear Medicine (EANM). European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 2423-2432.	3.3	80
16	Detection rate of recurrent medullary thyroid carcinoma using fluorine-18 fluorodeoxyglucose positron emission tomography: a meta-analysis. Endocrine, 2012, 42, 535-545.	1.1	77
17	Diagnostic performance of positron emission tomography using 11C-methionine in patients with suspected parathyroid adenoma: a meta-analysis. Endocrine, 2013, 43, 78-83.	1.1	76
18	New trends in parathyroid scintigraphy. European Journal of Nuclear Medicine and Molecular Imaging, 2001, 28, 1409-1420.	2.2	72

#	Article	IF	CITATIONS
19	Can "early―and "late―18F-FDG PET–CT be used as prognostic factors for the clinical outcome of patients with locally advanced head and neck cancer treated with radio-chemotherapy?. Radiotherapy and Oncology, 2012, 103, 63-68.	0.3	70
20	Role of PET/CT in the functional imaging of endocrine pancreatic tumors. Abdominal Imaging, 2012, 37, 1004-1020.	2.0	67
21	Cardiovascular implantable electronic device infection: delayed vs standard FDG PET-CT imaging. Journal of Nuclear Cardiology, 2014, 21, 622-632.	1.4	65
22	Detection Rate of Recurrent Medullary Thyroid Carcinoma Using Fluorine-18 Dihydroxyphenylalanine Positron Emission Tomography. Academic Radiology, 2012, 19, 1290-1299.	1.3	64
23	Deep Transcranial Magnetic Stimulation of the Dorsolateral Prefrontal Cortex in Alcohol Use Disorder Patients: Effects on Dopamine Transporter Availability and Alcohol Intake. European Neuropsychopharmacology, 2017, 27, 450-461.	0.3	62
24	Steal phenomenon from mammary side branches: when does it occur?. Annals of Thoracic Surgery, 1998, 66, 2056-2062.	0.7	61
25	Perfusion Lung Scintigraphy for the Prediction of Postlobectomy Residual Pulmonary Function. Chest, 1997, 111, 1542-1547.	0.4	57
26	Imaging of peritoneal carcinomatosis with FDG PET-CT: diagnostic patterns, case examples and pitfalls. Abdominal Imaging, 2009, 34, 391-402.	2.0	57
27	Diagnostic performance of iodine-123-metaiodobenzylguanidine scintigraphy in differential diagnosis between Parkinson's disease and multiple-system atrophy: A systematic review and a meta-analysis. Clinical Neurology and Neurosurgery, 2011, 113, 823-829.	0.6	57
28	Comparison of 123I-MIBG SPECT-CT and 18F-DOPA PET-CT in the evaluation of patients with known or suspected recurrent paraganglioma. Nuclear Medicine Communications, 2011, 32, 575-582.	0.5	56
29	Diagnostic Performance of Dedicated Positron Emission Mammography Using Fluorine-18-Fluorodeoxyglucose in Women With Suspicious Breast Lesions: A Meta-analysis. Clinical Breast Cancer, 2014, 14, 241-248.	1.1	52
30	Nomogram predicting response after chemoradiotherapy in rectal cancer using sequential PETCT imaging: A multicentric prospective study with external validation. Radiotherapy and Oncology, 2014, 113, 215-222.	0.3	51
31	Multicenter Comparison of 18F-FDG and 68Ga-DOTA-Peptide PET/CT for Pulmonary Carcinoid. Clinical Nuclear Medicine, 2015, 40, e183-e189.	0.7	51
32	Selective impairment of action-verb naming and comprehension in progressive supranuclear palsy. Cortex, 2013, 49, 948-960.	1.1	50
33	Dopaminergic dysfunction and psychiatric symptoms in movement disorders: a 123I-FP-CIT SPECT study. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1937-1948.	3.3	49
34	Diagnostic performance of fluorine-18-dihydroxyphenylalanine positron emission tomography in diagnosing and localizing the focal form of congenital hyperinsulinism: a meta-analysis. Pediatric Radiology, 2012, 42, 1372-1379.	1.1	49
35	Usefulness of the combination of ultrasonography and 99mTcâ€sestamibi scintigraphy in the preoperative evaluation of uremic secondary hyperparathyroidism. Head and Neck, 2010, 32, 1226-1235.	0.9	48
36	Diagnostic performance of planar scintigraphy using 99mTc-MIBI in patients with secondary hyperparathyroidism: a meta-analysis. Annals of Nuclear Medicine, 2012, 26, 794-803.	1.2	48

#	Article	IF	CITATIONS
37	Gold Nanoparticles and Nanorods in Nuclear Medicine: A Mini Review. Applied Sciences (Switzerland), 2019, 9, 3232.	1.3	46
38	18F-Fluorodeoxyglucose positron emission tomography in evaluating treatment response to imatinib or other drugs in gastrointestinal stromal tumors: a systematic review. Clinical Imaging, 2012, 36, 167-175.	0.8	45
39	Iodineâ€123 Metaiodobenzylguanidine Scintigraphy and Iodineâ€123 Ioflupane Single Photon Emission Computed Tomography in Lewy Body Diseases: Complementary or Alternative Techniques?. Journal of Neuroimaging, 2014, 24, 149-154.	1.0	43
40	PET Imaging in Recurrent Medullary Thyroid Carcinoma. International Journal of Molecular Imaging, 2012, 2012, 1-9.	1.3	42
41	Clinical applications of 18F-FDG PET in the management of hepatobiliary and pancreatic tumors. Abdominal Imaging, 2012, 37, 983-1003.	2.0	41
42	Cardiac Arrhythmias and Left Ventricular Function in Respiratory Failure from Chronic Obstructive Pulmonary Disease. Chest, 1990, 97, 1092-1097.	0.4	40
43	Contractile Reserve of Dysfunctional Myocardium After Revascularization: A Dobutamine Stress Echocardiography Study. Journal of the American College of Cardiology, 1997, 30, 633-640.	1.2	39
44	Interim FDG-PET/CT in Hodgkin lymphoma: the prognostic role of the ratio between target lesion and liver SUVmax (rPET). Annals of Nuclear Medicine, 2016, 30, 588-592.	1.2	37
45	Evaluation of Dual-Timepoint ¹⁸ F-FDG PET/CT Imaging for Lymph Node Staging in Vulvar Cancer. Journal of Nuclear Medicine, 2017, 58, 1913-1918.	2.8	37
46	High frequency extradural motor cortex stimulation transiently improves axial symptoms in a patient with Parkinson's disease. Movement Disorders, 2008, 23, 1916-1919.	2.2	34
47	Evaluation of the Added Value of Diffusion-Weighted Imaging to Conventional Magnetic Resonance Imaging in Pancreatic Neuroendocrine Tumors and Comparison With 68Ga-DOTANOC Positron Emission Tomography/Computed Tomography. Pancreas, 2016, 45, 345-354.	0.5	33
48	Role of Myocarditis in Athletes With Minor Arrhythmias and/or Echocardiographic Abnormalities. Chest, 1994, 106, 373-380.	0.4	32
49	Is There a Role for Fluorine 18 Fluorodeoxyglucose-Positron Emission Tomography and Positron Emission Tomography/Computed Tomography in Evaluating Patients With Mycobacteriosis? A Systematic Review. Journal of Computer Assisted Tomography, 2011, 35, 387-393.	0.5	32
50	Lymphoscintigraphy and sentinel lymph node biopsy in vulvar carcinoma: update from a European expert panel. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1261-1274.	3.3	32
51	Neuroadrenergic Denervation of the Lung in Type I Diabetes Mellitus Complicated by Autonomic Neuropathy. Chest, 2002, 121, 443-451.	0.4	31
52	Comparison between whole-body MRI and Fluorine-18-Fluorodeoxyglucose PET or PET/CT in oncology: a systematic review. Radiology and Oncology, 2013, 47, 206-218.	0.6	28
53	CD 68+ cell count, early evaluation with PET and plasma TARC levels predict response in Hodgkin lymphoma. Cancer Medicine, 2016, 5, 398-406.	1.3	28
54	Radioguided surgery with \hat{l}^2 radiation: a novel application with Ga68. Scientific Reports, 2018, 8, 16171.	1.6	28

#	Article	IF	CITATIONS
55	Diagnostic performance of preoperative [18F]FDG-PET/CT for lymph node staging in vulvar cancer: a large single-centre study. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 3303-3314.	3.3	28
56	Imaging of gynecologic malignancies with FDG PET–CT: case examples, physiolocic activity, and pitfalls. Abdominal Imaging, 2009, 34, 696-711.	2.0	27
57	Determining the appropriate time of execution of an I-131 post-therapy whole-body scan. Nuclear Medicine Communications, 2013, 34, 900-908.	0.5	27
58	The predictive value of 18F-FDG PET/CT for assessing pathological response and survival in locally advanced rectal cancer after neoadjuvant radiochemotherapy. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 657-666.	3.3	27
59	The potential predictive value of MRI and PET-CT in mucinous and nonmucinous rectal cancer to identify patients at high risk of metastatic disease. British Journal of Radiology, 2017, 90, 20150836.	1.0	26
60	18 F-FDG PET-CT during chemo-radiotherapy in patients with non-small cell lung cancer: the early metabolic response correlates with the delivered radiation dose. Radiation Oncology, 2012, 7, 106.	1.2	25
61	Which is the optimal acquisition time for FDG PET/CT imaging in patients with infective endocarditis?. Journal of Nuclear Cardiology, 2013, 20, 307-309.	1.4	25
62	Regional Cerebral Metabolic Rate of Glucose Evaluation and Clinical Assessment in Patients With Idiopathic Normal-Pressure Hydrocephalus Before and After Ventricular Shunt Placement. Clinical Nuclear Medicine, 2013, 38, 426-431.	0.7	25
63	Diagnostic accuracy of [18F]DOPA PET and PET/CT in patients with neuroendocrine tumors: a meta-analysis. Clinical and Translational Imaging, 2013, 1, 111-122.	1.1	24
64	Feasibility of beta-particle radioguided surgery for a variety of "nuclear medicine―radionuclides. Physica Medica, 2017, 43, 127-133.	0.4	24
65	Decline of neuroadrenergic bronchial innervation and respiratory function in type 1 diabetes mellitus: a longitudinal study. Diabetes/Metabolism Research and Reviews, 2007, 23, 311-316.	1.7	22
66	Radiomics in Vulvar Cancer: First Clinical Experience Using ¹⁸ F-FDG PET/CT Images. Journal of Nuclear Medicine, 2019, 60, 199-206.	2.8	22
67	Neuropsychological tests and [99mTc]-HM PAO SPECT in the diagnosis of Alzheimer's dementia. Journal of Neurology, 1995, 242, 359-366.	1.8	21
68	Recent developments in innervation imaging using iodine-123-metaiodobenzylguanidine scintigraphy in Lewy body diseases. Neurological Sciences, 2010, 31, 417-422.	0.9	20
69	Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. Rheumatology International, 2013, 33, 549-555.	1.5	19
70	Changes of Dopamine Transporter Availability in Depressed Patients with and without Anhedonia: A ¹²³ I-N-ω-Fluoropropyl-Carbomethoxy-3β- (4-Iodophenyl)tropane SPECT Study. Neuropsychobiology, 2014, 70, 235-243.	0.9	18
71	Diagnostic Accuracy of 18F-FDG PET/CT in the Staging and Assessment of Response to Chemotherapy in Children With Ewing Sarcoma. Journal of Pediatric Hematology/Oncology, 2018, 40, 277-284.	0.3	18
72	Early evaluation of cerebral metabolic rate of glucose (CMRglu) with 18F-FDG PET/CT and clinical assessment in idiopathic normal pressure hydrocephalus (INPH) patients before and after ventricular shunt placement: preliminary experience. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 236-241.	3.3	17

Alessandro Giordano

#	Article	IF	CITATIONS
73	The quantification with FDG as seen by a physician. Nuclear Medicine and Biology, 2013, 40, 720-730.	0.3	17
74	Comparison of Different Positron Emission Tomography Tracers in Patients with Recurrent Medullary Thyroid Carcinoma: Our Experience and a Review of the Literature. Recent Results in Cancer Research, 2013, 194, 385-393.	1.8	16
75	Usefulness of 18F-FDG PET/CT in Disease Extent and Treatment Response Assessment in a Patient With Syphilitic Aortitis. Clinical Nuclear Medicine, 2013, 38, e185-e187.	0.7	16
76	The evolution in the use of MIBG scintigraphy in pheochromocytomas and paragangliomas. Hormones, 2013, 12, 58-68.	0.9	16
77	Evaluation of swallowing function after supracricoid laryngectomy as a primary or salvage procedure. Dysphagia, 2015, 30, 686-694.	1.0	16
78	The role of 18F-FDG-PET/CT in predicting the histopathological response in locally advanced cervical carcinoma treated by chemo-radiotherapy followed by radical surgery: a prospective study. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1228-1238.	3.3	16
79	Assessment of resting perfusion defects in patients with acute myocardial infarction: comparison of myocardial contrast echocardiography, combined first-pass/delayed contrast-enhanced magnetic resonance imaging and 99mTC-sestamibi SPECT. International Journal of Cardiovascular Imaging, 2006, 22. 417-428.	0.7	15
80	Predicting progression of amnesic MCI: The integration of episodic memory impairment with perfusion SPECT. Psychiatry Research - Neuroimaging, 2018, 271, 43-49.	0.9	15
81	Potential use of iodine-123 metaiodobenzylguanidine radioaerosol as a marker of pulmonary neuroadrenergic function. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 52-58.	2.2	14
82	Non-invasive evaluation of mammary artery flow reserve and adequacy to increased myocardial oxygen demand1. European Journal of Cardio-thoracic Surgery, 1998, 13, 404-409.	0.6	14
83	Ictal brain SPET during seizures pharmacologically provoked with pentylenetetrazol: a new diagnostic procedure in drug-resistant epileptic patients. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 1298-1306.	3.3	14
84	Costal Brown Tumor Detected by Dual-phase Parathyroid Imaging and SPECT-CT in Primary Hyperparathyroidism. Clinical Nuclear Medicine, 2008, 33, 193-195.	0.7	14
85	Usefulness of F-18 FDG PET/CT in the Follow-up of POEMS Syndrome After Autologous Peripheral Blood Stem Cell Transplantation. Clinical Nuclear Medicine, 2012, 37, 181-183.	0.7	14
86	Pulmonary Neuroendocrine Tumor Incidentally Detected by 18F-CH PET/CT. Clinical Nuclear Medicine, 2013, 38, e196-e199.	0.7	14
87	Cardiac adrenergic nerve function in patients with cardiac syndrome X. Journal of Cardiovascular Medicine, 2010, 11, 151-156.	0.6	13
88	[18F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. Japanese Journal of Radiology, 2012, 30, 415-421.	1.0	13
89	A prospective analysis of 18F-FDG PET/CT in patients with uveal melanoma: comparison between metabolic rate of glucose (MRglu) and standardized uptake value (SUV) and correlations with histopathological features. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1682-1691.	3.3	13
90	The prognostic role of end-of-treatment FDG-PET/CT in diffuse large B cell lymphoma: a pilot study application of neural networks to predict time-to-event. Annals of Nuclear Medicine, 2021, 35, 102-110.	1.2	13

#	Article	IF	CITATIONS
91	Usefulness of fluorine-18 fluorodeoxyglucose PET/computed tomography in diagnosis of aortitis and treatment response evaluation in a patient with aortic prosthesis. Journal of Cardiovascular Medicine, 2011, 12, 814-816.	0.6	12
92	Food residue granuloma mimicking metastatic disease on FDG-PET/CT. Japanese Journal of Radiology, 2013, 31, 349-351.	1.0	12
93	Risk-related 18F-FDG PET/CT and new diagnostic strategies in patients with solitary pulmonary nodule: the ITALIAN multicenter trial. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1908-1914.	3.3	12
94	Multifocal Extra-Adrenal Paraganglioma Evaluated With Different PET Tracers. Clinical Nuclear Medicine, 2013, 38, e458-e462.	0.7	11
95	A Case of Insulinoma Detected by 68Ga-DOTANOC PET/CT and Missed by 18F-Dihydroxyphenylalanine PET/CT. Clinical Nuclear Medicine, 2013, 38, e267-e270.	0.7	11
96	Parathyroid Gland Ultrasound Patterns and Biochemical Findings After Oneâ€year Cinacalcet Treatment for Advanced Secondary Hyperparathyroidism. Therapeutic Apheresis and Dialysis, 2010, 14, 178-185.	0.4	10
97	A case report of chylous ascites after gastric bypass for morbid obesity. International Journal of Surgery Case Reports, 2016, 29, 133-136.	0.2	10
98	Diagnostic Performance of 18F-Fluorodeoxyglucose in 162 Small Pulmonary Nodules Incidentally Detected in Subjects Without a History ofAMalignancy. Annals of Thoracic Surgery, 2016, 101, 1303-1309.	0.7	10
99	Prognostic significance of normalized FDG-PET parameters in patients with multiple myeloma undergoing induction chemotherapy and autologous hematopoietic stem cell transplantation: a retrospective single-center evaluation. European Journal of Nuclear Medicine and Molecular Imaging, 2019. 46. 116-128.	3.3	10
100	Progression to Symptomatic Multiple Myeloma Predicted by Texture Analysis-Derived Parameters in Patients Without Focal Disease at 18F-FDG PET/CT. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 536-544.	0.2	10
101	Hydrophilic Gold Nanoparticles as Antiâ€PD‣1 Antibody Carriers: Synthesis and Interface Properties. Particle and Particle Systems Characterization, 0, , 2100282.	1.2	10
102	Scintigraphic Assessment of "Effort―Axillary-Subclavian Vein Thrombosis. Clinical Nuclear Medicine, 1992, 17, 933-935.	0.7	9
103	Quantitative comparison of technetium-99m tetrofosmin and thallium-201 images of the thyroid and abnormal parathyroid glands. European Journal of Nuclear Medicine and Molecular Imaging, 1999, 26, 907-911.	3.3	9
104	Effect of spinal cord stimulation on cardiac adrenergic nerve function in patients with cardiac syndrome X. Journal of Nuclear Cardiology, 2008, 15, 804-810.	1.4	9
105	Usefulness of Impairment of Cardiac Adrenergic Nerve Function to Predict Outcome in Patients With Cardiac Syndrome X. American Journal of Cardiology, 2010, 106, 1813-1818.	0.7	9
106	Impact of coronary revascularization on the clinical and scintigraphic outlook of patients with myocardial ischemia. Journal of Cardiovascular Medicine, 2017, 18, 404-409.	0.6	9
107	The prognostic role of FDG PET/CT before combined radio-chemotherapy in anal cancer patients. Annals of Nuclear Medicine, 2020, 34, 65-73.	1.2	9
108	Pulmonary Involvement in Progressive Systemic Sclerosis: A Multidisciplinary Approach. Respiration, 1987, 51, 296-306.	1.2	8

#	Article	IF	CITATIONS
109	Myocardial Perfusion Single-Photon Emission Tomography (SPET) and Positron Emission Tomography–Computed Tomography (PET-CT) Imaging for Congenitally Corrected Transposition of Great Arteries. Pediatric Cardiology, 2012, 33, 1435-1439.	0.6	8
110	Usefulness of 18F-FDG PET/CT in an Unusual Case of Solid-Pseudopapillary Pancreatic Tumor in Childhood With Aggressive Behavior. Clinical Nuclear Medicine, 2013, 38, e35-e37.	0.7	8
111	Authorship problems in scientific literature and in nuclear medicine: the point of view of the young researcher. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 1251-1254.	3.3	8
112	Radioguided surgery with βâ^' radiation in pancreatic Neuroendocrine Tumors: a feasibility study. Scientific Reports, 2020, 10, 4015.	1.6	8
113	Immunohistochemical-scintigraphic correlation of sympathetic cardiac innervation in postischemic left ventricular aneurysms. Journal of Nuclear Cardiology, 2002, 9, 601-607.	1.4	7
114	Selective Cardiac Neuroadrenergic Abnormalities in Hypertensive Patients with Left Ventricular Hypertrophy. Archives of Medical Research, 2007, 38, 512-518.	1.5	7
115	Safety and efficacy of G-CSF in patients with ischemic heart failure: The CORNER (Cell Option for) Tj ETQq1 1 0.75 Cardiology, 2011, 150, 75-78.	84314 rgB 0.8	T /Overloc <mark>k</mark> 7
116	Multifunctional Assessment of Non–Small Cell Lung Cancer. Clinical Nuclear Medicine, 2018, 43, e18-e24.	0.7	7
117	When to perform positron emission tomography/computed tomography or radionuclide bone scan in patients with recently diagnosed prostate cancer. Cancer Management and Research, 2013, 5, 123.	0.9	6
118	How Often Do We Fail to Classify the Treatment Response with [18F]FDG PET/CT Acquired on Different Scanners? Data from Clinical Oncological Practice Using an Automatic Tool for SUV Harmonization. Molecular Imaging and Biology, 2019, 21, 1210-1219.	1.3	6
119	Effect of Dapagliflozin on Myocardial Insulin Sensitivity and Perfusion: Rationale and Design of The DAPAHEART Trial. Diabetes Therapy, 2021, 12, 2101-2113.	1.2	6
120	The impact of the COVID-19 pandemic on oncological disease extent at FDG PET/CT staging: the ONCOVIPET study. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 1623-1629.	3.3	6
121	ll contributo della PET/TC con 18F-FDG nelle vasculiti dei grossi vasi: applicazioni e limiti della metodica nella pratica clinica. Italian Journal of Medicine, 2011, 5, 249-254.	0.2	5
122	Atypical Presentation of Plasma Cell Leukemia Secondary to Multiple Myeloma Detected by F-18 FDG PET/CT. Clinical Nuclear Medicine, 2011, 36, e220-e223.	0.7	5
123	18 F-fluoro-deoxy-glucose focal uptake in very small pulmonary nodules: fact or artifact? Case reports. World Journal of Surgical Oncology, 2012, 10, 71.	0.8	5
124	A Rare Case of Primary Thymic Hodgkin Lymphoma in an Elderly Patient Detected by 18F-FDG PET/CT. Clinical Nuclear Medicine, 2013, 38, e236-e238.	0.7	5
125	Mass spectrometry characterization of DOTA-Nimotuzumab conjugate as precursor of an innovative β â~' tracer suitable in radio-guided surgery. Journal of Pharmaceutical and Biomedical Analysis, 2018, 156, 8-15.	1.4	5
126	Detection of an Intrathymic Parathyroid Adenoma by Tc-99m Tetrofosmin:. Clinical Nuclear Medicine, 1996, 21, 996-998.	0.7	5

#	Article	IF	CITATIONS
127	^{123} I-MIBG Scintigraphy as a Powerful Tool to Plan an Implantable Cardioverter Defibrillator and to Assess Cardiac Resynchronization Therapy in Heart Failure Patients. International Journal of Molecular Imaging, 2012, 2012, 1-6.	1.3	4
128	Chronic motor cortex stimulation in patients with advanced Parkinson's disease and effects on striatal dopaminergic transmission as assessed by 123I-FP-CIT SPECT. Nuclear Medicine Communications, 2012, 33, 933-940.	0.5	4
129	Diagnostic Accuracy of Radionuclide Venography in the Assessment of Incompetent Perforating Veins of the Legs. Vascular Surgery, 1996, 30, 489-493.	0.3	3
130	¹²³ lâ€MIBG cardiac scintigraphy in Lewy body–related disorders. Movement Disorders, 2011, 26, 1949-1950.	2.2	3
131	Recurrent renal hyperparathyroidism due to parathyromatosis. CKJ: Clinical Kidney Journal, 2011, 4, 318-320.	1.4	3
132	Abnormal striatal dopaminergic and cardiac sympathetic imaging in dementia with Lewy bodies: Two sides of the same coin. Parkinsonism and Related Disorders, 2012, 18, 707-708.	1.1	3
133	Selective intracoronary injection of sestamibi to detect myocardial viability: prediction of perfusion and contractile recovery after percutaneous transluminal coronary angioplasty. Journal of Nuclear Cardiology, 2003, 10, 473-481.	1.4	2
134	Positron Emission Tomography in Acute Coronary Syndromes. Journal of Cardiovascular Translational Research, 2012, 5, 11-21.	1.1	2
135	Differences between technetium-99m tetrofosmin and technetium-99m sestamibi in parathyroid scintigraphy. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 347-347.	2.2	1
136	Role of myocardial perfusion imaging after coronary revascularization in symptom-free patients: Are low-risk patients really low?. Journal of Nuclear Cardiology, 2002, 9, 550-553.	1.4	1
137	A Rare Case of Synchronous Bilateral Pulmonary Neuroendocrine Tumor Detected by 68Ga-DOTANOC PET/CT. Clinical Nuclear Medicine, 2012, 37, e91-e94.	0.7	1
138	Coexistence of Physiologic and Abnormal Muscle Uptake of Fluorine-18-Fluorodeoxyglucose in a Patient with Plasma Cell Leukemia. Nuclear Medicine and Molecular Imaging, 2012, 46, 311-313.	0.6	1
139	Role of 18F-FDG PET-CT for evaluating the response to reduced-intensity conditioning allogeneic transplant in heavily pre-treated patients with chronic lymphocytic leukemia: preliminary results in nine patients. Annals of Nuclear Medicine, 2012, 26, 764-768.	1.2	1
140	Nodular Nongranulomatous Vasculitis of the Lung Detected by 18F-FDG PET/CT. Clinical Nuclear Medicine, 2013, 38, e148-e151.	0.7	1
141	Exposición a la radiación de los operadores en la preparación y administración de microesferas de itrio-90 en el tratamiento de lesiones hepáticas malignas: ¿cuál es el riesgo?. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2021, 40, 293-298.	0.0	1
142	Are the simplified methods to estimate Ki in 18F-FDG PET studies feasible in clinical routine? Comparison between three simplified methods. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2018, 62, 190-199.	0.4	1
143	Correlation of Tc-99m-Red Blood Cell Phleboscintigraphy with Clinical Severity of Chronic Venous Disease. Vascular Surgery, 2001, 35, 273-283.	0.3	0
144	Comparison Between Myocardial Sympathetic and Striatal Dopaminergic Imaging in Lewy Body Diseases.		0

¹⁴⁴ , 2014, , 135.

#	Article	IF	CITATIONS
145	Nuclear medicine and immunotherapy: many questions but not many answers yet. Clinical and Translational Imaging, 2019, 7, 3-5.	1.1	0
146	Diffuse 123I-MIBG renal uptake in a patient with severe renal artery stenosis: a consequence of adrenergic activation. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2019, 38, 247-249.	0.1	0
147	Unexpected Detection of an Astrocytoma by Poorly Labeled Tc-99m HMPAO. Clinical Nuclear Medicine, 1996, 21, 741-742.	0.7	Ο
148	Lung uptake of fluorine-18 fluoroethyl-choline PET-CT in patients with prostate cancer. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2019, 63, 387-393.	0.4	0
149	Imaging of parathyroid adenomas by gamma camera. , 2022, , .		0