Mikko Laaksonen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5736192/mikko-laaksonen-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136 papers

4,831 citations

40 h-index

64 g-index

147 ext. papers

5,380 ext. citations

3.7 avg, IF

5.51 L-index

#	Paper	IF	Citations
136	Use of outpatient and inpatient health care services by occupation-a register study of employees in Oulu, Finland <i>BMC Health Services Research</i> , 2022 , 22, 597	2.9	O
135	Increasing labor force participation in older age requires investments in work ability. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 1-3	4.3	0
134	Determinants of transition from partial to full disability pension: A register study from Finland. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211020172	3	1
133	Consumption of psychotropic drugs among disability pension applicants with mental disorders: comparing awarded and rejected applicants in Finland. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 437-448	4.5	1
132	Manual occupations with high all-cause mortality: The contribution of socioeconomic and occupational characteristics. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 237-244	3	1
131	Body weight and premature retirement: population-based evidence from Finland. <i>European Journal of Public Health</i> , 2021 , 31, 731-736	2.1	O
130	The Level and Development of Unemployment before Disability Retirement: A Retrospective Study of Finnish Disability Retirees and Their Controls. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
129	Mortality among seafarers: a register-based follow-up study. <i>Occupational Medicine</i> , 2020 , 70, 119-122	2.1	3
128	From long-term sickness absence to disability retirement: diagnostic and occupational class differences within the working-age Finnish population. <i>BMC Public Health</i> , 2020 , 20, 1078	4.1	7
127	Explanations for economic difficulties among old-age pensioners previously on disability pension. European Journal of Public Health, 2020 , 30, 807-811	2.1	2
126	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020 , 20, 184	4.1	18
125	High mortality in manual occupations and the role of alcohol in 2001-15. <i>European Journal of Public Health</i> , 2020 , 30, 788-793	2.1	1
124	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , 2020 , 30, 158-163	2.1	1
123	Individual- and Company-Level Predictors of Receiving Vocational Rehabilitation: A Multilevel Study of Finnish Private Sector Workplaces. <i>Journal of Occupational Rehabilitation</i> , 2020 , 30, 263-273	3.6	O
122	The importance of clinical and labour market histories in psychiatric disability retirement: analysis of the comprehensive Finnish national-level RETIRE data. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1011-1020	4.5	5
121	Workforce Composition and the Risk of Labor Market Exit Among Older Workers in Finnish Companies. <i>Work, Aging and Retirement</i> , 2020 , 6, 88-100	3.9	3
120	Socio-economic differences in retirement timing and participation in post-retirement employment in a context of a flexible pension age. <i>Ageing and Society</i> , 2020 , 40, 348-368	1.7	11

(2016-2020)

119	Determinants of disability pension applications and awarded disability pensions in Finland, 2009 and 2014. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 172-180	3	7
118	Sources of income following a rejected disability pension application: a sequence analysis study. <i>Disability and Rehabilitation</i> , 2020 , 42, 2161-2169	2.4	3
117	Do individual and work-related factors differentiate work participation trajectories before and after vocational rehabilitation?. <i>PLoS ONE</i> , 2019 , 14, e0212498	3.7	4
116	Company-level determinants of disability retirement: a multilevel study of Finnish private sector workplaces. <i>European Journal of Public Health</i> , 2019 , 29, 1062-1068	2.1	3
115	The effectiveness of vocational rehabilitation on work participation: a propensity score matched analysis using nationwide register data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 651-660	4.3	2
114	Working while on a disability pension in Finland: Association of diagnosis and financial factors to employment. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 74-81	3	5
113	Labour Market Segregation and Gender Differences in Sickness Absence: Trends in 2005-2013 in Finland. <i>Annals of Work Exposures and Health</i> , 2018 , 62, 438-449	2.4	20
112	Sustained return to work and work participation after a new legislation obligating employers to notify prolonged sickness absence. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 65-73	3	8
111	Occupational class inequalities in disability retirement after hospitalisation. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 331-339	3	4
110	Educational differences in years of working life lost due to disability retirement. <i>European Journal of Public Health</i> , 2018 , 28, 264-268	2.1	9
109	Labor market position after a rejection of a disability pension application: a register-based cohort study. <i>Disability and Rehabilitation</i> , 2018 , 40, 3022-3029	2.4	3
108	Utilisation of nationwide register data to assess the effectiveness of changes in sickness insurance legislation on work participation and analyse sickness absence and disability retirement trends in Finland. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2018 , 26, 334-339	O	1
107	Sickness absence as a predictor of disability retirement in different occupational classes: a register-based study of a working-age cohort in Finland in 2007-2014. <i>BMJ Open</i> , 2018 , 8, e020491	3	30
106	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017 , 17, 114	4.1	8
105	The association between alcohol drinking and self-reported mental and physical functioning: a prospective cohort study among City of Helsinki employees. <i>BMJ Open</i> , 2017 , 7, e014368	3	10
104	Legislative change enabling use of early part-time sick leave enhanced return to work and work participation in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 447-456	4.3	17
103	Sickness allowance trajectories preceding disability retirement: a register-based retrospective study. <i>European Journal of Public Health</i> , 2016 , 26, 1050-1055	2.1	11
102	Socioeconomic Differences in Cause-Specific Disability Retirement in Finland, 1988 to 2009. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 840-5	2	14

101	Sickness allowance histories among disability retirees due to mental disorders: A retrospective case-control study. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 291-9	3	8
100	The contribution of education, social class and economic activity to the income-mortality association in alcohol-related and other mortality in Finland in 1988-2012. <i>Addiction</i> , 2016 , 111, 456-64	4.6	13
99	Health as a predictor of early retirement before and after introduction of a flexible statutory pension age in Finland. <i>Social Science and Medicine</i> , 2016 , 158, 149-57	5.1	12
98	Return to Work After Temporary Disability Pension in Finland. <i>Journal of Occupational Rehabilitation</i> , 2015 , 25, 471-80	3.6	23
97	Changes in alcohol drinking and subsequent sickness absence. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 364-72	3	11
96	Health measures in prediction models for high sickness absence: single-item self-rated health versus multi-item SF-12. <i>European Journal of Public Health</i> , 2015 , 25, 668-72	2.1	13
95	Socioeconomic inequalities in cause-specific mortality after disability retirement due to different diseases. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 159-68	3	6
94	Childhood family background and mortality differences by income in adulthood: fixed-effects analysis of Finnish siblings. <i>European Journal of Public Health</i> , 2015 , 25, 305-10	2.1	8
93	Predictive Value of the SF-12 for Sickness Absence Because of Mental, Musculoskeletal, and Other Somatic Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2015 , 57, 1113-8	2	6
92	Weight change and sickness absencea prospective study among middle-aged employees. <i>European Journal of Public Health</i> , 2015 , 25, 263-7	2.1	18
91	Excess mortality after disability retirement due to mental disorders: variations by socio-demographic factors and causes of death. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 639-49	4.5	11
90	Determinants of return to work after temporary disability pensionMikko Laaksonen. <i>European Journal of Public Health</i> , 2014 , 24,	2.1	1
89	The effect of municipality characteristics on disability retirement. <i>European Journal of Public Health</i> , 2014 , 24, 116-21	2.1	7
88	Changes in working conditions and subsequent sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 82-8	4.3	23
87	The contribution of major diagnostic causes to socioeconomic differences in disability retirement. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 353-60	4.3	27
86	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. <i>BMC Public Health</i> , 2013 , 13, 259	4.1	17
85	Work-family conflicts and subsequent sleep medication among women and men: a longitudinal registry linkage study. <i>Social Science and Medicine</i> , 2013 , 79, 66-75	5.1	31
84	Working conditions and major weight gain-a prospective cohort study. <i>Archives of Environmental and Occupational Health</i> , 2013 , 68, 166-72	2	25

(2012-2013)

83	Bidirectional associations between insomnia symptoms and unhealthy behaviours. <i>Journal of Sleep Research</i> , 2013 , 22, 89-95	5.8	81	
82	Socio-economic and occupational determinants of work injury absence. <i>European Journal of Public Health</i> , 2013 , 23, 693-8	2.1	32	
81	The changing relationship between income and mortality in Finland, 1988-2007. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 21-7	5.1	22	
80	Cohort profile: the Helsinki Health Study. <i>International Journal of Epidemiology</i> , 2013 , 42, 722-30	7.8	110	
79	Different measures of body weight as predictors of sickness absence. <i>Scandinavian Journal of Public Health</i> , 2013 , 41, 25-31	3	25	
78	Leisure-time physical activity and disability retirement: a prospective cohort study. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 669-75	2.5	18	
77	The durations of past sickness absences predict future absence episodes. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 87-92	2	24	
76	Relative weight and disability retirement: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 259-67	4.3	31	
75	Regional differences in disability retirement: explaining between-county differences in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 609-17	4.3	7	
74	Pain and disability retirement: a prospective cohort study. <i>Pain</i> , 2012 , 153, 526-531	8	44	
73	Drinking habits and disability retirement. <i>Addiction</i> , 2012 , 107, 2128-36	4.6	31	
72	Household economic resources, labour-market advantage and health problems - a study on causal relationships using prospective register data. <i>Social Science and Medicine</i> , 2012 , 75, 1303-10	5.1	35	
71	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. <i>BMC Public Health</i> , 2012 , 12, 309	4.1	88	
70	Twenty-five year trends in body mass index by education and income in Finland. <i>BMC Public Health</i> , 2012 , 12, 936	4.1	16	
69	Risk factors of chronic neck pain: a prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2012 , 16, 911-20	3.7	53	
68	Working conditions and psychotropic medication: a prospective cohort study. <i>Social Psychiatry and Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 663-70	4.5	21	
67	Workplace bullying and common mental disorders: a follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e3	5.1	47	
66	Trends in life expectancy by income from 1988 to 2007: decomposition by age and cause of death. Journal of Epidemiology and Community Health, 2012, 66, 573-8	5.1	99	

65	Changes of occupational class differences in physical functioning: a panel study among employees (2000-2007). <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 265-70	5.1	10
64	Past and present socioeconomic circumstances and psychotropic medication: a register-linkage study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 1143-51	5.1	15
63	Low back pain and neck pain as predictors of sickness absence among municipal employees. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 150-6	3	15
62	The effect of occupational and workplace gender composition on sickness absence. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 224-30	2	15
61	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 47-55	4.3	30
60	Trajectories of mental health before and after old-age and disability retirement: a register-based study on purchases of psychotropic drugs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 409-17	4.3	39
59	Changes in leisure-time physical activity after transition to retirement: a follow-up study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 36	8.4	53
58	Self-rated health as a predictor of disability retirementthe contribution of ill-health and working conditions. <i>PLoS ONE</i> , 2011 , 6, e25004	3.7	54
57	Risk factors of sciatic pain: a prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2011 , 15, 584-90	3.7	19
56	Different domains of health functioning as predictors of sickness absencea prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 213-8	4.3	26
55	Occupational social class and disability retirement among municipal employeesthe contribution of health behaviors and working conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 464-72	4.3	69
54	The association of income with fresh fruit and vegetable consumption at different levels of education. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 324-7	5.2	41
53	Healthy Eating 2010 , 99-110		1
52	Explaining occupational class differences in sickness absence: results from middle-aged municipal employees. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 802-7	5.1	37
51	Interrelationships between education, occupational class, income and sickness absence. <i>European Journal of Public Health</i> , 2010 , 20, 276-80	2.1	61
50	The impact of physical activity on physical health functioninga prospective study among middle-aged employees. <i>Preventive Medicine</i> , 2010 , 50, 246-50	4.3	35
49	Work arrangements, physical working conditions, and psychosocial working conditions as risk factors for sickness absence: Bayesian analysis of prospective data. <i>Annals of Epidemiology</i> , 2010 , 20, 332-8	6.4	76
48	The impact of physical activity on sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010 , 20, 191-9	4.6	50

(2007-2010)

47	Sickness absence, employment history, and high-risk employees: a 10-year longitudinal study. Journal of Occupational and Environmental Medicine, 2010 , 52, 913-9	2	4
46	The associations of household wealth and income with self-rated healtha study on economic advantage in middle-aged Finnish men and women. <i>Social Science and Medicine</i> , 2010 , 71, 1018-26	5.1	36
45	Social class differences in health behaviours among employees from Britain, Finland and Japan: the influence of psychosocial factors. <i>Health and Place</i> , 2010 , 16, 61-70	4.6	30
44	Comparing the effects of neighbourhood characteristics on all-cause mortality using two hierarchical areal units in the capital region of Helsinki. <i>Health and Place</i> , 2010 , 16, 409-12	4.6	21
43	Gender differences in sickness absencethe contribution of occupation and workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 394-403	4.3	77
42	Drinking habits and sickness absence: the contribution of working conditions. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 846-54	3	40
41	Health-related behaviours and sickness absence from work. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 840-7	2.1	57
40	Housing wealth and mortality: A register linkage study of the Finnish population. <i>Social Science and Medicine</i> , 2009 , 69, 754-60	5.1	26
39	Occupational class inequalities in health across employment sectors: the contribution of working conditions. <i>International Archives of Occupational and Environmental Health</i> , 2009 , 82, 185-90	3.2	33
38	Psychosocial risk factors of pain among employees. <i>European Journal of Pain</i> , 2009 , 13, 102-8	3.7	31
37	The effect of pain on sickness absence among middle-aged municipal employees. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 131-6	2.1	17
36	Trends of socioeconomic differences in daily vegetable consumption, 1979-2002. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 823-33	5.2	46
35	Smoking in context - a multilevel approach to smoking among females in Helsinki. <i>BMC Public Health</i> , 2008 , 8, 134	4.1	15
34	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 900-6	5.7	121
33	Home ownership and mortality: a register-based follow-up study of 300,000 Finns. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 293-7	5.1	33
32	Explanations for gender differences in sickness absence: evidence from middle-aged municipal employees from Finland. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 325-30	2.1	61
31	Health behaviours as explanations for educational level differences in cardiovascular and all-cause mortality: a follow-up of 60 000 men and women over 23 years. <i>European Journal of Public Health</i> , 2008 , 18, 38-43	2.1	206
30	Multiple socio-economic circumstances and healthy food habits. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 701-10	5.2	137

29	Relative weight and sickness absence. <i>Obesity</i> , 2007 , 15, 465-72	8	22
28	Does survey non-response bias the association between occupational social class and health?. <i>Scandinavian Journal of Public Health</i> , 2007 , 35, 212-5	3	111
27	The effects of childhood circumstances, adult socioeconomic status, and material circumstances on physical and mental functioning: a structural equation modelling approach. <i>Annals of Epidemiology</i> , 2007 , 17, 431-9	6.4	25
26	Associations of childhood circumstances with physical and mental functioning in adulthood. <i>Social Science and Medicine</i> , 2006 , 62, 1831-9	5.1	40
25	Multiple measures of socioeconomic circumstances and common mental disorders. <i>Social Science and Medicine</i> , 2006 , 63, 1383-99	5.1	88
24	Pain and health related functioning among employees. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 793-8	5.1	46
23	Job control, job demands, or social class? The impact of working conditions on the relation between social class and health. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 50-4	5.1	60
22	Smoking and SF-36 health functioning. <i>Preventive Medicine</i> , 2006 , 42, 206-9	4.3	53
21	Associations of psychosocial working conditions with self-rated general health and mental health among municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2006 , 79, 205-12	3.2	55
20	Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees. <i>Pain</i> , 2005 , 114, 364-371	8	94
19	Socioeconomic position and self-rated health: the contribution of childhood socioeconomic circumstances, adult socioeconomic status, and material resources. <i>American Journal of Public Health</i> , 2005 , 95, 1403-9	5.1	126
18	Body weight and health status: importance of socioeconomic position and working conditions. <i>Obesity</i> , 2005 , 13, 2169-77		20
17	Psychosocial working conditions and weight gain among employees. <i>International Journal of Obesity</i> , 2005 , 29, 909-15	5.5	44
16	The contribution of lone parenthood and economic difficulties to smoking. <i>Social Science and Medicine</i> , 2005 , 61, 211-6	5.1	32
15	Influence of material and behavioural factors on occupational class differences in health. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 163-9	5.1	36
14	Socioeconomic status and smoking: analysing inequalities with multiple indicators. <i>European Journal of Public Health</i> , 2005 , 15, 262-9	2.1	220
13	Pathways between socioeconomic determinants of health. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 327-32	5.1	278
12	Multiple dimensions of socioeconomic position and obesity among employees: The Helsinki Health Study. <i>Obesity</i> , 2004 , 12, 1851-8		41

LIST OF PUBLICATIONS

11	Study. <i>Preventive Medicine</i> , 2004 , 38, 48-56	4.3	97	
10	Income and health behaviours. Evidence from monitoring surveys among Finnish adults. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 711-7	5.1	73	
9	Sociodemographic determinants of multiple unhealthy behaviours. <i>Scandinavian Journal of Public Health</i> , 2003 , 31, 37-43	3	11	
8	Associations among health-related behaviours: sociodemographic variation in Finland. <i>International Journal of Public Health</i> , 2002 , 47, 225-32		8	
7	Associations between health-related behaviors: a 7-year follow-up of adults. <i>Preventive Medicine</i> , 2002 , 34, 162-70	4.3	62	
6	Patterns of unhealthy behaviour in Finland. European Journal of Public Health, 2001, 11, 294-300	2.1	90	
5	East-west differences in reported preventive practices. A comparative study of six European areas of the WHO-CINDI programme. <i>European Journal of Public Health</i> , 2001 , 11, 393-6	2.1	22	
4	Do health behaviour and psychosocial risk factors explain the European east-west gap in health status?. <i>European Journal of Public Health</i> , 2001 , 11, 65-73	2.1	40	
3	International quit and win 1996: standardized evaluation in selected campaign countries. <i>Preventive Medicine</i> , 2000 , 31, 742-51	4.3	15	
2	Development of smoking by birth cohort in the adult population in eastern Finland 1972-97. <i>Tobacco Control</i> , 1999 , 8, 161-8	5.3	42	
1	Smoking status and relative weight by educational level in Finland, 1978-1995. <i>Preventive Medicine</i> , 1998 , 27, 431-7	4.3	33	