

Patricia O Chocano-Bedoya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5736393/publications.pdf>

Version: 2024-02-01

29
papers

958
citations

623574

14
h-index

526166

27
g-index

32
all docs

32
docs citations

32
times ranked

1572
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospective Study of Ageing Trajectories in the European DO-HEALTH Study. <i>Gerontology</i> , 2023, 69, 57-64.	1.4	0
2	Prevalence of Physical Frailty: Results from the DO-HEALTH Study. <i>Journal of Frailty & Aging</i> , 2022, 11, 1-8.	0.8	7
3	Prevalence and incidence of iron deficiency in European community-dwelling older adults: an observational analysis of the DO-HEALTH trial. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2205-2215.	1.4	15
4	Prevalence of healthy aging among community dwelling adults age 70 and older from five European countries. <i>BMC Geriatrics</i> , 2022, 22, 174.	1.1	9
5	Prevalence of polypharmacy in community-dwelling older adults from seven centres in five European countries: a cross-sectional study of DO-HEALTH. <i>BMJ Open</i> , 2022, 12, e051881.	0.8	11
6	Swiss Frailty Network and Repository: protocol of a Swiss Personalized Health Network's driver project observational study. <i>BMJ Open</i> , 2021, 11, e047429.	0.8	3
7	Association of Dance-Based Mind-Motor Activities With Falls and Physical Function Among Healthy Older Adults. <i>JAMA Network Open</i> , 2020, 3, e2017688.	2.8	41
8	Effect of Vitamin D Supplementation, Omega-3 Fatty Acid Supplementation, or a Strength-Training Exercise Program on Clinical Outcomes in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1855.	3.8	180
9	Playing a musical instrument is associated with slower cognitive decline in community-dwelling older adults. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1577-1584.	1.4	16
10	Comparative Effectiveness of Functional Tests in Fall Prediction After Hip Fracture. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1327-1330.	1.2	3
11	Outcomes after spinal stenosis surgery by type of surgery in adults aged 60 years and older. <i>Swiss Medical Weekly</i> , 2020, 150, w20325.	0.8	4
12	Influence of fall environment and fall direction on risk of injury among pre-frail and frail adults. <i>Osteoporosis International</i> , 2019, 30, 2205-2215.	1.3	14
13	Association of depression with malnutrition, grip strength and impaired cognitive function among senior trauma patients. <i>Journal of Affective Disorders</i> , 2019, 247, 175-182.	2.0	7
14	Best Practices for Conducting Observational Research to Assess the Relation between Nutrition and Bone: An International Working Group Summary. <i>Advances in Nutrition</i> , 2019, 10, 391-409.	2.9	18
15	INFLAMMATORY DIET PATTERN AND COGNITIVE FUNCTION IN 5 EUROPEAN COUNTRIES OVER 3-YEARS FOLLOW-UP. <i>Innovation in Aging</i> , 2019, 3, S917-S917.	0.0	0
16	Effect of 800 IU Versus 2000 IU Vitamin D3 With or Without a Simple Home Exercise Program on Functional Recovery After Hip Fracture: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 530-536.e1.	1.2	13
17	Effect of Monthly Vitamin D on Chronic Pain Among Community-Dwelling Seniors: A Randomized, Double-Blind Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 356-361.	1.2	6
18	Posttraumatic stress disorder and development of premenstrual syndrome in a longitudinal cohort of women. <i>Archives of Women's Mental Health</i> , 2019, 22, 535-539.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Which Method of Fall Ascertainment Captures the Most Falls in Prefrail and Frail Seniors?. American Journal of Epidemiology, 2018, 187, 2243-2251.	1.6	17
20	Recovery after unilateral knee replacement due to severe osteoarthritis and progression in the contralateral knee: a randomised clinical trial comparing daily 2000 IU versus 800 IU vitamin D. RMD Open, 2018, 4, e000678.	1.8	17
21	Statin Use and 25-Hydroxyvitamin D Blood Level Response to Vitamin D Treatment of Older Adults. Journal of the American Geriatrics Society, 2017, 65, 1267-1273.	1.3	13
22	Impaired nutritional status in geriatric trauma patients. European Journal of Clinical Nutrition, 2017, 71, 602-606.	1.3	22
23	Inflammatory dietary pattern and risk of depression among women. Brain, Behavior, and Immunity, 2014, 36, 46-53.	2.0	152
24	C-reactive protein, interleukin-6, soluble tumor necrosis factor α receptor 2 and incident clinical depression. Journal of Affective Disorders, 2014, 163, 25-32.	2.0	44
25	Prospective study on long-term dietary patterns and incident depression in middle-aged and older women. American Journal of Clinical Nutrition, 2013, 98, 813-820.	2.2	84
26	Intake of Selected Minerals and Risk of Premenstrual Syndrome. American Journal of Epidemiology, 2013, 177, 1118-1127.	1.6	42
27	Dietary B vitamin intake and incident premenstrual syndrome. American Journal of Clinical Nutrition, 2011, 93, 1080-1086.	2.2	65
28	Dietary vitamin D intake, 25-hydroxyvitamin D3 levels and premenstrual syndrome in a college-aged population. Journal of Steroid Biochemistry and Molecular Biology, 2010, 121, 434-437.	1.2	53
29	Vitamin D and tuberculosis. Nutrition Reviews, 2009, 67, 289-293.	2.6	91