

Dapeng Cao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5737075/publications.pdf>

Version: 2024-02-01

306
papers

23,292
citations

9264

74
h-index

9861

141
g-index

314
all docs

314
docs citations

314
times ranked

23572
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A purely green approach to low-cost mass production of zeolitic imidazolate frameworks. <i>Green Energy and Environment</i> , 2023, 8, 775-784. | 8.7 | 6 |
| 2 | GaAs quantum dot/TiO ₂ heterojunction for visible-light photocatalytic hydrogen evolution: promotion of oxygen vacancy. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 450-460. | 21.1 | 28 |
| 3 | Fast identification of the stability of atomically dispersed bi-atom catalysts using a structure descriptor-based model. <i>Journal of Materials Chemistry A</i> , 2022, 10, 1451-1462. | 10.3 | 10 |
| 4 | Ultra-small Ru nanoparticles embedded on Fe-Ni(OH) ₂ nanosheets for efficient water splitting at a large current density with long-term stability of 680 hours. <i>Journal of Materials Chemistry A</i> , 2022, 10, 4817-4824. | 10.3 | 46 |
| 5 | MOF-derived CoN/CoFe/NC bifunctional electrocatalysts for zinc-air batteries. <i>Applied Surface Science</i> , 2022, 582, 152375. | 6.1 | 17 |
| 6 | Porous organic polymers as a platform for sensing applications. <i>Chemical Society Reviews</i> , 2022, 51, 2031-2080. | 38.1 | 140 |
| 7 | Steered polymorphic nanodomains in TiO ₂ to boost visible-light photocatalytic oxidation. <i>RSC Advances</i> , 2022, 12, 9660-9670. | 3.6 | 1 |
| 8 | Electroless deposition of RuPd nanoparticles on porous carbon for hydrogen evolution in acid and alkaline media. <i>Sustainable Energy and Fuels</i> , 2022, 6, 2165-2169. | 4.9 | 3 |
| 9 | A dual metal-organic framework strategy for synthesis of FeCo@NC bifunctional oxygen catalysts for clean energy application. <i>Chinese Journal of Chemical Engineering</i> , 2022, 43, 161-168. | 3.5 | 6 |
| 10 | Single atomic Cu-Anchored 2D covalent organic framework as a nanoreactor for CO ₂ capture and in-situ conversion: A computational study. <i>Chemical Engineering Science</i> , 2022, 253, 117536. | 3.8 | 5 |
| 11 | Yolk-like Pt nanoparticles as cathode catalysts for low-Pt-loading proton-exchange membrane fuel cells. <i>Materials Today Energy</i> , 2022, 27, 101043. | 4.7 | 9 |
| 12 | Atomically dispersed Fe-Cu dual-site catalysts synergistically boosting oxygen reduction for hydrogen fuel cells. <i>Chemical Engineering Journal</i> , 2022, 446, 137112. | 12.7 | 43 |
| 13 | AgNPs@Fe-N-C oxygen reduction catalysts for anion exchange membrane fuel cells. <i>Nano Energy</i> , 2022, 100, 107466. | 16.0 | 31 |
| 14 | Oriented construction Cu ₃ P and Ni ₂ P heterojunction to boost overall water splitting. <i>Chemical Engineering Journal</i> , 2022, 448, 137706. | 12.7 | 51 |
| 15 | Facile synthesis of Fe ₂ P/Co embedded trifunctional electrocatalyst for high-performance anion exchange membrane fuel cells, rechargeable Zn-air batteries, and overall water splitting. <i>Journal of Materials Chemistry A</i> , 2022, 10, 16037-16045. | 10.3 | 8 |
| 16 | Displacement of shale gas confined in illite shale by flue gas: A molecular simulation study. <i>Chinese Journal of Chemical Engineering</i> , 2021, 29, 295-303. | 3.5 | 8 |
| 17 | Selective adsorption of SF ₆ in covalent- and metal-organic frameworks. <i>Chinese Journal of Chemical Engineering</i> , 2021, 39, 88-95. | 3.5 | 5 |
| 18 | A Fully Conjugated 3D Covalent Organic Framework Exhibiting Band-like Transport with Ultrahigh Electron Mobility. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9321-9325. | 13.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | A Fully Conjugated 3D Covalent Organic Framework Exhibiting Bandlike Transport with Ultrahigh Electron Mobility. <i>Angewandte Chemie</i> , 2021, 133, 9407-9411. | 2.0 | 16 |
| 20 | Paraffin/polyethylene/graphite composite phase change materials with enhanced thermal conductivity and leakage-proof. <i>Advanced Composites and Hybrid Materials</i> , 2021, 4, 543-551. | 21.1 | 69 |
| 21 | MXenes for polymer matrix electromagnetic interference shielding composites: A review. <i>Composites Communications</i> , 2021, 24, 100653. | 6.3 | 291 |
| 22 | Unlocking the potential of P3 structure for practical Sodium-ion batteries by fabricating zero strain framework for Na ⁺ intercalation. <i>Energy Storage Materials</i> , 2021, 37, 354-362. | 18.0 | 47 |
| 23 | Polymer-based EMI shielding composites with 3D conductive networks: A mini-review. <i>SusMat</i> , 2021, 1, 413-431. | 14.9 | 212 |
| 24 | Saddle-Shaped Building Blocks: A New Concept for Designing Fully Conjugated 3D Organic Semiconducting Materials. <i>Chemistry - A European Journal</i> , 2021, 27, 12012-12018. | 3.3 | 11 |
| 25 | Frontispiece: Saddle-Shaped Building Blocks: A New Concept for Designing Fully Conjugated 3D Organic Semiconducting Materials. <i>Chemistry - A European Journal</i> , 2021, 27, . | 3.3 | 0 |
| 26 | A Three-Dimensional sp ² Carbon-Conjugated Covalent Organic Framework. <i>Journal of the American Chemical Society</i> , 2021, 143, 15562-15566. | 13.7 | 80 |
| 27 | Dual active site tandem catalysis of metal hydroxyl oxides and single atoms for boosting oxygen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2021, 297, 120451. | 20.2 | 44 |
| 28 | Sulfur-modified porous covalent organic polymers as bifunctional materials for efficient fluorescence detection and fast removal of heavy metal ions. <i>Materials Chemistry Frontiers</i> , 2021, 5, 3428-3435. | 5.9 | 12 |
| 29 | Dissolution-enhanced emission of 1,3,6,8-tetrakis(<i>p</i> -benzoic acid)pyrene for selectively detecting protamine and α -fetoprotein detection in water. <i>New Journal of Chemistry</i> , 2021, 46, 345-351. | 2.8 | 2 |
| 30 | Hollow Nanotube Ru/Cu ₂ O Supported on Copper Foam as a Bifunctional Catalyst for Overall Water Splitting. <i>Chemistry - A European Journal</i> , 2020, 26, 4112-4119. | 3.3 | 19 |
| 31 | Dissolution-enhanced emission of 1,3,6,8-Tetrakis(<i>p</i> -benzoic acid)pyrene for detecting arginine and lysine amino acids. <i>Dyes and Pigments</i> , 2020, 175, 108131. | 3.7 | 18 |
| 32 | Design of High-Performance Co-Based Alloy Nanocatalysts for the Oxygen Reduction Reaction. <i>Chemistry - A European Journal</i> , 2020, 26, 4128-4135. | 3.3 | 10 |
| 33 | Molecular Sizes and Antibacterial Performance Relationships of Flexible Ionic Liquid Derivatives. <i>Journal of the American Chemical Society</i> , 2020, 142, 20257-20269. | 13.7 | 128 |
| 34 | Role of substrate softness in stabilizing surface nanobubbles. <i>Green Energy and Environment</i> , 2020, 5, 374-380. | 8.7 | 2 |
| 35 | Precise molecular design for BN-modified polycyclic aromatic hydrocarbons toward mechanochromic materials. <i>Journal of Materials Chemistry A</i> , 2020, 8, 22023-22031. | 10.3 | 30 |
| 36 | High Energy Density Hybrid Solid-State Li-Ion Batteries Enabled by a Gel/Ceramic/Gel Sandwich Electrolyte. <i>ACS Applied Energy Materials</i> , 2020, 3, 5113-5119. | 5.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | InP/TiO ₂ heterojunction for photoelectrochemical water splitting under visible-light. International Journal of Hydrogen Energy, 2020, 45, 11615-11624. | 7.1 | 18 |
| 38 | A new concept analogous to homogeneous catalysis to construct in-situ regenerative electrodes for long-term oxygen evolution reaction. Nano Energy, 2020, 76, 105115. | 16.0 | 14 |
| 39 | Advances in Template Prepared Nano-oxides and their Applications: Polluted Water Treatment, Energy, Sensing and Biomedical Drug Delivery. Chemical Record, 2020, 20, 710-729. | 5.8 | 29 |
| 40 | Predicting Device Parameters for Dye-Sensitized Solar Cells from Electronic Structure Calculations to Reproduce Experiment. ACS Applied Energy Materials, 2020, 3, 4367-4376. | 5.1 | 6 |
| 41 | Physically Adsorbed Metal Ions in Porous Supports as Electrocatalysts for Oxygen Evolution Reaction. Advanced Functional Materials, 2020, 30, 1909889. | 14.9 | 32 |
| 42 | Oxygen-Reconstituted Active Species of Single-Atom Cu Catalysts for Oxygen Reduction Reaction. Research, 2020, 2020, 7593023. | 5.7 | 21 |
| 43 | Regioselective Functionalization of Stable BN-Modified Luminescent Tetraphenes for High-Resolution Fingerprint Imaging. Angewandte Chemie, 2019, 131, 10238-10243. | 2.0 | 12 |
| 44 | Single-Atom Ru Doping Induced Phase Transition of MoS ₂ and S Vacancy for Hydrogen Evolution Reaction. Small Methods, 2019, 3, 1900653. | 8.6 | 206 |
| 45 | Superior electromagnetic interference shielding 3D graphene nanoplatelets/reduced graphene oxide foam/epoxy nanocomposites with high thermal conductivity. Journal of Materials Chemistry C, 2019, 7, 2725-2733. | 5.5 | 342 |
| 46 | Amorphous Cobalt Iron Borate Grown on Carbon Paper as a Precatalyst for Water Oxidation. ChemSusChem, 2019, 12, 3524-3531. | 6.8 | 28 |
| 47 | Design of Small Nanoparticles Decorated with Amphiphilic Ligands: Self-Preservation Effect and Translocation into a Plasma Membrane. ACS Applied Materials & Interfaces, 2019, 11, 23822-23831. | 8.0 | 29 |
| 48 | Polyaniline-coated Ru/Ni(OH) ₂ nanosheets for hydrogen evolution reaction over a wide pH range. Journal of Catalysis, 2019, 375, 249-256. | 6.2 | 47 |
| 49 | A permeation model of shale gas in cylindrical-like kerogen pores at geological conditions. Chemical Engineering Science, 2019, 207, 457-463. | 3.8 | 6 |
| 50 | Probing the Structural Transition Kinetics and Charge Compensation of the P ₂ -Na _{0.78} Al _{0.05} Ni _{0.33} Mn _{0.60} O ₂ Cathode for Sodium Ion Batteries. ACS Applied Materials & Interfaces, 2019, 11, 24122-24131. | 8.0 | 51 |
| 51 | Regioselective Functionalization of Stable BN-Modified Luminescent Tetraphenes for High-Resolution Fingerprint Imaging. Angewandte Chemie - International Edition, 2019, 58, 10132-10137. | 13.8 | 55 |
| 52 | Vertical CoP Nanoarray Wrapped by N,P-Doped Carbon for Hydrogen Evolution Reaction in Both Acidic and Alkaline Conditions. Advanced Energy Materials, 2019, 9, 1803970. | 19.5 | 284 |
| 53 | Active Site Identification and Evaluation Criteria of In Situ Grown CoTe and NiTe Nanoarrays for Hydrogen Evolution and Oxygen Evolution Reactions. Small Methods, 2019, 3, 1900113. | 8.6 | 78 |
| 54 | Why are nanoparticles trapped at cell junctions when the cell density is high?. Nanoscale, 2019, 11, 6602-6609. | 5.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Constructing interconnected spherical hollow conductive networks in silver platelets/reduced graphene oxide foam/epoxy nanocomposites for superior electromagnetic interference shielding effectiveness. <i>Nanoscale</i> , 2019, 11, 22590-22598. | 5.6 | 130 |
| 56 | Screening metal-organic frameworks for capturing radioactive gas Rn in indoor air. <i>Journal of Hazardous Materials</i> , 2019, 366, 624-629. | 12.4 | 22 |
| 57 | Sulfur, Nitrogen and Fluorine Triple-Atom Doped Metal-Free Carbon Electrocatalysts for the Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2019, 6, 741-747. | 3.4 | 33 |
| 58 | Hydrogen Production via Efficient Formic Acid Decomposition: Engineering the Surface Structure of Pd-Based Alloy Catalysts by Design. <i>ACS Catalysis</i> , 2019, 9, 781-790. | 11.2 | 62 |
| 59 | Nitrogen-doped graphitic carbons with encapsulated CoNi bimetallic nanoparticles as bifunctional electrocatalysts for rechargeable Zn-Air batteries. <i>Carbon</i> , 2019, 144, 8-14. | 10.3 | 101 |
| 60 | A Novel Zr-MOF as Fluorescence Turn-On Probe for Real-Time Detecting H ₂ S Gas and Fingerprint Identification. <i>Small</i> , 2018, 14, e1703822. | 10.0 | 86 |
| 61 | Decoupling of bilayer leaflets under gas supersaturation: nitrogen nanobubbles in a membrane and their implication in decompression sickness. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 184001. | 2.8 | 0 |
| 62 | Biomass-derived FeNi alloy and nitrogen-codoped porous carbons as highly efficient oxygen reduction and evolution bifunctional electrocatalysts for rechargeable Zn-air battery. <i>Energy Storage Materials</i> , 2018, 12, 277-283. | 18.0 | 176 |
| 63 | Amino-Functionalized Luminescent Metal-Organic Framework Test Paper for Rapid and Selective Sensing of SO ₂ Gas and Its Derivatives by Luminescence Turn-On Effect. <i>Analytical Chemistry</i> , 2018, 90, 3608-3614. | 6.5 | 146 |
| 64 | Co,N-codoped nanotube/graphene 1D/2D heterostructure for efficient oxygen reduction and hydrogen evolution reactions. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3926-3932. | 10.3 | 136 |
| 65 | Recent Progress in MOF-Derived, Heteroatom-Doped Porous Carbons as Highly Efficient Electrocatalysts for Oxygen Reduction Reaction in Fuel Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1704537. | 14.9 | 552 |
| 66 | Controllable etching of MoS ₂ basal planes for enhanced hydrogen evolution through the formation of active edge sites. <i>Nano Energy</i> , 2018, 49, 634-643. | 16.0 | 220 |
| 67 | A universal principle for a rational design of single-atom electrocatalysts. <i>Nature Catalysis</i> , 2018, 1, 339-348. | 34.4 | 1,214 |
| 68 | Two-dimensional graphitic C ₃ N ₅ materials: promising metal-free catalysts and CO ₂ adsorbents. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7168-7174. | 10.3 | 58 |
| 69 | Rational Design of Dithienopicenocarbazole-Based Dyes and a Prediction of Their Energy-Conversion Efficiency Characteristics for Dye-Sensitized Solar Cells. <i>ACS Applied Energy Materials</i> , 2018, 1, 1435-1444. | 5.1 | 36 |
| 70 | Significantly enhanced energy density of magnetite/polypyrrole nanocomposite capacitors at high rates by low magnetic fields. <i>Advanced Composites and Hybrid Materials</i> , 2018, 1, 127-134. | 21.1 | 73 |
| 71 | Metal-organic framework as luminescence turn-on sensor for selective detection of metal ions: Absorbance caused enhancement mechanism. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 839-845. | 7.8 | 116 |
| 72 | A mesoscale model for diffusion and permeation of shale gas at geological depth. <i>AIChE Journal</i> , 2018, 64, 1059-1066. | 3.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Heavy metal ion removal of wastewater by zeolite-imidazolate frameworks. Separation and Purification Technology, 2018, 194, 462-469. | 7.9 | 277 |
| 74 | Pyrene-Based Covalent Organic Polymers for Enhanced Photovoltaic Performance and Solar-Driven Hydrogen Production. ACS Applied Energy Materials, 2018, 1, 7007-7013. | 5.1 | 13 |
| 75 | Robust Alginate Aerogel Absorbents for Removal of Heavy Metal and Organic Pollutant. Journal of Biobased Materials and Bioenergy, 2018, 12, 425-431. | 0.3 | 5 |
| 76 | Spontaneous insertion of GPI anchors into cholesterol-rich membrane domains. AIP Advances, 2018, 8, 055210. | 1.3 | 4 |
| 77 | Fluorescent polymer nanotubes as bifunctional materials for selective sensing and fast removal of picric acid. Sensors and Actuators B: Chemical, 2018, 274, 102-109. | 7.8 | 30 |
| 78 | Covalent Organic Polymers for Rapid Fluorescence Imaging of Latent Fingerprints. ACS Applied Materials & Interfaces, 2018, 10, 21619-21627. | 8.0 | 21 |
| 79 | Facile preparation of biomass-derived bifunctional electrocatalysts for oxygen reduction and evolution reactions. International Journal of Hydrogen Energy, 2018, 43, 8611-8622. | 7.1 | 64 |
| 80 | Single-atom cobalt electrocatalysts for foldable solid-state Zn-air battery. Nano Energy, 2018, 50, 691-698. | 16.0 | 303 |
| 81 | Unveiling the high-activity origin of single-atom iron catalysts for oxygen reduction reaction. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 6626-6631. | 7.1 | 500 |
| 82 | Nitrogen-doped porous carbons with ultrahigh specific surface area as bifunctional materials for dye removal of wastewater and supercapacitors. Applied Surface Science, 2018, 456, 184-194. | 6.1 | 47 |
| 83 | Biomass-derived nitrogen-doped porous carbons (NPC) and NPC/ polyaniline composites as high performance supercapacitor materials. Engineered Science, 2018, , . | 2.3 | 62 |
| 84 | Introducing Engineered Science. Engineered Science, 2018, , . | 2.3 | 6 |
| 85 | Zeolitic-imidazolate Framework (ZIF)@ZnCo-ZIF Core-shell Template Derived Co, N-doped Carbon Catalysts for Oxygen Reduction Reaction. Engineered Science, 2018, , . | 2.3 | 15 |
| 86 | Counterintuitive cooperative endocytosis of like-charged nanoparticles in cellular internalization: computer simulation and experiment. Nanotechnology, 2017, 28, 085102. | 2.6 | 15 |
| 87 | Absorption competition quenching mechanism of porous covalent organic polymer as luminescent sensor for selective sensing Fe ³⁺ . ChemistrySelect, 2017, 2, 1041-1047. | 1.5 | 49 |
| 88 | Adsorption and selectivity of CH ₄ /CO ₂ in functional group rich organic shales. Journal of Natural Gas Science and Engineering, 2017, 39, 82-89. | 4.4 | 39 |
| 89 | Poly(vinylidene fluoride) derived fluorine-doped magnetic carbon nanoadsorbents for enhanced chromium removal. Carbon, 2017, 115, 503-514. | 10.3 | 60 |
| 90 | Delaminated layered double hydroxide delivers DNA molecules as sandwich nanostructure into cells via a non-endocytic pathway. Science Bulletin, 2017, 62, 686-692. | 9.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | ZIF-derived nitrogen-doped porous carbons as highly efficient adsorbents for removal of organic compounds from wastewater. <i>Chemical Engineering Journal</i> , 2017, 323, 502-511. | 12.7 | 140 |
| 92 | Porous organic polymer nanotubes as luminescent probe for highly selective and sensitive detection of Fe ³⁺ . <i>Science China Chemistry</i> , 2017, 60, 1090-1097. | 8.2 | 44 |
| 93 | Highly selective detection of picric acid from multicomponent mixtures of nitro explosives by using COP luminescent probe. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 753-760. | 7.8 | 56 |
| 94 | Luminescent porous organic polymer nanotubes for highly selective sensing of H ₂ S. <i>Materials Chemistry Frontiers</i> , 2017, 1, 2643-2650. | 5.9 | 35 |
| 95 | Nitrogen and Fluorine-Codoped Porous Carbons as Efficient Metal-Free Electrocatalysts for Oxygen Reduction Reaction in Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32859-32867. | 8.0 | 83 |
| 96 | Designing transition metal and nitrogen-codoped SrTiO ₃ (001) perovskite surfaces as efficient photocatalysts for water splitting. <i>Sustainable Energy and Fuels</i> , 2017, 1, 1968-1980. | 4.9 | 15 |
| 97 | Nitrogen-Doped Nanoporous Carbons for Selective Separation of Ar/Kr/Xe/Rn Gases: An Experiment-Based Simulation Study. <i>Journal of Physical Chemistry C</i> , 2017, 121, 16308-16315. | 3.1 | 8 |
| 98 | Flexible polydimethylsiloxane/multi-walled carbon nanotubes membranous metacomposites with negative permittivity. <i>Polymer</i> , 2017, 125, 50-57. | 3.8 | 379 |
| 99 | I, N-Codoping Modification of TiO ₂ for Enhanced Photoelectrochemical H ₂ O Splitting in Visible-Light Region. <i>Journal of Physical Chemistry C</i> , 2017, 121, 26202-26208. | 3.1 | 11 |
| 100 | Hydrogen Bond Networks of Glycol Molecules on ZIF-8 Surfaces as Semipermeable Films for Efficient Carbon Capture. <i>Journal of Physical Chemistry C</i> , 2017, 121, 25347-25352. | 3.1 | 11 |
| 101 | Tri-Petal Lilac-Like Perylene: Asymmetrical Substituted Platform for Regioselective Ether-Exchange Reaction. <i>Synlett</i> , 2017, 28, 2121-2125. | 1.8 | 12 |
| 102 | Size effect on the adsorption and dissociation of CO ₂ on Co nanoclusters. <i>Applied Surface Science</i> , 2017, 396, 539-546. | 6.1 | 23 |
| 103 | Screening π -conjugated bridges of organic dyes for dye-sensitized solar cells with panchromatic visible light harvesting. <i>Nanotechnology</i> , 2016, 27, 265701. | 2.6 | 23 |
| 104 | Phosphorousâ€“Nitrogenâ€“Codoped Carbon Materials Derived from Metalâ€“Organic Frameworks as Efficient Electrocatalysts for Oxygen Reduction Reactions. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 2100-2105. | 2.0 | 70 |
| 105 | Dynamic separation of Xe and Kr by metal-organic framework and covalent-organic materials: a comparison with activated charcoal. <i>Science China Chemistry</i> , 2016, 59, 643-650. | 8.2 | 24 |
| 106 | Molecular Dynamics Simulation of Diffusion of Shale Oils in Montmorillonite. <i>Journal of Physical Chemistry C</i> , 2016, 120, 8986-8991. | 3.1 | 64 |
| 107 | Controlling the conductive network formation of polymer nanocomposites filled with nanorods through the electric field. <i>Polymer</i> , 2016, 101, 395-405. | 3.8 | 11 |
| 108 | Molecular simulation of displacement of shale gas by carbon dioxide at different geological depths. <i>Chemical Engineering Science</i> , 2016, 156, 121-127. | 3.8 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Cu,N-codoped Hierarchical Porous Carbons as Electrocatalysts for Oxygen Reduction Reaction. ACS Applied Materials & Interfaces, 2016, 8, 21431-21439. | 8.0 | 205 |
| 110 | One-pot melamine derived nitrogen doped magnetic carbon nanoadsorbents with enhanced chromium removal. Carbon, 2016, 109, 640-649. | 10.3 | 125 |
| 111 | Unexpected highly reversible topotactic CO ₂ sorption/desorption capacity for potassium dititanate. Journal of Materials Chemistry A, 2016, 4, 12889-12896. | 10.3 | 27 |
| 112 | PdCu alloy nanoparticle-decorated copper nanotubes as enhanced electrocatalysts: DFT prediction validated by experiment. Nanotechnology, 2016, 27, 495403. | 2.6 | 16 |
| 113 | A Rigid Nested Metal-Organic Framework Featuring a Thermoresponsive Gating Effect Dominated by Counterions. Angewandte Chemie - International Edition, 2016, 55, 15027-15030. | 13.8 | 166 |
| 114 | ZIF-Derived Nitrogen-Doped Porous Carbons for Xe Adsorption and Separation. Scientific Reports, 2016, 6, 21295. | 3.3 | 33 |
| 115 | Size-Dependent Facilitation of Cancer Cell Targeting by Proteins Adsorbed on Nanoparticles. ACS Applied Materials & Interfaces, 2016, 8, 30037-30047. | 8.0 | 29 |
| 116 | Enhanced near-infrared shielding ability of (Li,K)-codoped WO ₃ for smart windows: DFT prediction validated by experiment. Nanotechnology, 2016, 27, 075203. | 2.6 | 28 |
| 117 | Porous covalent organic polymers as luminescent probes for highly selective sensing of Fe ³⁺ and chloroform: Functional group effects. Sensors and Actuators B: Chemical, 2016, 226, 273-278. | 7.8 | 80 |
| 118 | Destruction and recovery of a nanorod conductive network in polymer nanocomposites via molecular dynamics simulation. Soft Matter, 2016, 12, 3074-3083. | 2.7 | 11 |
| 119 | Bandgap engineering of Magnéli phase TiO ₂ n ⁻¹ : Electron-hole self-compensation. Journal of Chemical Physics, 2015, 143, 054701. | 3.0 | 10 |
| 120 | A Strategy to Design Benzothiadiazole-carbazole-based Conjugated Polymer with High Solar Cell Voltage and Enhanced Photocurrent. Macromolecular Rapid Communications, 2015, 36, 2156-2161. | 3.9 | 5 |
| 121 | PAF-derived nitrogen-doped 3D Carbon Materials for Efficient Energy Conversion and Storage. Scientific Reports, 2015, 5, 8307. | 3.3 | 28 |
| 122 | Enhancement Mechanism of the Conversion Efficiency of Dye-Sensitized Solar Cells Based on Nitrogen-, Fluorine-, and Iodine-Doped TiO ₂ Photoanodes. Journal of Physical Chemistry C, 2015, 119, 13425-13432. | 3.1 | 21 |
| 123 | Well-defined two dimensional covalent organic polymers: rational design, controlled syntheses, and potential applications. Polymer Chemistry, 2015, 6, 1896-1911. | 3.9 | 189 |
| 124 | From Inorganic to Organic Strategy To Design Porous Aromatic Frameworks for High-Capacity Gas Storage. Journal of Physical Chemistry C, 2015, 119, 3260-3267. | 3.1 | 15 |
| 125 | Design strategy of cell-penetrating copolymers for high efficient drug delivery. Biomaterials, 2015, 52, 171-179. | 11.4 | 14 |
| 126 | Screening donor groups of organic dyes for dye-sensitized solar cells. RSC Advances, 2015, 5, 22892-22898. | 3.6 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Diffusion and Separation of H ₂ , CH ₄ , CO ₂ , and N ₂ in Diamond-Like Frameworks. <i>Journal of Physical Chemistry C</i> , 2015, 119, 6324-6330. | 3.1 | 37 |
| 128 | Color tunable porous organic polymer luminescent probes for selective sensing of metal ions and nitroaromatic explosives. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8490-8494. | 5.5 | 103 |
| 129 | Molecular dynamics simulation of the conductivity mechanism of nanorod filled polymer nanocomposites. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 22959-22968. | 2.8 | 27 |
| 130 | Selective capture of trace sulfur gas by porous covalent-organic materials. <i>Chemical Engineering Science</i> , 2015, 135, 373-380. | 3.8 | 25 |
| 131 | Systematic Tuning and Multifunctionalization of Covalent Organic Polymers for Enhanced Carbon Capture. <i>Journal of the American Chemical Society</i> , 2015, 137, 13301-13307. | 13.7 | 202 |
| 132 | Zeolitic imidazolate framework-derived nitrogen-doped porous carbons as high performance supercapacitor electrode materials. <i>Carbon</i> , 2015, 85, 51-59. | 10.3 | 275 |
| 133 | Nanoparticle hardness controls the internalization pathway for drug delivery. <i>Nanoscale</i> , 2015, 7, 2758-2769. | 5.6 | 86 |
| 134 | Highly sensitive and selective detection of 2,4,6-trinitrophenol using covalent-organic polymer luminescent probes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 92-96. | 10.3 | 132 |
| 135 | Flame-Retardant Polypropylene/Multiwall Carbon Nanotube Nanocomposites: Effects of Surface Functionalization and Surfactant Molecular Weight. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 327-340. | 2.2 | 75 |
| 136 | Adsorption and Diffusion of Shale Gas Reservoirs in Modeled Clay Minerals at Different Geological Depths. <i>Energy & Fuels</i> , 2014, 28, 7467-7473. | 5.1 | 113 |
| 137 | Existence of a Glassy Layer in the Polymer-Nanosheet Interface: Evidence from Molecular Dynamics. <i>Macromolecular Theory and Simulations</i> , 2014, 23, 36-48. | 1.4 | 38 |
| 138 | Synthesis of Cu@Pd core-shell nanowires with enhanced activity and stability for formic acid oxidation. <i>Electrochimica Acta</i> , 2014, 143, 44-48. | 5.2 | 52 |
| 139 | Improving Energy Conversion Efficiency of Dye-Sensitized Solar Cells by Modifying TiO ₂ Photoanodes with Nitrogen-Reduced Graphene Oxide. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 1234-1240. | 6.7 | 59 |
| 140 | Nitrogen-doped graphene as an excellent candidate for selective gas sensing. <i>Science China Chemistry</i> , 2014, 57, 911-917. | 8.2 | 55 |
| 141 | Highly Efficient Electrocatalysts for Oxygen Reduction Based on 2D Covalent Organic Polymers Complexed with Non-Precious Metals. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2433-2437. | 13.8 | 417 |
| 142 | Molecular dynamics simulation of dispersion and aggregation kinetics of nanorods in polymer nanocomposites. <i>Polymer</i> , 2014, 55, 1273-1281. | 3.8 | 39 |
| 143 | Revisiting density functionals for the primitive model of electric double layers. <i>Journal of Chemical Physics</i> , 2014, 140, 044714. | 3.0 | 50 |
| 144 | Adsorption and Separation of Xe in Metal-Organic Frameworks and Covalent-Organic Materials. <i>Journal of Physical Chemistry C</i> , 2014, 118, 10221-10229. | 3.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Nitrogen-Doped Holey Graphitic Carbon from 2D Covalent Organic Polymers for Oxygen Reduction. <i>Advanced Materials</i> , 2014, 26, 3315-3320. | 21.0 | 292 |
| 146 | A contact-corrected density functional theory for electrolytes at an interface. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 3934. | 2.8 | 26 |
| 147 | Computer Screening of Dopants for the Development of New SnO ₂ -Based Transparent Conducting Oxides. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2037-2043. | 3.1 | 26 |
| 148 | Fracture mechanism of amorphous polymers at strain fields. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 24892-24898. | 2.8 | 14 |
| 149 | Design of the Alkali-Metal-Doped WO ₃ as a Near-Infrared Shielding Material for Smart Window. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 17981-17988. | 3.7 | 68 |
| 150 | An amino group functionalized metal-organic framework as a luminescent probe for highly selective sensing of Fe ³⁺ ions. <i>Journal of Materials Chemistry A</i> , 2014, 2, 7662. | 10.3 | 312 |
| 151 | Kinetic Charging Inversion in Ionic Liquid Electric Double Layers. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 2195-2200. | 4.6 | 62 |
| 152 | Uniaxial deformation of nanorod filled polymer nanocomposites: a coarse-grained molecular dynamics simulation. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 16039. | 2.8 | 33 |
| 153 | Molecular dynamics simulation of the rupture mechanism in nanorod filled polymer nanocomposites. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 18483. | 2.8 | 18 |
| 154 | A facile and versatile method for preparation of colored TiO ₂ with enhanced solar-driven photocatalytic activity. <i>Nanoscale</i> , 2014, 6, 10216-10223. | 5.6 | 382 |
| 155 | ZIF-derived in situ nitrogen-doped porous carbons as efficient metal-free electrocatalysts for oxygen reduction reaction. <i>Energy and Environmental Science</i> , 2014, 7, 442-450. | 30.8 | 719 |
| 156 | Fluorite TiO ₂ (111) Surface Phase for Enhanced Visible-Light Solar Energy Conversion. <i>Journal of Physical Chemistry C</i> , 2014, 118, 20107-20111. | 3.1 | 15 |
| 157 | A spontaneous penetration mechanism of patterned nanoparticles across a biomembrane. <i>Soft Matter</i> , 2014, 10, 6844. | 2.7 | 34 |
| 158 | Designing triphenylamine derivative dyes for highly effective dye-sensitized solar cells with near-infrared light harvesting up to 1100 nm. <i>RSC Advances</i> , 2014, 4, 48750-48757. | 3.6 | 21 |
| 159 | A DIH-based equation for separation of CO ₂ and CH ₄ in metal-organic frameworks and covalent-organic materials. <i>Journal of Materials Chemistry A</i> , 2014, 2, 11341. | 10.3 | 28 |
| 160 | Understanding the Mechanism of Photocatalysis Enhancements in the Graphene-like Semiconductor Sheet/TiO ₂ Composites. <i>Journal of Physical Chemistry C</i> , 2014, 118, 5954-5960. | 3.1 | 65 |
| 161 | ZIF-derived porous carbon: a promising supercapacitor electrode material. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12873. | 10.3 | 171 |
| 162 | Tetrahedral node diamondyne frameworks for CO ₂ adsorption and separation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4899. | 10.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Preparation and Characterization of Covalent Organic Polymer Supported Palladium Catalysts for Oxidation of CO and Benzyl Alcohol. Industrial & Engineering Chemistry Research, 2014, 53, 1359-1367. | 3.7 | 18 |
| 164 | Highly Monodisperse Sub- μ m Microspherical Poly(glycidyl methacrylate) Nanocomposites with Highly Stabilized Gold Nanoparticles. Macromolecular Chemistry and Physics, 2014, 215, 1098-1106. | 2.2 | 13 |
| 165 | Oxygen Reduction: Nitrogen-Doped Holey Graphitic Carbon from 2D Covalent Organic Polymers for Oxygen Reduction (Adv. Mater. 20/2014). Advanced Materials, 2014, 26, 3356-3356. | 21.0 | 6 |
| 166 | Time-dependent density functional theory for ion diffusion in electrochemical systems. Journal of Physics Condensed Matter, 2014, 26, 284102. | 1.8 | 45 |
| 167 | SiH/TiO ₂ and GeH/TiO ₂ Heterojunctions: Promising TiO ₂ -based Photocatalysts under Visible Light. Scientific Reports, 2014, 4, 4810. | 3.3 | 43 |
| 168 | Targeted synthesis of electroactive porous organic frameworks containing triphenyl phosphine moieties. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2013, 371, 20120312. | 3.4 | 15 |
| 169 | Computational screening of porous carbons, zeolites, and metal organic frameworks for desulfurization and decarburization of biogas, natural gas, and flue gas. AIChE Journal, 2013, 59, 2928-2942. | 3.6 | 77 |
| 170 | Understanding Photoelectrochemical Properties of B-N Codoped Anatase TiO ₂ for Solar Energy Conversion. Journal of Physical Chemistry C, 2013, 117, 15911-15917. | 3.1 | 33 |
| 171 | Microstructure and intercalation dynamics of polymer chains in layered sheets. RSC Advances, 2013, 3, 21655. | 3.6 | 4 |
| 172 | Selective adsorption of olefin-paraffin on diamond-like frameworks: diamondyne and PAF-302. Journal of Materials Chemistry A, 2013, 1, 9433. | 10.3 | 41 |
| 173 | Enhanced photoelectrochemical performance of anatase TiO ₂ by metal-assisted S-O coupling for water splitting. International Journal of Hydrogen Energy, 2013, 38, 1251-1257. | 7.1 | 27 |
| 174 | Modeling of highly efficient drug delivery system induced by self-assembly of nanocarriers: A density functional study. Science China Chemistry, 2013, 56, 249-255. | 8.2 | 5 |
| 175 | A porous diamond carbon framework: a new carbon allotrope with extremely high gas adsorption and mechanical properties. Journal of Materials Chemistry A, 2013, 1, 3851. | 10.3 | 32 |
| 176 | Carbon Dioxide Capture by PAFs and an Efficient Strategy To Fast Screen Porous Materials for Gas Separation. Journal of Physical Chemistry C, 2013, 117, 8353-8364. | 3.1 | 62 |
| 177 | Porous covalent-organic materials: synthesis, clean energy application and design. Journal of Materials Chemistry A, 2013, 1, 2691-2718. | 10.3 | 329 |
| 178 | Covalent organic polymer supported palladium catalysts for CO oxidation. Chemical Communications, 2013, 49, 5633. | 4.1 | 95 |
| 179 | Self-Assembly of Patterned Nanoparticles on Cellular Membranes: Effect of Charge Distribution. Journal of Physical Chemistry B, 2013, 117, 6733-6740. | 2.6 | 20 |
| 180 | The Role of Shape Complementarity in the Protein-Protein Interactions. Scientific Reports, 2013, 3, 3271. | 3.3 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | COMPUTATIONAL SIMULATION OF ELASTOMER NANOCOMPOSITES: CURRENT PROGRESS AND FUTURE CHALLENGES. Rubber Chemistry and Technology, 2012, 85, 450-481. | 1.2 | 32 |
| 182 | Generalized Flory-Huggins theory-based equation of state for ring and chain fluids. Journal of Chemical Physics, 2012, 136, 124904. | 3.0 | 1 |
| 183 | Density functional theory for inhomogeneous ring polymeric fluids. Physical Review E, 2012, 86, 041805. | 2.1 | 7 |
| 184 | Selective adsorption of carbon dioxide by carbonized porous aromatic framework (PAF). Energy and Environmental Science, 2012, 5, 8370. | 30.8 | 234 |
| 185 | Covalent-organic polymers for carbon dioxide capture. Journal of Materials Chemistry, 2012, 22, 22663. | 6.7 | 143 |
| 186 | Postsynthetic Lithium Modification of Covalent-Organic Polymers for Enhancing Hydrogen and Carbon Dioxide Storage. Journal of Physical Chemistry C, 2012, 116, 5974-5980. | 3.1 | 95 |
| 187 | Semiconducting and conducting transition of covalent-organic polymers induced by defects. Nanotechnology, 2012, 23, 395702. | 2.6 | 4 |
| 188 | Effect of Li Doping on Diffusion and Separation of Hydrogen and Methane in Covalent Organic Frameworks. Journal of Physical Chemistry C, 2012, 116, 12591-12598. | 3.1 | 57 |
| 189 | Functional Group Modification of Metal-Organic Frameworks for CO ₂ Capture. Journal of Physical Chemistry C, 2012, 116, 10573-10579. | 3.1 | 73 |
| 190 | Local Structure Evolution and its Connection to Thermodynamic and Transport Properties of 1-Butyl-3-methylimidazolium Tetrafluoroborate and Water Mixtures by Molecular Dynamics Simulations. Journal of Physical Chemistry B, 2012, 116, 3249-3263. | 2.6 | 85 |
| 191 | Nitrogen-doped graphene nanosheets as anode materials for lithium ion batteries: a first-principles study. Journal of Materials Chemistry, 2012, 22, 8911. | 6.7 | 517 |
| 192 | Synthesis of Luminescent Covalent-Organic Polymers for Detecting Nitroaromatic Explosives and Small Organic Molecules. Macromolecular Rapid Communications, 2012, 33, 1184-1190. | 3.9 | 213 |
| 193 | Mechanical properties of polygonal carbon nanotubes. Nanoscale, 2012, 4, 5420. | 5.6 | 9 |
| 194 | Lithium doping on metal-organic frameworks for enhancing H ₂ Storage. International Journal of Hydrogen Energy, 2012, 37, 946-950. | 7.1 | 64 |
| 195 | Capture and separation of CO ₂ by porous coordination frameworks: Research progress and perspective. Scientia Sinica Chimica, 2012, 42, 235-244. | 0.4 | 3 |
| 196 | Computer simulations for the adsorption and separation of CO ₂ /CH ₄ /H ₂ /N ₂ gases by UMCM-1 and UMCM-2 metal organic frameworks. Journal of Materials Chemistry, 2011, 21, 11259. | 6.7 | 79 |
| 197 | Improved Classical United-Atom Force Field for Imidazolium-Based Ionic Liquids: Tetrafluoroborate, Hexafluorophosphate, Methylsulfate, Trifluoromethylsulfonate, Acetate, Trifluoroacetate, and Bis(trifluoromethylsulfonyl)amide. Journal of Physical Chemistry B, 2011, 115, 10027-10040. | 2.6 | 138 |
| 198 | Polymer-nanoparticle interfacial behavior revisited: A molecular dynamics study. Physical Chemistry Chemical Physics, 2011, 13, 13058. | 2.8 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Capture of Trace Sulfur Gases from Binary Mixtures by Single-Walled Carbon Nanotube Arrays: A Molecular Simulation Study. <i>Environmental Science & Technology</i> , 2011, 45, 4832-4838. | 10.0 | 57 |
| 200 | CNT@Cu ₃ (BTC) ₂ and Metal-Organic Frameworks for Separation of CO ₂ /CH ₄ Mixture. <i>Journal of Physical Chemistry C</i> , 2011, 115, 19864-19871. | 3.1 | 144 |
| 201 | Novel Chemical Sensor for CO and NO: Silicon Nanotube. <i>Journal of Physical Chemistry C</i> , 2011, 115, 12015-12022. | 3.1 | 34 |
| 202 | Designing a Thermo-switchable Channel for Nanofluidic Controllable Transportation. <i>ACS Nano</i> , 2011, 5, 1102-1108. | 14.6 | 43 |
| 203 | Revisiting the Dispersion Mechanism of Grafted Nanoparticles in Polymer Matrix: A Detailed Molecular Dynamics Simulation. <i>Langmuir</i> , 2011, 27, 15213-15222. | 3.5 | 54 |
| 204 | Zeolitic imidazolate framework-8 as a luminescent material for the sensing of metal ions and small molecules. <i>Journal of Materials Chemistry</i> , 2011, 21, 6649. | 6.7 | 255 |
| 205 | Aggregation of polymer-grafted nanoparticles in good solvents: A hierarchical modeling method. <i>Journal of Chemical Physics</i> , 2011, 135, 124703. | 3.0 | 19 |
| 206 | Molecular dynamics simulation for insight into microscopic mechanism of polymer reinforcement. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 518-529. | 2.8 | 94 |
| 207 | Metal (Pd, Pt)-decorated carbon nanotubes for CO and NO sensing. <i>Sensors and Actuators B: Chemical</i> , 2011, 159, 171-177. | 7.8 | 87 |
| 208 | Nanoparticle Dispersion and Aggregation in Polymer Nanocomposites: Insights from Molecular Dynamics Simulation. <i>Langmuir</i> , 2011, 27, 7926-7933. | 3.5 | 295 |
| 209 | Adsorption of CO ₂ , CH ₄ , CO ₂ /N ₂ and CO ₂ /CH ₄ in novel activated carbon beads: Preparation, measurements and simulation. <i>AIChE Journal</i> , 2011, 57, 3042-3051. | 3.6 | 96 |
| 210 | Metal-Organic Frameworks with Incorporated Carbon Nanotubes: Improving Carbon Dioxide and Methane Storage Capacities by Lithium Doping. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 491-494. | 13.8 | 255 |
| 211 | Adsorption and separation of CH ₄ /CO ₂ /N ₂ /H ₂ /CO mixtures in hexagonally ordered carbon nanopipes CMK-5. <i>Chemical Engineering Science</i> , 2011, 66, 2266-2276. | 3.8 | 44 |
| 212 | Adsorption and dissociation of ammonia on clean and metal-covered TiO ₂ rutile (1 1 0) surfaces: A comparative DFT study. <i>Applied Catalysis B: Environmental</i> , 2011, 106, 510-519. | 20.2 | 29 |
| 213 | Density functional theory for rod-coil polymers with different size segments. <i>Journal of Chemical Physics</i> , 2011, 135, 054903. | 3.0 | 11 |
| 214 | Thermodynamic stability of polypeptides folding within modeled ribosomal exit tunnel: A density functional study. <i>European Physical Journal E</i> , 2010, 32, 307-318. | 1.6 | 2 |
| 215 | Doping of Alkali, Alkaline-Earth, and Transition Metals in Covalent-Organic Frameworks for Enhancing CO ₂ Capture by First-Principles Calculations and Molecular Simulations. <i>ACS Nano</i> , 2010, 4, 4225-4237. | 14.6 | 206 |
| 216 | Molecular modeling of selectivity of single-walled carbon nanotube and MCM-41 for separation of methane and carbon dioxide. <i>Separation and Purification Technology</i> , 2010, 74, 280-287. | 7.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Synthesis of thermosensitive micelles based on poly(N-isopropylacrylamide) and poly(L-alanine) for controlled release of adriamycin. Chemical Engineering Journal, 2010, 159, 257-263. | 12.7 | 36 |
| 218 | Facile preparation of high-capacity hydrogen storage metal-organic frameworks: A combination of microwave-assisted solvothermal synthesis and supercritical activation. Chemical Engineering Science, 2010, 65, 3140-3146. | 3.8 | 81 |
| 219 | Occurrence of Taylor vortices in the flow between two rotating conical cylinders. Communications in Nonlinear Science and Numerical Simulation, 2010, 15, 1228-1239. | 3.3 | 10 |
| 220 | Computer simulation for storage of methane and capture of carbon dioxide in carbon nanoscrolls by expansion of interlayer spacing. Carbon, 2010, 48, 3760-3768. | 10.3 | 54 |
| 221 | Communication: Density-functional theory for inhomogeneous hyperbranched polymeric fluids: Polydisperse effect of degree of branching. Journal of Chemical Physics, 2010, 133, 121101. | 3.0 | 9 |
| 222 | Multiscale simulation and modelling of adsorptive processes for energy gas storage and carbon dioxide capture in porous coordination frameworks. Energy and Environmental Science, 2010, 3, 1469. | 30.8 | 138 |
| 223 | Effects of Structure, Temperature, and Strain Rate on Mechanical Properties of SiGe Nanotubes. Journal of Physical Chemistry C, 2010, 114, 4309-4316. | 3.1 | 13 |
| 224 | Self-Assembly of Star-Polymer-Attached Nanospheres for Polymer Nanocomposites. Journal of Physical Chemistry C, 2010, 114, 5732-5740. | 3.1 | 13 |
| 225 | Li-Doped and Nondoped Covalent Organic Borosilicate Framework for Hydrogen Storage. Journal of Physical Chemistry C, 2010, 114, 3108-3114. | 3.1 | 49 |
| 226 | Synthesis of Gold Nanoparticles Coated with Polystyrene-block-poly(N-isopropylacrylamide) and Their Thermoresponsive Ultraviolet-Visible Absorbance. Industrial & Engineering Chemistry Research, 2010, 49, 2707-2715. | 3.7 | 20 |
| 227 | Computational Study on Purification of CO ₂ from Natural Gas by C ₆₀ Intercalated Graphite. Industrial & Engineering Chemistry Research, 2010, 49, 8787-8796. | 3.7 | 31 |
| 228 | High-Capacity Hydrogen Storage in Porous Aromatic Frameworks with Diamond-like Structure. Journal of Physical Chemistry Letters, 2010, 1, 978-981. | 4.6 | 98 |
| 229 | High Uptakes of Methane in Li-Doped 3D Covalent Organic Frameworks. Langmuir, 2010, 26, 220-226. | 3.5 | 99 |
| 230 | The bridge between first-principles calculations and grand canonical Monte Carlo simulations: Morse and Lennard-Jones force fields. Molecular Simulation, 2010, 36, 1157-1163. | 2.0 | 1 |
| 231 | Density functional theory for predicting polymeric forces against surface fouling. Soft Matter, 2010, 6, 4631. | 2.7 | 33 |
| 232 | Synthesis of thermoresponsive polymeric micelles of PNIPAA- <i>b</i> -POMMA as a drug carrier for loading and controlled release of prednisolone. Journal of Applied Polymer Science, 2009, 111, 701-708. | 2.6 | 6 |
| 233 | Universal version of density-functional theory for polymers with complex architecture. Physical Review E, 2009, 79, 021805. | 2.1 | 18 |
| 234 | Multiscaled density-functional theory for helical polymers. Journal of Chemical Physics, 2009, 131, 054901. | 3.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Understanding the Effect of Corners: Adsorption of Fluids in Three Different Shapes of Nanopores. Chinese Journal of Chemistry, 2009, 27, 505-512. | 4.9 | 1 |
| 236 | Lithium-Doped 3D Covalent Organic Frameworks: High-Capacity Hydrogen Storage Materials. Angewandte Chemie - International Edition, 2009, 48, 4730-4733. | 13.8 | 244 |
| 237 | Targeted Synthesis of a Porous Aromatic Framework with High Stability and Exceptionally High Surface Area. Angewandte Chemie - International Edition, 2009, 48, 9457-9460. | 13.8 | 1,272 |
| 238 | Theoretical study of the structures of MgO(100)-supported Au clusters. Surface Science, 2009, 603, 881-886. | 1.9 | 5 |
| 239 | Grand canonical Monte Carlo simulation of methane-carbon dioxide mixtures on ordered mesoporous carbon CMK-1. Separation and Purification Technology, 2009, 68, 50-60. | 7.9 | 23 |
| 240 | Theoretical study on tailoring symmetric and asymmetric thin films of diblock copolymers. Applied Surface Science, 2009, 255, 5775-5780. | 6.1 | 7 |
| 241 | Simulating Synthesis of Metal Nanorods, Nanoplates, and Nanoframes by Self-Assembly of Nanoparticle Building Blocks. Journal of Physical Chemistry C, 2009, 113, 3986-3997. | 3.1 | 9 |
| 242 | Effect of Tail Architecture on Self-Assembly of Amphiphiles for Polymeric Micelles. Langmuir, 2009, 25, 2749-2756. | 3.5 | 44 |
| 243 | Computational Characterization of Hexagonally Ordered Carbon Nanopipes CMK-5 and Structural Optimization for H ₂ Storage. Langmuir, 2009, 25, 10863-10872. | 3.5 | 20 |
| 244 | Counterion Valence-Induced Tunnel Formation in a System of Polyelectrolyte Brushes Grafted on Two Opposing Walls. Journal of Physical Chemistry B, 2009, 113, 11625-11631. | 2.6 | 12 |
| 245 | Static, rheological and mechanical properties of polymer nanocomposites studied by computer modeling and simulation. Physical Chemistry Chemical Physics, 2009, 11, 11365. | 2.8 | 60 |
| 246 | Li ₁₂ Si ₆₀ H ₆₀ Fullerene Composite: A Promising Hydrogen Storage Medium. ACS Nano, 2009, 3, 3294-3300. | 14.6 | 45 |
| 247 | Static and dynamic properties of model elastomer with various cross-linking densities: A molecular dynamics study. Journal of Chemical Physics, 2009, 131, 034903. | 3.0 | 30 |
| 248 | Hydrogen Storage in Mesoporous Coordination Frameworks: Experiment and Molecular Simulation. Journal of Physical Chemistry C, 2009, 113, 15106-15109. | 3.1 | 52 |
| 249 | The structure, energetics and thermal evolution of SiGe nanotubes. Nanotechnology, 2009, 20, 315705. | 2.6 | 20 |
| 250 | Adsorption of Nonuniformly Charged Fullerene-like Nanoparticles on Planar Polyelectrolyte Brushes in Aqueous Solutions. Langmuir, 2009, 25, 4965-4972. | 3.5 | 13 |
| 251 | Time-Temperature and Time-Concentration Superposition of Nanofilled Elastomers: A Molecular Dynamics Study. Macromolecules, 2009, 42, 2831-2842. | 4.8 | 63 |
| 252 | Density functional theory for adsorption of colloids on the polymer-tethered surfaces: Effect of polymer chain architecture. Journal of Chemical Physics, 2009, 130, 164901. | 3.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Structural transition and melting of onion-ring Pd–Pt bimetallic clusters. <i>Chemical Physics Letters</i> , 2008, 461, 71-76. | 2.6 | 33 |
| 254 | Heterogeneity Characterization of Ordered Mesoporous Carbon Adsorbent CMK-1 for Methane and Hydrogen Storage: GCMC Simulation and Comparison with Experiment. <i>Journal of Physical Chemistry C</i> , 2008, 112, 13024-13036. | 3.1 | 37 |
| 255 | Molecular Dynamics Study on Nanoparticle Diffusion in Polymer Melts: A Test of the Stokes–Einstein Law. <i>Journal of Physical Chemistry C</i> , 2008, 112, 6653-6661. | 3.1 | 195 |
| 256 | Atomistic Modeling of Multishell Onion-Ring Bimetallic Nanowires and Clusters. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4855-4860. | 3.1 | 25 |
| 257 | Silicon Nanotube as a Promising Candidate for Hydrogen Storage: From the First Principle Calculations to Grand Canonical Monte Carlo Simulations. <i>Journal of Physical Chemistry C</i> , 2008, 112, 5598-5604. | 3.1 | 104 |
| 258 | Formation of New Morphologies of Surfactant–Inorganic–Water Systems under Spherical Confinements. <i>Journal of Physical Chemistry C</i> , 2008, 112, 2943-2948. | 3.1 | 19 |
| 259 | Orientation of rod molecules in selective slits: a density functional theory. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 425221. | 1.8 | 8 |
| 260 | Release of Lysozyme from the Branched Polyelectrolyte–Lysozyme Complexation. <i>Journal of Physical Chemistry B</i> , 2008, 112, 4393-4400. | 2.6 | 13 |
| 261 | Polyelectrolyte–Macroion Complexation in 1:1 and 3:1 Salt Contents: A Brownian Dynamics Study. <i>Journal of Physical Chemistry B</i> , 2008, 112, 16505-16516. | 2.6 | 3 |
| 262 | Conformation of a Spherical Polyelectrolyte Brush in the Presence of Oppositely Charged Linear Polyelectrolytes. <i>Macromolecules</i> , 2008, 41, 5477-5484. | 4.8 | 39 |
| 263 | Effects of pressure on structure and dynamics of model elastomers: A molecular dynamics study. <i>Journal of Chemical Physics</i> , 2008, 129, 154905. | 3.0 | 23 |
| 264 | Effect of the Bridging Conformation of Polyelectrolytes on the Static and Dynamic Behavior of Macroions. <i>Langmuir</i> , 2008, 24, 10138-10144. | 3.5 | 5 |
| 265 | Understanding self-assembly of rod-coil copolymer in nanoslits. <i>Journal of Chemical Physics</i> , 2008, 128, 074902. | 3.0 | 18 |
| 266 | Density functional theory for a primitive model of nanoparticle-block copolymer mixtures. <i>Journal of Chemical Physics</i> , 2007, 126, 144912. | 3.0 | 27 |
| 267 | Density functional theory for molecular orientation of hard rod fluids in hard slits. <i>Chinese Physics B</i> , 2007, 16, 2296-2303. | 1.3 | 8 |
| 268 | Surface segregation of Ag–Cu–Au trimetallic clusters. <i>Nanotechnology</i> , 2007, 18, 475702. | 2.6 | 38 |
| 269 | Nanopattern of the Inner Surface of Carbon Nanotubes for Self-Assembly of Nanoparticles: A Multistep Monte Carlo Method. <i>Journal of Physical Chemistry C</i> , 2007, 111, 11802-11805. | 3.1 | 3 |
| 270 | A Hybrid Approach for Microscopic Properties and Self-Assembly of Dendrimers between Two Hard Walls. <i>Journal of Physical Chemistry B</i> , 2007, 111, 10775-10784. | 2.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Storage of hydrogen in single-walled carbon nanotube bundles with optimized parameters: Effect of external surfaces. <i>International Journal of Hydrogen Energy</i> , 2007, 32, 1939-1942. | 7.1 | 26 |
| 272 | A stepwise approximation for modeling of the wallâ€“fluid potential of a mesoscopic pore. <i>Journal of Colloid and Interface Science</i> , 2007, 308, 49-52. | 9.4 | 4 |
| 273 | Adsorption of carbon dioxide of 1-site and 3-site models in pillared clays: A Gibbs ensemble Monte Carlo simulation. <i>Journal of Colloid and Interface Science</i> , 2007, 310, 391-401. | 9.4 | 40 |
| 274 | Optimal feed ratio of benzeneâ€“propylene binary mixtures for alkylation in ZSM-5 by molecular simulation. <i>Fluid Phase Equilibria</i> , 2007, 260, 146-152. | 2.5 | 10 |
| 275 | Interaction between two single-walled carbon nanotubes revisited: Structural stability of nanotube bundles. <i>Chemical Engineering Science</i> , 2007, 62, 6879-6884. | 3.8 | 6 |
| 276 | A Monte Carlo Study of Spherical Electrical Double Layer of Macroionsâ€“Polyelectrolytes Systems in Salt Free Solutions. <i>Journal of Physical Chemistry B</i> , 2006, 110, 26232-26239. | 2.6 | 14 |
| 277 | Microstructure and Self-Assembly of Inhomogeneous Rigid Rodlike Chains between Two Neutral Surfaces:Â A Hybrid Density Functional Approach. <i>Journal of Physical Chemistry B</i> , 2006, 110, 21882-21889. | 2.6 | 18 |
| 278 | Surface Forces between Telechelic Brushes Revisited:Â The Origin of a Weak Attraction. <i>Langmuir</i> , 2006, 22, 2712-2718. | 3.5 | 60 |
| 279 | A hybrid method for predicting the microstructure of polymers with complex architecture: Combination of single-chain simulation with density functional theory. <i>Journal of Chemical Physics</i> , 2006, 124, 164904. | 3.0 | 39 |
| 280 | Modeling the selectivity of activated carbons for efficient separation of hydrogen and carbon dioxide. <i>Carbon</i> , 2005, 43, 1364-1370. | 10.3 | 62 |
| 281 | Density-functional theory and Monte Carlo simulation for the surface structure and correlation functions of freely jointed Lennard-Jones polymeric fluids. <i>Journal of Chemical Physics</i> , 2005, 122, 174708. | 3.0 | 61 |
| 282 | Surface-induced phase transitions in ultrathin films of block copolymers. <i>Journal of Chemical Physics</i> , 2005, 122, 194703. | 3.0 | 31 |
| 283 | Layering, condensation, and evaporation of short chains in narrow slit pores. <i>Journal of Chemical Physics</i> , 2005, 122, 224701. | 3.0 | 41 |
| 284 | Theoretical Study of Cooperativity in Multivalent Polymers for Colloidal Stabilization. <i>Langmuir</i> , 2005, 21, 9786-9791. | 3.5 | 26 |
| 285 | Microstructure of Block Copolymers near Selective Surfaces:â€‰ Theoretical Predictions and Configurational-Bias Monte Carlo Simulation. <i>Macromolecules</i> , 2005, 38, 971-978. | 4.8 | 58 |
| 286 | Density functional theory for semiflexible and cyclic polyatomic fluids. <i>Journal of Chemical Physics</i> , 2004, 121, 4210-4220. | 3.0 | 76 |
| 287 | Fabrication of Nanoporous Silica Nanospheres and Nanotubes by Inorganic and Organic Double Templates. <i>Materials Research Society Symposia Proceedings</i> , 2004, 823, W4.16.1. | 0.1 | 1 |
| 288 | Preparation and characterization of zinc sulfide nanoparticles under high-gravity environment. <i>Materials Research Bulletin</i> , 2004, 39, 185-194. | 5.2 | 95 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 289 | Toughening of polypropylene-ethylene copolymer with nanosized CaCO ₃ and styrene-butadiene-styrene. <i>Journal of Applied Polymer Science</i> , 2004, 94, 796-802. | 2.6 | 47 |
| 290 | Experiment, molecular simulation and density functional theory for investigation of fluid confined in MCM-41. <i>Microporous and Mesoporous Materials</i> , 2004, 67, 159-166. | 4.4 | 30 |
| 291 | Adsorption of sodium salt of poly(acrylic) acid (PAANA) on nano-sized CaCO ₃ and dispersion of nano-sized CaCO ₃ in water. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 232, 163-168. | 4.7 | 35 |
| 292 | Density functional theory of adsorption and phase behavior of the Lennard-Jones fluids confined in MCM-41 with a finite thickness. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 247, 91-98. | 4.7 | 10 |
| 293 | Self-Diffusion of Methane in Single-Walled Carbon Nanotubes at Sub- and Supercritical Conditions. <i>Langmuir</i> , 2004, 20, 3759-3765. | 3.5 | 73 |
| 294 | Molecular Simulation of Novel Carbonaceous Materials for Hydrogen Storage. <i>Nano Letters</i> , 2004, 4, 1489-1492. | 9.1 | 47 |
| 295 | Local diffusion coefficient of supercritical methane in activated carbon by molecular simulation. <i>Carbon</i> , 2003, 41, 2686-2689. | 10.3 | 12 |
| 296 | Hydrogen Adsorption Storage on Single-Walled Carbon Nanotube Arrays by a Combination of Classical Potential and Density Functional Theory. <i>Journal of Physical Chemistry B</i> , 2003, 107, 4942-4950. | 2.6 | 73 |
| 297 | Optimization of Single-Walled Carbon Nanotube Arrays for Methane Storage at Room Temperature. <i>Journal of Physical Chemistry B</i> , 2003, 107, 13286-13292. | 2.6 | 155 |
| 298 | The effect of discrete attractive fluid-wall interaction potentials on adsorption isotherms of Lennard-Jones fluid in cylindrical pores. <i>Journal of Chemical Physics</i> , 2003, 119, 12586-12592. | 3.0 | 18 |
| 299 | Computer simulation of adsorption of CCl ₄ in activated carbon and layered pillared materials at ambient temperature. <i>Physical Chemistry Chemical Physics</i> , 2002, 4, 3720-3726. | 2.8 | 20 |
| 300 | Grand Canonical Monte Carlo Simulation for Determination of Optimum Parameters for Adsorption of Supercritical Methane in Pillared Layered Pores. <i>Journal of Colloid and Interface Science</i> , 2002, 254, 1-7. | 9.4 | 39 |
| 301 | Determination of pore size distribution and adsorption of methane and CCl ₄ on activated carbon by molecular simulation. <i>Carbon</i> , 2002, 40, 2359-2365. | 10.3 | 52 |
| 302 | Grand canonical Monte Carlo simulation of methane adsorbed in layered pillared pores. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 3150-3155. | 2.8 | 23 |
| 303 | Coordination number model and Monte Carlo simulation for highly asymmetric square well fluid mixtures. <i>Fluid Phase Equilibria</i> , 2001, 191, 111-126. | 2.5 | 7 |
| 304 | Coordination number models and equations of state for square-well pure and mixture fluids, Part I: Coordination number models and Monte Carlo simulation at high density. <i>Chemical Engineering Science</i> , 2000, 55, 2099-2109. | 3.8 | 14 |
| 305 | Coordination number models and equations of state for square-well pure and mixture fluids, Part II: Equations of state. <i>Chemical Engineering Science</i> , 2000, 55, 2111-2120. | 3.8 | 8 |
| 306 | Monte Carlo data of dilute solutions of large spheres in binary hard sphere mixtures. <i>Molecular Physics</i> , 2000, 98, 619-624. | 1.7 | 33 |