

# Michael Hummel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5737191/publications.pdf>

Version: 2024-02-01

78  
papers

2,891  
citations

172457

29  
h-index

182427

51  
g-index

80  
all docs

80  
docs citations

80  
times ranked

2169  
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Solvent Parameters in the Regeneration of Cellulose from Ionic Liquid Solutions. <i>Biomacromolecules</i> , 2012, 13, 2896-2905.	5.4	236
2	loncell-F: A High-strength regenerated cellulose fibre. <i>Nordic Pulp and Paper Research Journal</i> , 2015, 30, 43-57.	0.7	190
3	loncell-F: ionic liquid-based cellulosic textile fibers as an alternative to viscose and Lyocell. <i>Textile Research Journal</i> , 2016, 86, 543-552.	2.2	138
4	Dry jet-wet spinning of strong cellulose filaments from ionic liquid solution. <i>Cellulose</i> , 2014, 21, 4471-4481.	4.9	126
5	Predicting Cellulose Solvating Capabilities of Acid-Base Conjugate Ionic Liquids. <i>ChemSusChem</i> , 2013, 6, 2161-2169.	6.8	121
6	Upcycling of cotton polyester blended textile waste to new man-made cellulose fibers. <i>Waste Management</i> , 2019, 97, 88-96.	7.4	117
7	Separation of Hemicellulose and Cellulose from Wood Pulp by Means of Ionic Liquid/Cosolvent Systems. <i>Biomacromolecules</i> , 2013, 14, 1741-1750.	5.4	115
8	High-strength Composite Fibers from Cellulose-Lignin Blends Regenerated from Ionic Liquid Solution. <i>ChemSusChem</i> , 2015, 8, 4030-4039.	6.8	99
9	Upcycling of waste paper and cardboard to textiles. <i>Green Chemistry</i> , 2016, 18, 858-866.	9.0	96
10	Renewable High-Performance Fibers from the Chemical Recycling of Cotton Waste Utilizing an Ionic Liquid. <i>ChemSusChem</i> , 2016, 9, 3250-3258.	6.8	92
11	Cellulose regeneration and spinnability from ionic liquids. <i>Soft Matter</i> , 2016, 12, 1487-1495.	2.7	74
12	Enhanced stabilization of cellulose-lignin hybrid filaments for carbon fiber production. <i>Cellulose</i> , 2018, 25, 723-733.	4.9	71
13	Influence of molar mass distribution on the final properties of fibers regenerated from cellulose dissolved in ionic liquid by dry-jet wet spinning. <i>Polymer</i> , 2015, 75, 1-9.	3.8	70
14	Ionic Liquids for the Production of Man-Made Cellulosic Fibers: Opportunities and Challenges. <i>Advances in Polymer Science</i> , 2015, , 133-168.	0.8	58
15	Recycling of vat and reactive dyed textile waste to new colored man-made cellulose fibers. <i>Green Chemistry</i> , 2019, 21, 5598-5610.	9.0	57
16	Ionic liquid extraction method for upgrading eucalyptus kraft pulp to high purity dissolving pulp. <i>Cellulose</i> , 2014, 21, 3655-3666.	4.9	54
17	IONCELL-P&F: Pulp Fractionation and Fiber Spinning with Ionic Liquids. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 8225-8233.	3.7	47
18	Enhancement of ionic liquid-aided fractionation of birchwood. Part 1: autohydrolysis pretreatment. <i>RSC Advances</i> , 2013, 3, 16365.	3.6	45

#	ARTICLE	IF	CITATIONS
19	Exploring Large Ductility in Cellulose Nanopaper Combining High Toughness and Strength. ACS Nano, 2020, 14, 11150-11159.	14.6	45
20	Solid-state NMR method for the quantification of cellulose and polyester in textile blends. Carbohydrate Polymers, 2019, 207, 11-16.	10.2	43
21	High performance man-made cellulosic fibres from recycled newsprint. Green Chemistry, 2018, 20, 160-169.	9.0	42
22	N,N'-Di(alkoxy)imidazolium Salts: New Patent-free Ionic Liquids and NHC Precatalysts. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2007, 62, 295-308.	0.7	39
23	Green Conducting Cellulose Yarns for Machine-Sewn Electronic Textiles. ACS Applied Materials & Interfaces, 2020, 12, 56403-56412.	8.0	39
24	Cellulose-lignin composite fibres as precursors for carbon fibres. Part 1 " Manufacturing and properties of precursor fibres. Carbohydrate Polymers, 2021, 252, 117133.	10.2	38
25	Monitoring of cellulose depolymerization in 1-ethyl-3-methylimidazolium acetate by shear and elongational rheology. Carbohydrate Polymers, 2015, 117, 355-363.	10.2	36
26	Influence of process parameters on the structure formation of man-made cellulosic fibers from ionic liquid solution. Journal of Applied Polymer Science, 2016, 133, .	2.6	36
27	Structural analysis of Ioncell-F fibres from birch wood. Carbohydrate Polymers, 2018, 181, 893-901.	10.2	33
28	Advantages of regenerated cellulose fibres as compared to flax fibres in the processability and mechanical performance of thermoset composites. Composites Part A: Applied Science and Manufacturing, 2016, 84, 377-385.	7.6	31
29	Filament spinning of unbleached birch kraft pulps: Effect of pulping intensity on the processability and the fiber properties. Carbohydrate Polymers, 2018, 179, 145-151.	10.2	31
30	Cellulose-lignin composite fibers as precursors for carbon fibers: Part 2 " The impact of precursor properties on carbon fibers. Carbohydrate Polymers, 2020, 250, 116918.	10.2	31
31	Cellulose-Derived Carbon Fibers Produced via a Continuous Carbonization Process: Investigating Precursor Choice and Carbonization Conditions. Macromolecular Chemistry and Physics, 2016, 217, 2517-2524.	2.2	30
32	Close Packing of Cellulose and Chitosan in Regenerated Cellulose Fibers Improves Carbon Yield and Structural Properties of Respective Carbon Fibers. Biomacromolecules, 2020, 21, 4326-4335.	5.4	30
33	Cellulose Fibers for High-Performance Textiles Functionalized with Incorporated Gold and Silver Nanoparticles. ACS Sustainable Chemistry and Engineering, 2020, 8, 649-658.	6.7	29
34	Synthesis and Crystal Structures of 1-Alkoxy-3-alkylimidazolium Salts Including Ionic Liquids, 1-Alkylimidazole 3-oxides and 1-Alkylimidazole Perhydrates. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2008, 63, 447-464.	0.7	27
35	High-Performance Acetylated Ioncell-F Fibers with Low Degree of Substitution. ACS Sustainable Chemistry and Engineering, 2018, 6, 9418-9426.	6.7	26
36	Binary mixtures of ionic liquids-DMSO as solvents for the dissolution and derivatization of cellulose: Effects of alkyl and alkoxy side chains. Carbohydrate Polymers, 2019, 212, 206-214.	10.2	26

#	ARTICLE	IF	CITATIONS
37	Superbase-based protic ionic liquids for cellulose filament spinning. <i>Cellulose</i> , 2021, 28, 533-547.	4.9	25
38	Towards regenerated cellulose fibers with high toughness. <i>Cellulose</i> , 2021, 28, 9547-9566.	4.9	24
39	From colloidal spheres to nanofibrils: Extensional flow properties of mineral pigment and mixtures with micro and nanofibrils under progressive double layer suppression. <i>Journal of Colloid and Interface Science</i> , 2015, 446, 31-43.	9.4	23
40	Cellulose fractionation with IONCELL-P. <i>Carbohydrate Polymers</i> , 2016, 150, 99-106.	10.2	23
41	Phase-out-compliant fluorosurfactants: unique methimazolium derivatives including room temperature ionic liquids. <i>Green Chemistry</i> , 2017, 19, 3225-3237.	9.0	22
42	Comparison of pulp species in IONCELL-P: selective hemicellulose extraction method with ionic liquids. <i>Holzforschung</i> , 2016, 70, 291-296.	1.9	21
43	Effect of boric acid on the stabilisation of cellulose-lignin filaments as precursors for carbon fibres. <i>Cellulose</i> , 2021, 28, 729-739.	4.9	21
44	Fungal Treatment Modifies Kraft Lignin for Lignin- and Cellulose-Based Carbon Fiber Precursors. <i>ACS Omega</i> , 2020, 5, 6130-6140.	3.5	18
45	Swelling and dissolution kinetics of natural and man-made cellulose fibers in solvent power tuned ionic liquid. <i>Cellulose</i> , 2020, 27, 7399-7415.	4.9	17
46	New method for determining the degree of fibrillation of regenerated cellulose fibres. <i>Cellulose</i> , 2021, 28, 31-44.	4.9	17
47	Understanding the role of water in the interaction of ionic liquids with wood polymers. <i>Carbohydrate Polymers</i> , 2017, 168, 121-128.	10.2	16
48	Ionic liquids and gamma-valerolactone as case studies for green solvents in the deconstruction and refining of biomass. <i>Current Opinion in Green and Sustainable Chemistry</i> , 2019, 18, 20-24.	5.9	16
49	Unidirectional All-Cellulose Composites from Flax via Controlled Impregnation with Ionic Liquid. <i>Polymers</i> , 2020, 12, 1010.	4.5	16
50	Evolution of carbon nanostructure during pyrolysis of homogeneous chitosan-cellulose composite fibers. <i>Carbon</i> , 2021, 185, 27-38.	10.3	16
51	Air gap spinning of a cellulose solution in [ <i>DBNH</i> ][ <i>OAc</i> ] ionic liquid with a novel vertically arranged spinning bath to simulate a closed loop operation in the IoncellA® process. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49787.	2.6	16
52	Evaluation of post-consumer cellulosic textile waste for chemical recycling based on cellulose degree of polymerization and molar mass distribution. <i>Textile Research Journal</i> , 2019, 89, 5067-5075.	2.2	15
53	WtFâ€Nano: Oneâ€Pot Dewatering and Waterâ€Free Topochemical Modification of Nanocellulose in Ionic Liquids or Î³â€Valerolactone. <i>ChemSusChem</i> , 2017, 10, 4879-4890.	6.8	14
54	New insights into the air gap conditioning effects during the dry-jet wet spinning of an ionic liquid-cellulose solution. <i>Cellulose</i> , 2020, 27, 4931-4948.	4.9	13

#	ARTICLE	IF	CITATIONS
55	Hydrophobization of the Man-Made Cellulosic Fibers by Incorporating Plant-Derived Hydrophobic Compounds. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 4915-4925.	6.7	13
56	The 1:1 and 1:2 salts of 1,4-diazabicyclo[2.2.2]octane and bis(trifluoromethylsulfonyl)amine: thermal behaviour and polymorphism. <i>CrystEngComm</i> , 2011, 13, 5439.	2.6	12
57	Understanding the influence of key parameters on the stabilisation of cellulose-lignin composite fibres. <i>Cellulose</i> , 2021, 28, 911-919.	4.9	10
58	Chemically Accelerated Stabilization of a Cellulose-Lignin Precursor as a Route to High Yield Carbon Fiber Production. <i>Biomacromolecules</i> , 2022, 23, 839-846.	5.4	10
59	The effect of hydration on the micromechanics of regenerated cellulose fibres from ionic liquid solutions of varying draw ratios. <i>Carbohydrate Polymers</i> , 2016, 151, 1110-1114.	10.2	8
60	Exploring digital image correlation technique for the analysis of the tensile properties of all-cellulose composites. <i>Cellulose</i> , 2021, 28, 4165-4178.	4.9	8
61	Novel linear acetyl-pentanedionato complexes for metal-organic framework construction. <i>CrystEngComm</i> , 2008, 10, 327-334.	2.6	7
62	Non-Halide Ionic Liquids for Solvation, Extraction, and Processing of Cellulosic Materials. <i>ACS Symposium Series</i> , 2010, , 229-259.	0.5	7
63	The Homoleptic Square-Antiprismatic Chelate Tetrakis(3-acetyl-2,4-pentanedionato)zirconium(IV): A Promising Coordination Motif for Tetrahedral Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2006, 6, 1720-1725.	3.0	6
64	Effect of single-fiber properties and fiber volume fraction on the mechanical properties of loncell fiber composites. <i>Journal of Reinforced Plastics and Composites</i> , 2021, 40, 741-748.	3.1	6
65	Fast and quantitative compositional analysis of hybrid cellulose-based regenerated fibers using thermogravimetric analysis and chemometrics. <i>Cellulose</i> , 2021, 28, 6797-6812.	4.9	6
66	Improved Synthesis of 3-Nitrosalicylic Acid. <i>Synthetic Communications</i> , 2010, 40, 3353-3357.	2.1	5
67	The fiber-matrix interface in loncell cellulose fiber composites and its implications for the mechanical performance. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50306.	2.6	5
68	Effect of Enzymatic Depolymerization of Cellulose and Hemicelluloses on the Direct Dissolution of Prehydrolysis Kraft Dissolving Pulp. <i>Biomacromolecules</i> , 2021, 22, 4805-4813.	5.4	5
69	Activation of carbon tow electrodes for use in iron aqueous redox systems for electrochemical applications. <i>Journal of Materials Chemistry C</i> , 2020, 8, 7755-7764.	5.5	4
70	Fluoroponytailed Brooker's merocyanines: Studies on solution behavior, solvatochromism and supramolecular aggregation. <i>Dyes and Pigments</i> , 2021, 184, 108798.	3.7	4
71	Spinneret geometry modulates the mechanical properties of man-made cellulose fibers. <i>Cellulose</i> , 2021, 28, 11165-11181.	4.9	4
72	Evaluation of Keratin-Cellulose Blend Fibers as Precursors for Carbon Fibers. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8314-8325.	6.7	3

#	ARTICLE	IF	CITATIONS
73	2-Mercaptoimidazolium halides: structural diversity, stability and spontaneous racemisation. CrystEngComm, 2020, 22, 6034-6046.	2.6	2
74	Thermo-reversible cellulose micro phase separation in mixtures of methyltributylphosphonium acetate and $\gamma$ -valerolactone or DMSO. ChemPhysChem, 2022, , .	2.1	2
75	Ionic and neutral fluorosurfactants containing ferrocene moieties as chromophoric constituents. Journal of Fluorine Chemistry, 2021, 241, 109674.	1.7	1
76	Effect of graphitic additives on the rheology of cellulose solutions for the preparation of templated carbon fiber precursors. Journal of Applied Polymer Science, 0, , .	2.6	1
77	Stochastic transient Liquid-Solid Phase Separation reveals multi-level Dispersion States of Particles in Suspension. Applied Rheology, 2019, 29, 41-57.	5.2	0
78	Mechanistic Insights into the Formation of 1-Alkylidene/Arylidene-1,2,4-triazolinium Salts: A Combined NMR/Density Functional Theory Approach. Journal of Organic Chemistry, 2022, 87, 1019-1031.	3.2	0