

Hideaki Mizuno

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5737886/hideaki-mizuno-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

6,816
citations

41
h-index

82
g-index

114
ext. papers

7,510
ext. citations

6.7
avg, IF

5.36
L-index

#	Paper	IF	Citations
99	Single-Cell NanoBRET Imaging with Green-Range HaloTag Acceptor. <i>Methods in Molecular Biology</i> , 2022 , 207-218	1.4	
98	Quantification of FRET-induced angular displacement by monitoring sensitized acceptor anisotropy using a dim fluorescent donor. <i>Nature Communications</i> , 2021 , 12, 2541	17.4	2
97	Excited-State Proton Transfer Dynamics in LSSmOrange Studied by Time-Resolved Impulsive Stimulated Raman Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 7466-7473	6.4	0
96	Super-resolution microscopy reveals majorly mono- and dimeric presenilin1/βsecretase at the cell surface. <i>ELife</i> , 2020 , 9,	8.9	12
95	Autophosphorylation of EGFR at Y954 Facilitated Homodimerization and Enhanced Downstream Signals. <i>Biophysical Journal</i> , 2020 , 119, 2127-2137	2.9	1
94	Polymeric Engineering of Nanoparticles for Highly Efficient Multifunctional Drug Delivery Systems. <i>Scientific Reports</i> , 2019 , 9, 2666	4.9	73
93	Improved HaloTag Ligand Enables BRET Imaging With NanoLuc. <i>Frontiers in Chemistry</i> , 2019 , 7, 938	5	13
92	Amphiphilic Nanoaggregates with Bimodal MRI and Optical Properties Exhibiting Magnetic Field Dependent Switching from Positive to Negative Contrast Enhancement. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 5752-5761	9.5	3
91	Mapping Transient Protein Interactions at the Nanoscale in Living Mammalian Cells. <i>ACS Nano</i> , 2018 , 12, 9842-9854	16.7	9
90	Introducing fluorescence resonance energy transfer-based biosensors for the analysis of cAMP-PKA signalling in the fungal pathogen <i>Candida glabrata</i> . <i>Cellular Microbiology</i> , 2018 , 20, e12863	3.9	10
89	The ER Stress Sensor PERK Coordinates ER-Plasma Membrane Contact Site Formation through Interaction with Filamin-A and F-Actin Remodeling. <i>Molecular Cell</i> , 2017 , 65, 885-899.e6	17.6	114
88	A Bimolecular Fluorescence Complementation Tool for Identification of Protein-Protein Interactions in. <i>G3: Genes, Genomes, Genetics</i> , 2017 , 7, 3509-3520	3.2	7
87	QM/MM-Based Calculations of Absorption and Emission Spectra of LSSmOrange Variants. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 12454-12465	3.4	6
86	Photoconvertible Behavior of LSSmOrange Applicable for Single Emission Band Optical Highlighting. <i>Biophysical Journal</i> , 2016 , 111, 1014-25	2.9	6
85	Visualization of molecular fluorescence point spread functions via remote excitation switching fluorescence microscopy. <i>Nature Communications</i> , 2015 , 6, 6287	17.4	53
84	Tunable Ratiometric Fluorescence Sensing of Intracellular pH by Aggregation-Induced Emission-Active Hyperbranched Polymer Nanoparticles. <i>Chemistry of Materials</i> , 2015 , 27, 3450-3455	9.6	89
83	Mechanism Behind the Apparent Large Stokes Shift in LSSmOrange Investigated by Time-Resolved Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 14880-91	3.4	8

82	Super-resolution mapping of glutamate receptors in <i>C. elegans</i> by confocal correlated PALM. <i>Scientific Reports</i> , 2015 , 5, 13532	4.9	19
81	Inhibition of Receptor Dimerization as a Novel Negative Feedback Mechanism of EGFR Signaling. <i>PLoS ONE</i> , 2015 , 10, e0139971	3.7	19
80	Excited state dynamics of the photoconvertible fluorescent protein Kaede revealed by ultrafast spectroscopy. <i>Photochemical and Photobiological Sciences</i> , 2014 , 13, 867-74	4.2	10
79	Photoswitchable fluorescent proteins for superresolution fluorescence microscopy circumventing the diffraction limit of light. <i>Methods in Molecular Biology</i> , 2014 , 1076, 793-812	1.4	13
78	Green-to-red photoconvertible Dronpa mutant for multimodal super-resolution fluorescence microscopy. <i>ACS Nano</i> , 2014 , 8, 1664-73	16.7	68
77	Confocal imaging with a fluorescent bile acid analogue closely mimicking hepatic taurocholate disposition. <i>Journal of Pharmaceutical Sciences</i> , 2014 , 103, 1872-81	3.9	37
76	Live-cell SERS endoscopy using plasmonic nanowire waveguides. <i>Advanced Materials</i> , 2014 , 26, 5124-8	24	93
75	Endogenous sphingomyelin segregates into submicrometric domains in the living erythrocyte membrane. <i>Journal of Lipid Research</i> , 2014 , 55, 1331-42	6.3	37
74	Transgenic zebrafish for ratiometric imaging of cytosolic and mitochondrial Ca ²⁺ response in teleost embryo. <i>Cell Calcium</i> , 2013 , 54, 236-45	4	21
73	Revealing the excited-state dynamics of the fluorescent protein Dendra2. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 2300-13	3.4	18
72	Auto-production of biosurfactants reverses the coffee ring effect in a bacterial system. <i>Nature Communications</i> , 2013 , 4, 1757	17.4	172
71	Imaging intracellular free Ca ²⁺ concentration using yellow cameleons. <i>Cold Spring Harbor Protocols</i> , 2013 , 2013,	1.2	8
70	EGF RECEPTOR DYNAMICS IN EGF-RESPONDING CELLS REVEALED BY FUNCTIONAL IMAGING DURING SINGLE PARTICLE TRACKING. <i>Biophysical Reviews and Letters</i> , 2013 , 08, 229-242	1.2	6
69	Structural basis for the influence of a single mutation K145N on the oligomerization and photoswitching rate of Dronpa. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2012 , 68, 1653-9		6
68	Altered stratum corneum barrier and enhanced percutaneous immune responses in filaggrin-null mice. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1538-46.e6	11.5	224
67	A role for sphingomyelin-rich lipid domains in the accumulation of phosphatidylinositol-4,5-bisphosphate to the cleavage furrow during cytokinesis. <i>Molecular and Cellular Biology</i> , 2012 , 32, 1396-407	4.8	96
66	Background-free deep imaging by spatial overlap modulation nonlinear optical microscopy. <i>Biomedical Optics Express</i> , 2012 , 3, 1594-608	3.5	27
65	Fluorescent probes for superresolution imaging of lipid domains on the plasma membrane. <i>Chemical Science</i> , 2011 , 2, 1548	9.4	95

64	Temporal control of local plasmon distribution on Au nanocrosses by ultra-broadband femtosecond laser pulses and its application for selective two-photon excitation of multiple fluorophores. <i>Optics Express</i> , 2011 , 19, 13618-27	3.3	10
63	Nonlinear Optical Microscopy Employing Ultra-Broadband Femtosecond Laser Pulses. <i>The Review of Laser Engineering</i> , 2011 , 39, 893-903	0	1
62	Rational design of photoconvertible and biphotochromic fluorescent proteins for advanced microscopy applications. <i>Chemistry and Biology</i> , 2011 , 18, 1241-51		79
61	Competitive mechanistic pathways for green-to-red photoconversion in the fluorescent protein Kaede: a computational study. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 16666-75	3.4	32
60	Higher resolution in localization microscopy by slower switching of a photochromic protein. <i>Photochemical and Photobiological Sciences</i> , 2010 , 9, 239-48	4.2	38
59	Transfection of living HeLa cells with fluorescent poly-cytosine encapsulated Ag nanoclusters. <i>Photochemical and Photobiological Sciences</i> , 2010 , 9, 716-21	4.2	84
58	A theoretical study on the nature of on- and off-states of reversibly photoswitching fluorescent protein Dronpa: absorption, emission, protonation, and Raman. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 1114-26	3.4	63
57	Measurement of two-photon excitation spectra of fluorescent proteins with nonlinear Fourier-transform spectroscopy. <i>Applied Optics</i> , 2010 , 49, 3323-9	0.2	21
56	Measurement of two-photon excitation spectrum used to photoconvert a fluorescent protein (Kaede) by nonlinear Fourier-transform spectroscopy. <i>Biomedical Optics Express</i> , 2010 , 1, 687-693	3.5	10
55	High-resolution fluorescence microscopy based on a cyclic sequential multiphoton process. <i>Biomedical Optics Express</i> , 2010 , 1, 791-797	3.5	10
54	Primary Events of Photodynamics in Reversible Photoswitching Fluorescent Protein Dronpa. <i>Journal of Physical Chemistry Letters</i> , 2010 , 1, 3328-3333	6.4	47
53	Molecular basis of photochromism of a fluorescent protein revealed by direct ¹³ C detection under laser illumination. <i>Journal of Biomolecular NMR</i> , 2010 , 48, 237-46	3	12
52	Nonlinear Optical Microscopy and Spectroscopy Employing Octave Spanning Pulses. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2010 , 16, 767-780	3.8	14
51	Data storage based on photochromic and photoconvertible fluorescent proteins. <i>Journal of Biotechnology</i> , 2010 , 149, 289-98	3.7	52
50	Fine-tuning of the cytoplasmic Ca ²⁺ concentration is essential for pollen tube growth. <i>Plant Physiology</i> , 2009 , 150, 1322-34	6.6	148
49	The E1 mechanism in photo-induced beta-elimination reactions for green-to-red conversion of fluorescent proteins. <i>Chemistry and Biology</i> , 2009 , 16, 1140-7		49
48	Single-pulse coherent anti-Stokes Raman scattering microscopy employing an octave spanning pulse. <i>Optics Express</i> , 2009 , 17, 11259-66	3.3	34
47	Multifarious control of two-photon excitation of multiple fluorophores achieved by phase modulation of ultra-broadband laser pulses. <i>Optics Express</i> , 2009 , 17, 13737-46	3.3	32

46	Measurement of two-photon excitation spectrum of various fluorophores with Fourier transform nonlinear spectroscopy 2009 ,		1
45	Ktu/PF13 is required for cytoplasmic pre-assembly of axonemal dyneins. <i>Nature</i> , 2008 , 456, 611-6	50.4	283
44	Two-photon dual-color imaging using fluorescent proteins. <i>Nature Methods</i> , 2008 , 5, 373-4	21.6	61
43	Structural characterization of a thiazoline-containing chromophore in an orange fluorescent protein, monomeric Kusabira Orange. <i>Biochemistry</i> , 2008 , 47, 11573-80	3.2	48
42	Hidden electronic excited state of enhanced green fluorescent protein. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 2761-3	3.4	42
41	Second-harmonic generation in GFP-like proteins. <i>Journal of the American Chemical Society</i> , 2008 , 130, 15713-9	16.4	58
40	Fourier-transform spectroscopy combined with a 5-fs broadband pulse for multispectral nonlinear microscopy. <i>Physical Review A</i> , 2008 , 77,	2.6	16
39	Light-dependent regulation of structural flexibility in a photochromic fluorescent protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9227-32	11.5	132
38	Fourier-transform Spectroscopic Technique for Multi-spectral Nonlinear Microscopy Using a 5-fs Broadband Light Source. <i>The Review of Laser Engineering</i> , 2008 , 36, 1335-1338	0	
37	Subdiffraction imaging through the selective donut-mode depletion of thermally stable photoswitchable fluorophores: numerical analysis and application to the fluorescent protein Dronpa. <i>Journal of the American Chemical Society</i> , 2007 , 129, 16132-41	16.4	120
36	Ultrafast excited-state dynamics of the photoswitchable protein Dronpa. <i>Journal of the American Chemical Society</i> , 2007 , 129, 4870-1	16.4	68
35	Highlighted generation of fluorescence signals using simultaneous two-color irradiation on Dronpa mutants. <i>Biophysical Journal</i> , 2007 , 92, L97-9	2.9	101
34	A stroboscopic approach for fast photoactivation-localization microscopy with Dronpa mutants. <i>Journal of the American Chemical Society</i> , 2007 , 129, 13970-7	16.4	136
33	Electrical stimulation modulates fate determination of differentiating embryonic stem cells. <i>Stem Cells</i> , 2007 , 25, 562-70	5.8	148
32	Adaptively controlled supercontinuum pulse from a microstructure fiber for two-photon excited fluorescence microscopy. <i>Applied Optics</i> , 2007 , 46, 3023-30	1.7	18
31	Crystallographic evidence for water-assisted photo-induced peptide cleavage in the stony coral fluorescent protein Kaede. <i>Journal of Molecular Biology</i> , 2007 , 372, 918-926	6.5	75
30	Structural characterization of a blue chromoprotein and its yellow mutant from the sea anemone <i>Cnidopus japonicus</i> . <i>Journal of Biological Chemistry</i> , 2006 , 281, 37813-9	5.4	33
29	Concatenation of cyan and yellow fluorescent proteins for efficient resonance energy transfer. <i>Biochemistry</i> , 2006 , 45, 6267-71	3.2	50

28	Competition between energy and proton transfer in ultrafast excited-state dynamics of an oligomeric fluorescent protein red Kaede. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 22853-60	3.4	33
27	2P520 Optical imaging of calcium transients in the muscle of ascidian larva(52. Bio-imaging,Poster Session,Abstract,Meeting Program of EABS & BSJ 2006). <i>Seibutsu Butsuri</i> , 2006 , 46, S425	0	
26	Photo-induced protonation/deprotonation in the GFP-like fluorescent protein Dronpa: mechanism responsible for the reversible photoswitching. <i>Photochemical and Photobiological Sciences</i> , 2006 , 5, 567-76	4.2	75
25	Two-photon pumping of random lasers by picosecond and nanosecond lasers. <i>Applied Physics B: Lasers and Optics</i> , 2006 , 85, 45-48	1.9	9
24	Reversible single-molecule photoswitching in the GFP-like fluorescent protein Dronpa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 9511-6	11.5	410
23	Engineering fluorescent proteins. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2005 , 95, 1-15	1.7	35
22	Coherent control of mutiphoton excitation process for biological fluorescence imaging 2005 ,		1
21	Engineering cost function for optimizing coherent control between processes with different nonlinearities. <i>Springer Series in Chemical Physics</i> , 2005 , 640-642	0.3	
20	Genetically Encoded Fluorescent Calcium Indicator Proteins 2005 , 101-111		
19	Cyan-emitting and orange-emitting fluorescent proteins as a donor/acceptor pair for fluorescence resonance energy transfer. <i>Biochemical Journal</i> , 2004 , 381, 307-12	3.8	274
18	Regulated fast nucleocytoplasmic shuttling observed by reversible protein highlighting. <i>Science</i> , 2004 , 306, 1370-3	33.3	682
17	Selective excitation between two-photon and three-photon fluorescence with engineered cost functions. <i>Optics Express</i> , 2004 , 12, 3408-14	3.3	15
16	Adaptive Control of Two-Photon Excitation of Green Fluorescent Protein with Shaped Femtosecond Pulses. <i>Springer Series in Optical Sciences</i> , 2004 , 449-454	0.5	
15	Development of genetically encoded fluorescent indicators for calcium. <i>Methods in Enzymology</i> , 2003 , 360, 202-25	1.7	16
14	Mechanisms of protein fluorophore formation and engineering. <i>Current Opinion in Chemical Biology</i> , 2003 , 7, 557-62	9.7	53
13	Attenuation of photobleaching in two-photon excitation fluorescence from green fluorescent protein with shaped excitation pulses. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 311, 592-6	3.4	52
12	Photo-induced peptide cleavage in the green-to-red conversion of a fluorescent protein. <i>Molecular Cell</i> , 2003 , 12, 1051-8	17.6	251
11	Confocal imaging of subcellular Ca ²⁺ concentrations using a dual-excitation ratiometric indicator based on green fluorescent protein. <i>Science Signaling</i> , 2002 , 2002, p14	8.8	15

10	An optical marker based on the UV-induced green-to-red photoconversion of a fluorescent protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 12651-6	11.5	840
9	FRET-based in vivo Ca ²⁺ imaging by a new calmodulin-GFP fusion molecule. <i>Nature Structural Biology</i> , 2001 , 8, 1069-73		182
8	A pair of fluorescent resonance energy transfer-based probes for tyrosine phosphorylation of the CrkII adaptor protein in vivo. <i>Journal of Biological Chemistry</i> , 2001 , 276, 31305-10	5.4	124
7	Red fluorescent protein from <i>Discosoma</i> as a fusion tag and a partner for fluorescence resonance energy transfer. <i>Biochemistry</i> , 2001 , 40, 2502-10	3.2	190
6	NMR of all-carbon-13 sugars: an application in development of an analytical method for a novel natural sugar, 1,5-anhydrofructose. <i>Journal of Biochemistry</i> , 1996 , 119, 180-5	3.1	18
5	<i>Escherichia coli</i> phosphorylates 1,5-Anhydroglucitol and releases 1,5-Anhydroglucitol 6-phosphate when glucose is absent in the medium. <i>Journal of Biochemistry</i> , 1996 , 119, 173-9	3.1	4
4	Phosphorylation of 1,5-anhydro-D-glucitol in mammalian cells. <i>Journal of Biochemistry</i> , 1995 , 118, 411-7	3.1	10
3	Synthesis of 1,5-anhydro-D-glucitol from glucose in rat hepatoma cells. <i>Journal of Biochemistry</i> , 1994 , 115, 87-92	3.1	8
2	Conditional synthesis and utilization of 1,5-anhydroglucitol in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1993 , 175, 7138-41	3.5	15
1	High concentration of glucitol in fetal serum and glucitol permeable cells. <i>Journal of Biochemistry</i> , 1993 , 114, 21-7	3.1	1