

Jeffrey L Brodsky

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5738526/publications.pdf>

Version: 2024-02-01

184
papers

12,613
citations

20817

60
h-index

27406

106
g-index

188
all docs

188
docs citations

188
times ranked

11749
citing authors

#	ARTICLE	IF	CITATIONS
1	Paraoxonase 2 is an ER chaperone that regulates the epithelial Na ⁺ channel. <i>American Journal of Physiology - Cell Physiology</i> , 2022, 322, C111-C121.	4.6	4
2	A positive genetic selection for transmembrane domain mutations in HRD1 underscores the importance of Hrd1 complex integrity during ERAD. <i>Current Genetics</i> , 2022, 68, 227-242.	1.7	3
3	The molecular chaperone GRP170 protects against ER stress and acute kidney injury in mice. <i>JCI Insight</i> , 2022, 7, .	5.0	11
4	Hsp40s play distinct roles during the initial stages of apolipoprotein B biogenesis. <i>Molecular Biology of the Cell</i> , 2022, 33, mbcE21090436.	2.1	4
5	Proteasome activity modulates amyloid toxicity. <i>FEMS Yeast Research</i> , 2022, 22, .	2.3	1
6	A campaign targeting a conserved Hsp70 binding site uncovers how subcellular localization is linked to distinct biological activities. <i>Cell Chemical Biology</i> , 2022, 29, 1303-1316.e3.	5.2	7
7	Unique integrated stress response sensors regulate cancer cell susceptibility when Hsp70 activity is compromised. <i>ELife</i> , 2021, 10, .	6.0	12
8	Distinct classes of misfolded proteins differentially affect the growth of yeast compromised for proteasome function. <i>FEBS Letters</i> , 2021, 595, 2383-2394.	2.8	4
9	TorsinA folding and N-linked glycosylation are sensitive to redox homeostasis. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 119073.	4.1	2
10	ER-Phagy, ER Homeostasis, and ER Quality Control: Implications for Disease. <i>Trends in Biochemical Sciences</i> , 2021, 46, 630-639.	7.5	65
11	Synthesis and evaluation of bifunctional PTP4A3 phosphatase inhibitors activating the ER stress pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 46, 128167.	2.2	3
12	The Targeting of Native Proteins to the Endoplasmic Reticulum-Associated Degradation (ERAD) Pathway: An Expanding Repertoire of Regulated Substrates. <i>Biomolecules</i> , 2021, 11, 1185.	4.0	21
13	Improved correction of F508del-CFTR biogenesis with a folding facilitator and an inhibitor of protein ubiquitination. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 48, 128243.	2.2	6
14	Heat Shock Protein 70 as a Sex-Skewed Regulator of α -Synucleinopathy. <i>Neurotherapeutics</i> , 2021, 18, 2541-2564.	4.4	5
15	Substrate ubiquitination retains misfolded membrane proteins in the endoplasmic reticulum for degradation. <i>Cell Reports</i> , 2021, 36, 109717.	6.4	9
16	SLC26A9 is selected for endoplasmic reticulum associated degradation (ERAD) via Hsp70-dependent targeting of the soluble STAS domain. <i>Biochemical Journal</i> , 2021, , .	3.7	4
17	Direct involvement of Hsp70 ATP hydrolysis in Ubr1-dependent quality control. <i>Molecular Biology of the Cell</i> , 2020, 31, 2669-2686.	2.1	13
18	The Capture of a Disabled Proteasome Identifies Erg25 as a Substrate for Endoplasmic Reticulum Associated Degradation. <i>Molecular and Cellular Proteomics</i> , 2020, 19, 1896-1909.	3.8	5

#	ARTICLE	IF	CITATIONS
19	Ubiquitination of disease-causing CFTR variants in a microsome-based assay. <i>Analytical Biochemistry</i> , 2020, 604, 113829.	2.4	2
20	Unlocking the door for ERAD. <i>Nature Cell Biology</i> , 2020, 22, 263-265.	10.3	5
21	Synthesis and Selective Functionalization of Thiadiazine 1,1-Dioxides with Efficacy in a Model of Huntington's Disease. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 984-990.	2.8	7
22	Regulation of CFTR Biogenesis by the Proteostatic Network and Pharmacological Modulators. <i>International Journal of Molecular Sciences</i> , 2020, 21, 452.	4.1	31
23	Complementary computational and experimental evaluation of missense variants in the ROMK potassium channel. <i>PLoS Computational Biology</i> , 2020, 16, e1007749.	3.2	6
24	Epithelial Ion Channel Folding and ER-Associated Degradation (ERAD). <i>Physiology in Health and Disease</i> , 2020, , 207-247.	0.3	0
25	Harmonizing Experimental Data with Modeling to Predict Membrane Protein Insertion in Yeast. <i>Biophysical Journal</i> , 2019, 117, 668-678.	0.5	4
26	A COPII subunit acts with an autophagy receptor to target endoplasmic reticulum for degradation. <i>Science</i> , 2019, 365, 53-60.	12.6	114
27	Protein quality control in the secretory pathway. <i>Journal of Cell Biology</i> , 2019, 218, 3171-3187.	5.2	264
28	S-Nitrosylation of CHIP Enhances F508Del-CFTR Maturation. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019, 61, 765-775.	2.9	7
29	Chaperoning Endoplasmic Reticulum-Associated Degradation (ERAD) and Protein Conformational Diseases. <i>Cold Spring Harbor Perspectives in Biology</i> , 2019, 11, a033928.	5.5	100
30	Exploring the Functional Consequences of Protein Backbone Alteration in Ubiquitin through Native Chemical Ligation. <i>ChemBioChem</i> , 2019, 20, 2346-2350.	2.6	5
31	Hsp104 facilitates the endoplasmic reticulum-associated degradation of disease-associated and aggregation-prone substrates. <i>Protein Science</i> , 2019, 28, 1290-1306.	7.6	16
32	Synthesis and evaluation of esterified Hsp70 agonists in cellular models of protein aggregation and folding. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 79-91.	3.0	17
33	Substrate Insolubility Dictates Hsp104-Dependent Endoplasmic-Reticulum-Associated Degradation. <i>Molecular Cell</i> , 2018, 70, 242-253.e6.	9.7	27
34	Can modulators of apolipoproteinB biogenesis serve as an alternate target for cholesterol-lowering drugs?. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 762-771.	2.4	12
35	The endosomal trafficking factors CORVET and ESCRT suppress plasma membrane residence of the renal outer medullary potassium channel (ROMK). <i>Journal of Biological Chemistry</i> , 2018, 293, 3201-3217.	3.4	13
36	Autophagy Is Required for Sortilin-Mediated Degradation of Apolipoprotein B100. <i>Circulation Research</i> , 2018, 122, 568-582.	4.5	35

#	ARTICLE	IF	CITATIONS
37	Epithelial sodium channel biogenesis and quality control in the early secretory pathway. <i>Current Opinion in Nephrology and Hypertension</i> , 2018, 27, 364-372.	2.0	17
38	Thumb domains of the three epithelial Na ⁺ channel subunits have distinct functions. <i>Journal of Biological Chemistry</i> , 2018, 293, 17582-17592.	3.4	6
39	Adapting to stress " chaperome networks in cancer. <i>Nature Reviews Cancer</i> , 2018, 18, 562-575.	28.4	105
40	Select β -arrestins control cell-surface abundance of the mammalian Kir2.1 potassium channel in a yeast model. <i>Journal of Biological Chemistry</i> , 2018, 293, 11006-11021.	3.4	17
41	The ER membrane protein complex interacts cotranslationally to enable biogenesis of multipass membrane proteins. <i>ELife</i> , 2018, 7, .	6.0	160
42	The degradation pathway of a model misfolded protein is determined by aggregation propensity. <i>Molecular Biology of the Cell</i> , 2018, 29, 1422-1434.	2.1	24
43	Compensation of select proteostasis networks after Hsp70 inhibition in cancer. <i>Journal of Cell Science</i> , 2018, 131, .	2.0	16
44	Investigating Potassium Channels in Budding Yeast: A Genetic Sandbox. <i>Genetics</i> , 2018, 209, 637-650.	2.9	9
45	The evolving role of ubiquitin modification in endoplasmic reticulum-associated degradation. <i>Biochemical Journal</i> , 2017, 474, 445-469.	3.7	123
46	Endoplasmic reticulum-associated degradation of the renal potassium channel, ROMK, leads to type II Bartter syndrome. <i>Journal of Biological Chemistry</i> , 2017, 292, 12813-12827.	3.4	35
47	Transmembrane helix hydrophobicity is an energetic barrier during the retrotranslocation of integral membrane ERAD substrates. <i>Molecular Biology of the Cell</i> , 2017, 28, 2076-2090.	2.1	22
48	UBE3B Is a Calmodulin-regulated, Mitochondrion-associated E3 Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2017, 292, 2470-2484.	3.4	33
49	Interactions between intersubunit transmembrane domains regulate the chaperone-dependent degradation of an oligomeric membrane protein. <i>Biochemical Journal</i> , 2017, 474, 357-376.	3.7	23
50	Guardians of the ERAD Galaxy. <i>Cell</i> , 2017, 171, 267-268.	28.9	7
51	<i>N</i> -Acetyl-L-Cysteine Protects Astrocytes against Proteotoxicity without Recourse to Glutathione. <i>Molecular Pharmacology</i> , 2017, 92, 564-575.	2.3	25
52	Symmetry breaking during homodimeric assembly activates an E3 ubiquitin ligase. <i>Scientific Reports</i> , 2017, 7, 1789.	3.3	17
53	A novel high-throughput yeast genetic screen for factors modifying protein levels of the Early-Onset Torsion Dystonia-associated variant torsin ^A E. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 1129-1140.	2.4	11
54	Linking chanelopathies with endoplasmic reticulum associated degradation. <i>Channels</i> , 2017, 11, 499-501.	2.8	5

#	ARTICLE	IF	CITATIONS
55	Structural Basis for the Inhibitory Effects of Ubistatins in the Ubiquitin-Proteasome Pathway. <i>Structure</i> , 2017, 25, 1839-1855.e11.	3.3	15
56	Targeting protein quality control pathways in breast cancer. <i>BMC Biology</i> , 2017, 15, 109.	3.8	27
57	Trafficking and function of the cystic fibrosis transmembrane conductance regulator: a complex network of posttranslational modifications. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 311, L719-L733.	2.9	28
58	Dihydropyrimidinones and -thiones with improved activity against human polyomavirus family members. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 5087-5091.	2.2	21
59	Combined chemical–genetic approach identifies cytosolic HSP70 dependence in rhabdomyosarcoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 9015-9020.	7.1	33
60	From CFTR biology toward combinatorial pharmacotherapy: expanded classification of cystic fibrosis mutations. <i>Molecular Biology of the Cell</i> , 2016, 27, 424-433.	2.1	446
61	Increasing the Endoplasmic Reticulum Pool of the F508del Allele of the Cystic Fibrosis Transmembrane Conductance Regulator Leads to Greater Folding Correction by Small Molecule Therapeutics. <i>PLoS ONE</i> , 2016, 11, e0163615.	2.5	23
62	The Effect of Structure and Mechanism of the Hsp70 Chaperone on the Ability to Identify Chemical Modulators and Therapeutics. <i>Topics in Medicinal Chemistry</i> , 2015, , 81-129.	0.8	6
63	Expression of three topologically distinct membrane proteins elicits unique stress response pathways in the yeast <i>Saccharomyces cerevisiae</i> . <i>Physiological Genomics</i> , 2015, 47, 198-214.	2.3	10
64	Membrane Protein Properties Revealed through Data-Rich Electrostatics Calculations. <i>Structure</i> , 2015, 23, 1526-1537.	3.3	31
65	Mutations in the Yeast Hsp70, Ssa1, at P417 Alter ATP Cycling, Interdomain Coupling, and Specific Chaperone Functions. <i>Journal of Molecular Biology</i> , 2015, 427, 2948-2965.	4.2	18
66	A Combination Therapy for Cystic Fibrosis. <i>Cell</i> , 2015, 163, 17.	28.9	12
67	Alpha-arrestins participate in cargo selection for both clathrin-independent and clathrin-mediated endocytosis. <i>Journal of Cell Science</i> , 2015, 128, 4220-34.	2.0	36
68	The BiP Molecular Chaperone Plays Multiple Roles during the Biogenesis of TorsinA, an AAA+ ATPase Associated with the Neurological Disease Early-onset Torsion Dystonia. <i>Journal of Biological Chemistry</i> , 2014, 289, 12727-12747.	3.4	25
69	A Regulator of Secretory Vesicle Size, Kelch-Like Protein 12, Facilitates the Secretion of Apolipoprotein B100 and Very-Low-Density Lipoproteins—Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 251-254.	2.4	19
70	Identification of an Allosteric Small-Molecule Inhibitor Selective for the Inducible Form of Heat Shock Protein 70. <i>Chemistry and Biology</i> , 2014, 21, 1648-1659.	6.0	54
71	The threads that tie protein-folding diseases. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 3-4.	2.4	9
72	ESCRT regulates surface expression of the Kir2.1 potassium channel. <i>Molecular Biology of the Cell</i> , 2014, 25, 276-289.	2.1	24

#	ARTICLE	IF	CITATIONS
73	The proteolytic landscape of the yeast vacuole. <i>Cellular Logistics</i> , 2014, 4, e28023.	0.9	85
74	Organelle and proteome quality control mechanisms: how cells are able to keep calm and carry on. <i>Molecular Biology of the Cell</i> , 2014, 25, 733-734.	2.1	4
75	Synthesis and structure-activity relationships of small molecule inhibitors of the simian virus 40 T antigen oncoprotein, an anti-polyomaviral target. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6490-6502.	3.0	10
76	Heat Shock Protein 70 Inhibitors. 1. 2,5-Di-Thiodipyrimidine and 5-(Phenylthio)pyrimidine Acrylamides as Irreversible Binders to an Allosteric Site on Heat Shock Protein 70. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 1188-1207.	6.4	50
77	Specific \pm -Arrestins Negatively Regulate <i>Saccharomyces cerevisiae</i> Pheromone Response by Down-Modulating the G-Protein-Coupled Receptor Ste2. <i>Molecular and Cellular Biology</i> , 2014, 34, 2660-2681.	2.3	87
78	Recent technical developments in the study of ER-associated degradation. <i>Current Opinion in Cell Biology</i> , 2014, 29, 82-91.	5.4	27
79	The HSP70 Modulator MAL3-101 Inhibits Merkel Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e92041.	2.5	47
80	Synthesis and Initial Evaluation of YM-08, a Blood-Brain Barrier Permeable Derivative of the Heat Shock Protein 70 (Hsp70) Inhibitor MKT-077, Which Reduces Tau Levels. <i>ACS Chemical Neuroscience</i> , 2013, 4, 930-939.	3.5	109
81	How early studies on secreted and membrane protein quality control gave rise to the ER associated degradation (ERAD) pathway: The early history of ERAD. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2447-2457.	4.1	64
82	Just a Trim, Please: Refining ER Degradation through Deubiquitination. <i>Cell</i> , 2013, 154, 479-481.	28.9	9
83	Chemical Induction of Hsp70 Reduces \pm -Synuclein Aggregation in Neuroglioma Cells. <i>ACS Chemical Biology</i> , 2013, 8, 1460-1468.	3.4	61
84	A stalled retrotranslocation complex reveals physical linkage between substrate recognition and proteasomal degradation during ER-associated degradation. <i>Molecular Biology of the Cell</i> , 2013, 24, 1765-1775.	2.1	33
85	Characterization of an M28 metalloprotease family member residing in the yeast vacuole. <i>FEMS Yeast Research</i> , 2013, 13, 471-484.	2.3	9
86	The Lhs1/GRP170 Chaperones Facilitate the Endoplasmic Reticulum-associated Degradation of the Epithelial Sodium Channel. <i>Journal of Biological Chemistry</i> , 2013, 288, 18366-18380.	3.4	47
87	Hsp70 Targets a Cytoplasmic Quality Control Substrate to the San1p Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2013, 288, 18506-18520.	3.4	74
88	Hsp70 and Hsp90 Multichaperone Complexes Sequentially Regulate Thiazide-sensitive Cotransporter Endoplasmic Reticulum-associated Degradation and Biogenesis. <i>Journal of Biological Chemistry</i> , 2013, 288, 13124-13135.	3.4	50
89	Insulin-Stimulated Degradation of Apolipoprotein B100: Roles of Class II Phosphatidylinositol-3-Kinase and Autophagy. <i>PLoS ONE</i> , 2013, 8, e57590.	2.5	27
90	High-Throughput Screening Identifies a Bisphenol Inhibitor of SV40 Large T Antigen ATPase Activity. <i>Journal of Biomolecular Screening</i> , 2012, 17, 194-203.	2.6	12

#	ARTICLE	IF	CITATIONS
91	The Endosomal Protein-Sorting Receptor Sortilin Has a Role in Trafficking Î±1-Antitrypsin. <i>Genetics</i> , 2012, 192, 889-903.	2.9	46
92	FK506 Binding Protein 8 Peptidylprolyl Isomerase Activity Manages a Late Stage of Cystic Fibrosis Transmembrane Conductance Regulator (CFTR) Folding and Stability. <i>Journal of Biological Chemistry</i> , 2012, 287, 21914-21925.	3.4	37
93	The Delicate Balance Between Secreted Protein Folding and Endoplasmic Reticulum-Associated Degradation in Human Physiology. <i>Physiological Reviews</i> , 2012, 92, 537-576.	28.8	339
94	Protein disulfide isomerases contribute differentially to the endoplasmic reticulum-associated degradation of apolipoprotein B and other substrates. <i>Molecular Biology of the Cell</i> , 2012, 23, 520-532.	2.1	59
95	Cleaning Up: ER-Associated Degradation to the Rescue. <i>Cell</i> , 2012, 151, 1163-1167.	28.9	308
96	A screen for modulators of large T antigen's ATPase activity uncovers novel inhibitors of Simian Virus 40 and BK virus replication. <i>Antiviral Research</i> , 2012, 96, 70-81.	4.1	17
97	The Unfolded Protein Response: A Multifaceted Regulator of Lipid and Lipoprotein Metabolism. <i>Cell Metabolism</i> , 2012, 16, 407-408.	16.2	1
98	Assays to Measure ER-Associated Degradation in Yeast. <i>Methods in Molecular Biology</i> , 2012, 832, 505-518.	0.9	12
99	Design of a Flexible Cell-Based Assay for the Evaluation of Heat Shock Protein 70 Expression Modulators. <i>Assay and Drug Development Technologies</i> , 2011, 9, 236-246.	1.2	3
100	Antimyeloma Effects of the Heat Shock Protein 70 Molecular Chaperone Inhibitor MAL3-101. <i>Journal of Oncology</i> , 2011, 2011, 1-11.	1.3	72
101	Stability and function of the Sec61 translocation complex depends on the Sss1p tail-anchor sequence. <i>Biochemical Journal</i> , 2011, 436, 291-303.	3.7	13
102	Protein folding and quality control in the endoplasmic reticulum: Recent lessons from yeast and mammalian cell systems. <i>Current Opinion in Cell Biology</i> , 2011, 23, 464-475.	5.4	207
103	Chemical methodology as a source of small-molecule checkpoint inhibitors and heat shock protein 70 (Hsp70) modulators. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6757-6762.	7.1	63
104	The Thiazide-sensitive NaCl Cotransporter Is Targeted for Chaperone-dependent Endoplasmic Reticulum-associated Degradation. <i>Journal of Biological Chemistry</i> , 2011, 286, 43611-43621.	3.4	45
105	<i>Saccharomyces cerevisiae</i> as a model system for kidney disease: what can yeast tell us about renal function?. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F1-F11.	2.7	16
106	Expression of a Malarial Hsp70 Improves Defects in Chaperone-Dependent Activities in ssa1 Mutant Yeast. <i>PLoS ONE</i> , 2011, 6, e20047.	2.5	26
107	The Endoplasmic Reticulum-associated Degradation of the Epithelial Sodium Channel Requires a Unique Complement of Molecular Chaperones. <i>Molecular Biology of the Cell</i> , 2010, 21, 1047-1058.	2.1	81
108	J Domain Co-chaperone Specificity Defines the Role of BiP during Protein Translocation. <i>Journal of Biological Chemistry</i> , 2010, 285, 22484-22494.	3.4	43

#	ARTICLE	IF	CITATIONS
109	Mechanisms Underlying the Cellular Clearance of Antitrypsin Z: Lessons from Yeast Expression Systems. <i>Proceedings of the American Thoracic Society</i> , 2010, 7, 363-367.	3.5	10
110	The Special Delivery of a Tail-Anchored Protein: Why It Pays to Use a Dedicated Courier. <i>Molecular Cell</i> , 2010, 40, 5-7.	9.7	10
111	A Stress-Responsive System for Mitochondrial Protein Degradation. <i>Molecular Cell</i> , 2010, 40, 465-480.	9.7	275
112	Binding of a Small Molecule at a Protein-Protein Interface Regulates the Chaperone Activity of Hsp70-Hsp40. <i>ACS Chemical Biology</i> , 2010, 5, 611-622.	3.4	149
113	In Vitro Reconstitution of the Selection, Ubiquitination, and Membrane Extraction of a Polytopic ERAD Substrate. <i>Methods in Molecular Biology</i> , 2010, 619, 365-376.	0.9	8
114	The Mammalian Hsp40 ERdj3 Requires Its Hsp70 Interaction and Substrate-binding Properties to Complement Various Yeast Hsp40-dependent Functions. <i>Journal of Biological Chemistry</i> , 2009, 284, 32462-32471.	3.4	19
115	Substrate-specific mediators of ER associated degradation (ERAD). <i>Current Opinion in Cell Biology</i> , 2009, 21, 516-521.	5.4	88
116	A Soluble Sulfogalactosyl Ceramide Mimic Promotes 125 I-F508 CFTR Escape from Endoplasmic Reticulum Associated Degradation. <i>Chemistry and Biology</i> , 2009, 16, 461-470.	6.0	29
117	Select pyrimidinones inhibit the propagation of the malarial parasite, <i>Plasmodium falciparum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 1527-1533.	3.0	128
118	Identification of Hsp70 modulators through modeling of the substrate binding domain. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3828-3831.	2.2	11
119	Inhibition of Simian Virus 40 replication by targeting the molecular chaperone function and ATPase activity of T antigen. <i>Virus Research</i> , 2009, 141, 71-80.	2.2	43
120	Post-translational import of protein into the endoplasmic reticulum of a trypanosome: an <i>in vitro</i> system for discovery of anti-trypanosomal chemical entities. <i>Biochemical Journal</i> , 2009, 419, 507-517.	3.7	15
121	Entry into the Endoplasmic Reticulum: Protein Translocation, Folding and Quality Control. , 2009, , 119-142.		5
122	Pyrimidinone-peptoid hybrid molecules with distinct effects on molecular chaperone function and cell proliferation. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 3291-3301.	3.0	90
123	Design of a fluorescence polarization assay platform for the study of human Hsp70. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3749-3751.	2.2	21
124	The Recognition and Retrotranslocation of Misfolded Proteins from the Endoplasmic Reticulum. <i>Traffic</i> , 2008, 9, 861-870.	2.7	250
125	One step at a time: endoplasmic reticulum-associated degradation. <i>Nature Reviews Molecular Cell Biology</i> , 2008, 9, 944-957.	37.0	1,148
126	The yeast Hsp110, Sse1p, exhibits high-affinity peptide binding. <i>FEBS Letters</i> , 2008, 582, 2393-2396.	2.8	53

#	ARTICLE	IF	CITATIONS
127	The many intersecting pathways underlying apolipoprotein B secretion and degradation. Trends in Endocrinology and Metabolism, 2008, 19, 254-259.	7.1	73
128	Dissecting the ER-Associated Degradation of a Misfolded Polytopic Membrane Protein. Cell, 2008, 132, 101-112.	28.9	242
129	A Precursor-specific Role for Hsp40/Hsc70 during Tail-anchored Protein Integration at the Endoplasmic Reticulum. Journal of Biological Chemistry, 2008, 283, 27504-27513.	3.4	95
130	The Hsp110 Molecular Chaperone Stabilizes Apolipoprotein B from Endoplasmic Reticulum-associated Degradation (ERAD). Journal of Biological Chemistry, 2007, 282, 32665-32675.	3.4	66
131	Small Heat-Shock Proteins Select \hat{Y}^{F508} -CFTR for Endoplasmic Reticulum-associated Degradation. Molecular Biology of the Cell, 2007, 18, 806-814.	2.1	104
132	<i>ADD66</i> , a Gene Involved in the Endoplasmic Reticulum-associated Degradation of $\hat{I}\alpha$ -1-Antitrypsin-Z in Yeast, Facilitates Proteasome Activity and Assembly. Molecular Biology of the Cell, 2007, 18, 3776-3787.	2.1	27
133	Tipping the Delicate Balance: Defining How Proteasome Maturation Affects the Degradation of a Substrate for Autophagy and Endoplasmic Reticulum Associated Degradation (ERAD). Autophagy, 2007, 3, 623-625.	9.1	11
134	The Hsp40 Molecular Chaperone Ydj1p, Along With the Protein Kinase C Pathway, Affects Cell-Wall Integrity in the Yeast <i>Saccharomyces cerevisiae</i> . Genetics, 2007, 175, 1649-1664.	2.9	26
135	Golgi-associated Maturation of Very Low Density Lipoproteins Involves Conformational Changes in Apolipoprotein B, but Is Not Dependent on Apolipoprotein E. Journal of Biological Chemistry, 2007, 282, 19453-19462.	3.4	57
136	Small Heat Shock Protein $\hat{I}\alpha$ -crystallin Regulates Epithelial Sodium Channel Expression. Journal of Biological Chemistry, 2007, 282, 28149-28156.	3.4	39
137	The Role of BiP/Kar2p in the Translocation of Proteins Across the ER Membrane. The Enzymes, 2007, , 245-273.	1.7	1
138	The protective and destructive roles played by molecular chaperones during ERAD (endoplasmic-reticulum-associated degradation). Biochemical Journal, 2007, 404, 353-363.	3.7	134
139	The activities and function of molecular chaperones in the endoplasmic reticulum. Seminars in Cell and Developmental Biology, 2007, 18, 751-761.	5.0	70
140	Real-Time Fluorescence Detection of ERAD Substrate Retrotranslocation in $\hat{A}\hat{A}$ Mammalian In Vitro System. Cell, 2007, 129, 943-955.	28.9	122
141	Molecular pathogenesis of alpha-1-antitrypsin deficiency-associated liver disease: A meeting review. Hepatology, 2007, 45, 1313-1323.	7.3	95
142	Proteomic analysis of the amyloid precursor protein fragment C99: expression in yeast. Analytical Biochemistry, 2007, 370, 162-170.	2.4	9
143	Selective compounds define Hsp90 as a major inhibitor of apoptosis in small-cell lung cancer. Nature Chemical Biology, 2007, 3, 498-507.	8.0	156
144	Regulation of Hsp70 Function: Hsp40 Co-Chaperones and Nucleotide Exchange Factors. , 2007, , 209-227.		4

#	ARTICLE	IF	CITATIONS
145	Nucleotide Exchange Factors for Hsp70 Molecular Chaperones. , 2007, , 1-12.		5
146	Autophagy: an ER Protein Quality Control Process. <i>Autophagy</i> , 2006, 2, 135-137.	9.1	86
147	Characterization of an ERAD Gene as VPS30/ATG6 Reveals Two Alternative and Functionally Distinct Protein Quality Control Pathways: One for Soluble Z Variant of Human I α -1 Proteinase Inhibitor (A1PiZ) and Another for Aggregates of A1PiZ. <i>Molecular Biology of the Cell</i> , 2006, 17, 203-212.	2.1	191
148	Hsp70 Molecular Chaperones: Emerging Roles in Human Disease and Identification of Small Molecule Modulators. <i>Current Topics in Medicinal Chemistry</i> , 2006, 6, 1215-1225.	2.1	199
149	Cysteine String Protein Monitors Late Steps in Cystic Fibrosis Transmembrane Conductance Regulator Biogenesis. <i>Journal of Biological Chemistry</i> , 2006, 281, 11312-11321.	3.4	44
150	Use of Yeast as a Model System to Investigate Protein Conformational Diseases. <i>Molecular Biotechnology</i> , 2005, 30, 171-180.	2.4	31
151	Reconstitution of Endoplasmic Reticulum-Associated Degradation Using Yeast Membranes and Cytosol. , 2005, 301, 175-184.		2
152	The molecular mechanisms underlying BiP-mediated gating of the Sec61 translocon of the endoplasmic reticulum. <i>Journal of Cell Biology</i> , 2005, 168, 389-399.	5.2	159
153	Regulation of Hsp70 Function by HspBP1. <i>Molecular Cell</i> , 2005, 17, 367-379.	9.7	185
154	An in vitro assay for the selective endoplasmic reticulum associated degradation of an unglycosylated secreted protein. <i>Methods</i> , 2005, 35, 354-359.	3.8	3
155	Roles of Molecular Chaperones in Endoplasmic Reticulum (ER) Quality Control and ER-Associated Degradation (ERAD). <i>Journal of Biochemistry</i> , 2005, 137, 551-555.	1.7	151
156	The Function of the Yeast Molecular Chaperone Sse1 Is Mechanistically Distinct from the Closely Related Hsp70 Family. <i>Journal of Biological Chemistry</i> , 2004, 279, 21992-22001.	3.4	84
157	Degradation of Mutated Bovine Pancreatic Trypsin Inhibitor in the Yeast Vacuole Suggests Post-endoplasmic Reticulum Protein Quality Control. <i>Journal of Biological Chemistry</i> , 2004, 279, 15289-15297.	3.4	64
158	Distinct Roles for the Hsp40 and Hsp90 Molecular Chaperones during Cystic Fibrosis Transmembrane Conductance Regulator Degradation in Yeast. <i>Molecular Biology of the Cell</i> , 2004, 15, 4787-4797.	2.1	149
159	Small Molecule Modulators of Endogenous and Co-chaperone-stimulated Hsp70 ATPase Activity. <i>Journal of Biological Chemistry</i> , 2004, 279, 51131-51140.	3.4	190
160	Distinct Machinery Is Required in <i>Saccharomyces cerevisiae</i> for the Endoplasmic Reticulum-associated Degradation of a Multispanning Membrane Protein and a Soluble Luminal Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 38369-38378.	3.4	232
161	Uncoupling retro-translocation and degradation in the ER-associated degradation of a soluble protein. <i>EMBO Journal</i> , 2004, 23, 2206-2215.	7.8	106
162	Checkpoints in ER-associated degradation: excuse me, which way to the proteasome?. <i>Trends in Cell Biology</i> , 2004, 14, 474-478.	7.9	119

#	ARTICLE	IF	CITATIONS
163	Vesicular Trafficking of Hepatic Apolipoprotein B100 and Its Maturation to Very Low-Density Lipoprotein Particles Studies from Cells and Cell-free Systems. <i>Trends in Cardiovascular Medicine</i> , 2004, 14, 127-132.	4.9	23
164	Evolving questions and paradigm shifts in endoplasmic-reticulum-associated degradation (ERAD). <i>BioEssays</i> , 2003, 25, 868-877.	2.5	210
165	Localization of the BiP Molecular Chaperone with Respect to Endoplasmic Reticulum Foci Containing the Cystic Fibrosis Transmembrane Conductance Regulator in Yeast. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 545-548.	2.5	21
166	Differential requirements of novel AIPiZ degradation deficient (ADD) genes in ER-associated protein degradation. <i>Journal of Cell Science</i> , 2003, 116, 2361-2373.	2.0	25
167	Dependence of Endoplasmic Reticulum-associated Degradation on the Peptide Binding Domain and Concentration of BiP. <i>Molecular Biology of the Cell</i> , 2003, 14, 3437-3448.	2.1	94
168	Apolipoprotein B100 Exit from the Endoplasmic Reticulum (ER) Is COPII-dependent, and Its Lipidation to Very Low Density Lipoprotein Occurs Post-ER. <i>Journal of Biological Chemistry</i> , 2003, 278, 48051-48058.	3.4	123
169	Nucleotide Exchange Factor for the Yeast Hsp70 Molecular Chaperone Ssa1p. <i>Molecular and Cellular Biology</i> , 2002, 22, 4677-4689.	2.3	133
170	Mutagenesis of a functional chimeric gene in yeast identifies mutations in the simian virus 40 large T antigen J domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2002-2007.	7.1	29
171	Overexpression of Yeast Hsp110 Homolog Sse1p Suppresses ydj1-151 Thermosensitivity and Restores Hsp90-dependent Activity. <i>Molecular Biology of the Cell</i> , 2002, 13, 2760-2770.	2.1	76
172	CFTR Expression and ER-Associated Degradation in Yeast. , 2002, 70, 257-266.		28
173	HspBP1, a homologue of the yeast Fes1 and Sls1 proteins, is an Hsc70 nucleotide exchange factor. <i>FEBS Letters</i> , 2002, 531, 339-342.	2.8	100
174	The Action of Molecular Chaperones in the Early Secretory Pathway. <i>Annual Review of Genetics</i> , 2001, 35, 149-191.	7.6	279
175	Chaperoning the maturation of the cystic fibrosis transmembrane conductance regulator. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2001, 281, L39-L42.	2.9	26
176	Apoprotein B Degradation Is Promoted by the Molecular Chaperones hsp90 and hsp70. <i>Journal of Biological Chemistry</i> , 2001, 276, 24891-24900.	3.4	117
177	Molecular Chaperones in the Yeast Endoplasmic Reticulum Maintain the Solubility of Proteins for Retrotranslocation and Degradation. <i>Journal of Cell Biology</i> , 2001, 153, 1061-1070.	5.2	294
178	Identification of an Inhibitor of hsc70-mediated Protein Translocation and ATP Hydrolysis. <i>Journal of Biological Chemistry</i> , 2001, 276, 910-914.	3.4	60
179	Hsp70 Molecular Chaperone Facilitates Endoplasmic Reticulum-associated Protein Degradation of Cystic Fibrosis Transmembrane Conductance Regulator in Yeast. <i>Molecular Biology of the Cell</i> , 2001, 12, 1303-1314.	2.1	260
180	Species-Specific Elements in the Large T-Antigen J Domain Are Required for Cellular Transformation and DNA Replication by Simian Virus 40. <i>Molecular and Cellular Biology</i> , 2000, 20, 5749-5757.	2.3	75

#	ARTICLE	IF	CITATIONS
181	Mutation of the ATP-Binding Pocket of <i>SSA1</i> Indicates That a Functional Interaction Between Ssa1p and Ydj1p Is Required for Post-translational Translocation Into the Yeast Endoplasmic Reticulum. <i>Genetics</i> , 2000, 156, 501-512.	2.9	50
182	The Requirement for Molecular Chaperones during Endoplasmic Reticulum-associated Protein Degradation Demonstrates That Protein Export and Import Are Mechanistically Distinct. <i>Journal of Biological Chemistry</i> , 1999, 274, 3453-3460.	3.4	251
183	Selectivity of the molecular chaperone-specific immunosuppressive agent 15-deoxyspergualin. <i>Biochemical Pharmacology</i> , 1999, 57, 877-880.	4.4	50
184	Specific Molecular Chaperone Interactions and an ATP-dependent Conformational Change Are Required during Posttranslational Protein Translocation into the Yeast ER. <i>Molecular Biology of the Cell</i> , 1998, 9, 3533-3545.	2.1	76