

Melissa S Y Thong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5739886/publications.pdf>

Version: 2024-02-01

83
papers

2,904
citations

136885

32
h-index

189801

50
g-index

86
all docs

86
docs citations

86
times ranked

4071
citing authors

#	ARTICLE	IF	CITATIONS
1	Health and life insurance-related problems in very long-term cancer survivors in Germany: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 155-162.	1.2	2
2	Comorbidities, Rather Than Older Age, Are Strongly Associated With Higher Utilization of Healthcare in Colorectal Cancer Survivors. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, 20, 468-478.e7.	2.3	5
3	Higher Incidence of Diabetes in Cancer Patients Compared to Cancer-Free Population Controls: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 1808.	1.7	12
4	Going beyond (electronic) patient-reported outcomes: harnessing the benefits of smart technology and ecological momentary assessment in cancer survivorship research. <i>Supportive Care in Cancer</i> , 2021, 29, 7-10.	1.0	21
5	Identifying classes of the pain, fatigue, and depression symptom cluster in long-term prostate cancer survivors—results from the multi-regional Prostate Cancer Survivorship Study in Switzerland (PROCAS). <i>Supportive Care in Cancer</i> , 2021, 29, 6259-6269.	1.0	9
6	The prevalence and related factors of fatigue in patients with COPD: a systematic review. <i>European Respiratory Review</i> , 2021, 30, 200298.	3.0	27
7	Health-Related Quality of Life in Very Long-Term Cancer Survivors 14–24 Years Post-Diagnosis Compared to Population Controls: A Population-Based Study. <i>Cancers</i> , 2021, 13, 2754.	1.7	10
8	Prevalence of benefit finding and posttraumatic growth in long-term cancer survivors: results from a multi-regional population-based survey in Germany. <i>British Journal of Cancer</i> , 2021, 125, 877-883.	2.9	15
9	Distress mediates the relationship between cognitive appraisal of medical care and benefit finding/posttraumatic growth in long-term cancer survivors. <i>Cancer</i> , 2021, 127, 3680-3690.	2.0	3
10	Fatigue in patients with chronic disease: results from the population-based Lifelines Cohort Study. <i>Scientific Reports</i> , 2021, 11, 20977.	1.6	43
11	Genetic Influences on Quality of Life. , 2021, , 1-9.		0
12	Are illness perceptions, beliefs about medicines and Type D personality associated with medication adherence among thyroid cancer survivors? A study from the population-based PROFILES registry. <i>Psychology and Health</i> , 2020, 35, 128-143.	1.2	13
13	Age-specific health-related quality of life in disease-free long-term prostate cancer survivors versus male population controls—results from a population-based study. <i>Supportive Care in Cancer</i> , 2020, 28, 2875-2885.	1.0	9
14	Age-specific prevalence and determinants of depression in long-term breast cancer survivors compared to female population controls. <i>Cancer Medicine</i> , 2020, 9, 8713-8721.	1.3	23
15	The relationship between posttraumatic growth and health-related quality of life in adult cancer survivors: A systematic review. <i>Journal of Affective Disorders</i> , 2020, 276, 159-168.	2.0	46
16	Physical activity and long-term fatigue among colorectal cancer survivors – a population-based prospective study. <i>BMC Cancer</i> , 2020, 20, 438.	1.1	9
17	Association of laparoscopic colectomy versus open colectomy on the long-term health-related quality of life of colon cancer survivors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 5593-5603.	1.3	5
18	Cancer-Related Fatigue: Causes and Current Treatment Options. <i>Current Treatment Options in Oncology</i> , 2020, 21, 17.	1.3	174

#	ARTICLE	IF	CITATIONS
19	The role of psychosocial resources for long-term breast, colorectal, and prostate cancer survivors: prevalence and associations with health-related quality of life. <i>Supportive Care in Cancer</i> , 2019, 27, 275-286.	1.0	7
20	Pulmonary Rehabilitation Reduces Subjective Fatigue in COPD: A Responder Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1264.	1.0	23
21	Fatigue is highly prevalent in patients with COPD and correlates poorly with the degree of airflow limitation. <i>Therapeutic Advances in Respiratory Disease</i> , 2019, 13, 175346661987812.	1.0	45
22	The association of cancer-related fatigue with all-cause mortality of colorectal and endometrial cancer survivors: Results from the population-based PROFILES registry. <i>Cancer Medicine</i> , 2019, 8, 3227-3236.	1.3	22
23	Age-specific health-related quality of life in long-term and very long-term colorectal cancer survivors versus population controls – a population-based study. <i>Acta Oncologica</i> , 2019, 58, 801-810.	0.8	26
24	Return to work after cancer. A multi-regional population-based study from Germany. <i>Acta Oncologica</i> , 2019, 58, 811-818.	0.8	57
25	Age at Diagnosis and Sex Are Associated With Long-term Deficits in Disease-Specific Health-Related Quality of Life of Survivors of Colon and Rectal Cancer: A Population-Based Study. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 1294-1304.	0.7	15
26	New challenges in psycho-oncology: Studying the direct relationships between biological markers and patients' subjective experiences. <i>Response to Cole. Psycho-Oncology</i> , 2019, 28, 204-205.	1.0	0
27	Illness perceptions are associated with higher health care use in survivors of endometrial cancer – a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2019, 27, 1935-1944.	1.0	11
28	Pulmonary rehabilitation reduces fatigue in COPD: a responder analysis. , 2019, , .		4
29	Population-based cancer survivorship research: Experiences from Germany and the Netherlands. <i>Journal of Cancer Policy</i> , 2018, 15, 87-91.	0.6	9
30	Fatigue in patients with chronic obstructive pulmonary disease: protocol of the Dutch multicentre, longitudinal, observational <i>FantasTIGUE</i> study. <i>BMJ Open</i> , 2018, 8, e021745.	0.8	22
31	Identifying the subtypes of cancer-related fatigue: results from the population-based PROFILES registry. <i>Journal of Cancer Survivorship</i> , 2018, 12, 38-46.	1.5	31
32	Post-Traumatic Growth and Resilience in Adolescent and Young Adult Cancer Patients: An Overview. <i>Journal of Adolescent and Young Adult Oncology</i> , 2018, 7, 1-14.	0.7	74
33	Cancer survivors not participating in observational patient-reported outcome studies have a lower survival compared to participants: the population-based PROFILES registry. <i>Quality of Life Research</i> , 2018, 27, 3313-3324.	1.5	50
34	“Still a Cancer Patient” Associations of Cancer Identity With Patient-Reported Outcomes and Health Care Use Among Cancer Survivors. <i>JNCI Cancer Spectrum</i> , 2018, 2, pky031.	1.4	20
35	Fatigue is Highly Prevalent in Patients with Asthma and Contributes to the Burden of Disease. <i>Journal of Clinical Medicine</i> , 2018, 7, 471.	1.0	28
36	Optimistic, realistic, and pessimistic illness perceptions; quality of life; and survival among 2457 cancer survivors: the population-based PROFILES registry. <i>Cancer</i> , 2018, 124, 3609-3617.	2.0	22

#	ARTICLE	IF	CITATIONS
37	Examining relationships between age at diagnosis and health-related quality of life outcomes in prostate cancer survivors. <i>BMC Public Health</i> , 2018, 18, 1060.	1.2	17
38	Portraying a grim illness: lung cancer in novels, poems, films, music, and paintings. <i>Supportive Care in Cancer</i> , 2018, 26, 3681-3689.	1.0	4
39	Late Breaking Abstract - Fatigue is highly prevalent in patients with COPD and correlates poorly with the airflow limitation. , 2018, , .		0
40	A population-based approach to compare patient-reported outcomes of long-term Hodgkin's lymphoma survivors according to trial participation: a joint study from the Patient-Reported Outcomes Following Initial Treatment and Long-term Evaluation of Survivorship registry and European Organisation for Research and Treatment of Cancer. <i>European Journal of Cancer Prevention</i> , 2017, 26, S223-S228.	0.6	8
41	Comparison of Three Questionnaires to Screen for Borderline Personality Disorder in Adolescents and Young Adults. <i>European Journal of Psychological Assessment</i> , 2017, 33, 123-128.	1.7	12
42	Illness perceptions are associated with mortality among 1552 colorectal cancer survivors: a study from the population-based PROFILES registry. <i>Journal of Cancer Survivorship</i> , 2016, 10, 898-905.	1.5	24
43	Prospectively measured lifestyle factors and BMI explain differences in health-related quality of life between colorectal cancer patients with and without comorbid diabetes. <i>Supportive Care in Cancer</i> , 2016, 24, 2591-2601.	1.0	13
44	The impact of having both cancer and diabetes on patient-reported outcomes: a systematic review and directions for future research. <i>Journal of Cancer Survivorship</i> , 2016, 10, 406-415.	1.5	25
45	The course of fatigue and its correlates in colorectal cancer survivors: a prospective cohort study of the PROFILES registry. <i>Supportive Care in Cancer</i> , 2015, 23, 3361-3371.	1.0	36
46	Genetic variations underlying self-reported physical functioning: a review. <i>Quality of Life Research</i> , 2015, 24, 1163-1177.	1.5	3
47	The impact of diabetes on neuropathic symptoms and receipt of chemotherapy among colorectal cancer patients: results from the PROFILES registry. <i>Journal of Cancer Survivorship</i> , 2015, 9, 523-531.	1.5	16
48	Variation in fatigue among 6011 (long-term) cancer survivors and a normative population: a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2015, 23, 2165-2174.	1.0	55
49	EUROCOURSE lessons learned from and for population-based cancer registries in Europe and their programme owners: Improving performance by research programming for public health and clinical evaluation. <i>European Journal of Cancer</i> , 2015, 51, 997-1017.	1.3	35
50	Illness Perceptions in Women with Breast Cancer – a Systematic Literature Review. <i>Current Breast Cancer Reports</i> , 2015, 7, 117-126.	0.5	53
51	Response Rates for Patient-Reported Outcomes Using Web-Based Versus Paper Questionnaires: Comparison of Two Invitational Methods in Older Colorectal Cancer Patients. <i>Journal of Medical Internet Research</i> , 2015, 17, e111.	2.1	77
52	Abstract 3731: The course of fatigue and its correlates in colorectal cancer survivors: A prospective cohort study of the PROFILES registry. , 2015, , .		0
53	Living with the physical and mental consequences of an ostomy: a study among 10-year rectal cancer survivors from the population-based PROFILES registry. <i>Psycho-Oncology</i> , 2014, 23, 998-1004.	1.0	63
54	The individual and combined effect of colorectal cancer and diabetes on health-related quality of life and sexual functioning: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2014, 22, 3071-3079.	1.0	15

#	ARTICLE	IF	CITATIONS
55	Biological pathways, candidate genes, and molecular markers associated with quality-of-life domains: an update. <i>Quality of Life Research</i> , 2014, 23, 1997-2013.	1.5	59
56	Biologic pathways, candidate genes, and molecular markers associated with quality-of-life domains.. <i>Journal of Clinical Oncology</i> , 2014, 32, 1561-1561.	0.8	0
57	Illness perceptions in cancer survivors: what is the role of information provision?. <i>Psycho-Oncology</i> , 2013, 22, 490-498.	1.0	121
58	Population-based cancer registries for quality-of-life research. <i>Cancer</i> , 2013, 119, 2109-2123.	2.0	44
59	Information Provision and Patient Reported Outcomes in Patients with Metastasized Colorectal Cancer: Results from the PROFILES Registry. <i>Journal of Palliative Medicine</i> , 2013, 16, 281-288.	0.6	28
60	Quantifying fatigue in (long-term) colorectal cancer survivors: A study from the population-based Patient Reported Outcomes Following Initial treatment and Long term Evaluation of Survivorship registry. <i>European Journal of Cancer</i> , 2013, 49, 1957-1966.	1.3	71
61	Multiple primary cancer survivors have poorer health status and well-being than single primary cancer survivors: a study from the population-based PROFILES registry. <i>Psycho-Oncology</i> , 2013, 22, 1834-1842.	1.0	14
62	Low socioeconomic status and mental health outcomes in colorectal cancer survivors: disadvantage? advantage? or both?. <i>Psycho-Oncology</i> , 2013, 22, 2462-2469.	1.0	23
63	Most colorectal cancer survivors live a large proportion of their remaining life in good health. <i>Cancer Causes and Control</i> , 2012, 23, 1421-1428.	0.8	32
64	The association between Type D personality and illness perceptions in colorectal cancer survivors: A study from the population-based PROFILES registry. <i>Journal of Psychosomatic Research</i> , 2012, 73, 232-239.	1.2	43
65	Socio-economic implications of cancer survivorship: Results from the PROFILES registry. <i>European Journal of Cancer</i> , 2012, 48, 2037-2042.	1.3	36
66	Self-Reported Physical Activity: Its Correlates and Relationship with Health-Related Quality of Life in a Large Cohort of Colorectal Cancer Survivors. <i>PLoS ONE</i> , 2012, 7, e36164.	1.1	83
67	Type D (distressed) personality is associated with poor quality of life and mental health among 3080 cancer survivors. <i>Journal of Affective Disorders</i> , 2012, 136, 26-34.	2.0	76
68	Cognitive Impairment in Patients with Multiple Myeloma Undergoing Autologous Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2012, 120, 603-603.	0.6	10
69	Impact of chemotherapy on health status and symptom burden of colon cancer survivors: A population-based study. <i>European Journal of Cancer</i> , 2011, 47, 1798-1807.	1.3	42
70	Impact of Preoperative Radiotherapy on General and Disease-Specific Health Status of Rectal Cancer Survivors: A Population-Based Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e49-e58.	0.4	58
71	Diabetes mellitus and health-related quality of life in prostate cancer: 5-year results from the Prostate Cancer Outcomes Study. <i>BJU International</i> , 2011, 107, 1223-1231.	1.3	22
72	Behavioural research in patients with end-stage renal disease: A review and research agenda. <i>Patient Education and Counseling</i> , 2010, 81, 23-29.	1.0	39

#	ARTICLE	IF	CITATIONS
73	Prostate cancer survivors who would be eligible for active surveillance but were either treated with radiotherapy or managed expectantly: comparisons on long-term quality of life and symptom burden. <i>BJU International</i> , 2010, 105, 652-658.	1.3	41
74	Long-term Prostate Cancer Survivors With Low Socioeconomic Status Reported Worse Mental Health-related Quality of Life in a Population-based Study. <i>Urology</i> , 2010, 76, 1224-1230.	0.5	33
75	Patients' representations of their end-stage renal disease: relation with mortality. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3183-3185.	0.4	34
76	The impact of disease progression on perceived health status and quality of life of long-term cancer survivors. <i>Journal of Cancer Survivorship</i> , 2009, 3, 164-173.	1.5	16
77	Long-term cancer survivors experience work changes after diagnosis: results of a population-based study. <i>Psycho-Oncology</i> , 2009, 18, 1252-1260.	1.0	83
78	Association Between a Self-Rated Health Question and Mortality in Young and Old Dialysis Patients: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2008, 52, 111-117.	2.1	81
79	Illness perceptions in dialysis patients and their association with quality of life. <i>Psychology and Health</i> , 2008, 23, 679-690.	1.2	95
80	Symptom clusters in incident dialysis patients: associations with clinical variables and quality of life. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 225-230.	0.4	84
81	Social support predicts survival in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 845-850.	0.4	121
82	Progression of cognitive impairment after stroke. <i>Journal of the Neurological Sciences</i> , 2002, 203-204, 49-52.	0.3	127
83	Single stroke dementia. <i>Journal of the Neurological Sciences</i> , 2002, 203-204, 85-89.	0.3	37