

# Richard J Blaikie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5741877/publications.pdf>

Version: 2024-02-01

123  
papers

2,940  
citations

201385

27  
h-index

174990

52  
g-index

124  
all docs

124  
docs citations

124  
times ranked

2451  
citing authors

#	ARTICLE	IF	CITATIONS
1	Survey of Micro/Nanofabricated Chemical, Topographical, and Compound Passive Wetting Gradient Surfaces. Langmuir, 2022, 38, 605-619.	1.6	13
2	Study of Micro- and Nanopatterned Aluminum Surfaces Using Different Microfabrication Processes for Water Management. Langmuir, 2022, 38, 1386-1397.	1.6	7
3	Development of a Coating-Less Aluminum Superhydrophobic Gradient for Spontaneous Water Droplet Motion Using One-Step Laser-Ablation. Langmuir, 2022, 38, 1954-1965.	1.6	10
4	Micro-fabricated aluminium surfaces for reduced ice adhesion. Experimental Thermal and Fluid Science, 2022, 136, 110646.	1.5	2
5	Bifacial omnidirectional and band-tunable light absorption in free-standing core-shell resonators. Applied Physics Letters, 2022, 120, .	1.5	4
6	Bandgap control in two-dimensional semiconductors via coherent doping of plasmonic hot electrons. Nature Communications, 2021, 12, 4332.	5.8	20
7	Surface wetting on micromilled and laser-etched aluminum with ion-beam postprocessing. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2021, 39, .	0.6	1
8	Revealing Strong Plasmon-Exciton Coupling between Nanogap Resonators and Two-Dimensional Semiconductors at Ambient Conditions. Physical Review Letters, 2020, 124, 063902.	2.9	85
9	Reflective metamaterial polarizer enabled by solid-immersion Lloyd's mirror interference lithography. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2019, 37, 061801.	0.6	0
10	Plasmonic Lithography: Recent Progress. Advanced Optical Materials, 2019, 7, 1801653.	3.6	45
11	Tunable Valley Polarized Plasmon-Exciton Polaritons in Two-Dimensional Semiconductors. ACS Nano, 2019, 13, 1333-1341.	7.3	29
12	Rethinking our shared futures. Journal of the Royal Society of New Zealand, 2019, 49, 1-3.	1.0	4
13	Experimental demonstration of evanescent-coupled antireflection coatings. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2018, 36, 011601.	0.6	0
14	Role of optical losses in metal-organic framework thin-film-based gas sensors. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 1780.	0.9	1
15	Mode Modification of Plasmonic Gap Resonances Induced by Strong Coupling with Molecular Excitons. Nano Letters, 2017, 17, 3246-3251.	4.5	60
16	Efficient Plasmonic Gas Sensing Based on Cavity-Coupled Metallic Nanoparticles. Journal of Physical Chemistry C, 2017, 121, 24740-24744.	1.5	21
17	Genetic algorithm optimization of grating coupled near-field interference lithography systems at extreme numerical apertures. Journal of Optics (United Kingdom), 2017, 19, 095003.	1.0	11
18	Resonant absorption in dielectric thin films for humidity sensing. International Journal of Nanotechnology, 2017, 14, 204.	0.1	1

#	ARTICLE	IF	CITATIONS
19	Herpin effective media resonant underlayers and resonant overlayer designs for ultra-high NA interference lithography. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2017, 34, 2243.	0.8	8
20	Illumination Dependent Optical Properties of Plasmonic Nanorods Coupled to Thin-Film Cavities. <i>Plasmonics</i> , 2016, 11, 1101-1107.	1.8	2
21	Enhanced resonant absorption in dye-doped polymer thin-film cavities for water vapour sensing. <i>Sensors and Actuators B: Chemical</i> , 2016, 231, 88-94.	4.0	5
22	Control of fluorescence enhancement and directionality upon excitations in a thin-film system. <i>Physica Status Solidi (B): Basic Research</i> , 2015, 252, 2222-2229.	0.7	3
23	Solid immersion optical lithography: tuning the prism/sample interface for improved ultra high-NA, high aspect ratio resist patterns over large exposure fields. , 2015, , .		1
24	Solid immersion optical lithography: index matching and resonant reflectors for large exposure field, high-aspect ratio imaging in the ultrahigh-numerical aperture regime. <i>Journal of Micro/Nanolithography, MEMS, and MOEMS</i> , 2015, 14, 043510.	1.0	6
25	Relative humidity sensing using dye-doped polymer thin-films on metal substrates. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
26	Probing Plasmonic Gap Resonances between Gold Nanorods and a Metallic Surface. <i>Journal of Physical Chemistry C</i> , 2015, 119, 18627-18634.	1.5	28
27	Evanescent-coupled antireflection coatings for hyper-numerical aperture immersion lithography. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2014, 32, .	0.6	3
28	Manipulating light absorption in dye-doped dielectric films on reflecting surfaces. <i>Optics Express</i> , 2014, 22, 25965.	1.7	19
29	Ultrahigh NA, high aspect ratio interference lithography with resonant dielectric underlayers. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2014, 32, .	0.6	10
30	Tunable SERS using gold nanoaggregates on an elastomeric substrate. <i>Nanoscale</i> , 2013, 5, 8945.	2.8	30
31	Robust design of a silver-dielectric near-field superlens for photolithography. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 3272.	0.9	5
32	A detailed study of resonance-assisted evanescent interference lithography to create high aspect ratio, super-resolved structures. <i>Optics Express</i> , 2013, 21, 13710.	1.7	25
33	Experimental characterization of the transfer function for a Silver-dielectric superlens. <i>Optics Express</i> , 2012, 20, 6412.	1.7	9
34	A solid immersion interference lithography system for imaging ultra-high numerical apertures with high-aspect ratios in photoresist using resonant enhancement from effective gain media. <i>Proceedings of SPIE</i> , 2012, , .	0.8	2
35	A micropillar-based on-chip system for continuous force measurement of <i>C. elegans</i> . <i>Journal of Micromechanics and Microengineering</i> , 2012, 22, 095009.	1.5	55
36	Controlling the dimensions of amyloid fibrils: Toward homogenous components for bionanotechnology. <i>Biopolymers</i> , 2012, 97, 123-133.	1.2	29

#	ARTICLE	IF	CITATIONS
37	Performance enhancements to absorbance-modulation optical lithography I Plasmonic reflector layers. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2011, 28, 2209.	0.8	4
38	Performance enhancements to absorbance-modulation optical lithography II Plasmonic superlenses. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2011, 28, 2218.	0.8	7
39	Increased process latitude in absorbance-modulated lithography via a plasmonic reflector. Optics Express, 2011, 19, 17790.	1.7	10
40	Solid-immersion Lloyd's mirror as a testbed for plasmon-enhanced high-NA lithography. , 2011, , .		2
41	Evaluation of three exposure schemes for absorbance-modulated interference lithography. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, 06FH01.	0.6	0
42	Flexible poly(dimethyl siloxane) support layers for the evanescent characterization of near-field lithography systems. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, 06FH02.	0.6	1
43	Microfabrication Process for XYZ Stage-Needle Assembly for Cellular Delivery and Surgery. Materials Science Forum, 2011, 700, 195-198.	0.3	0
44	Perfect imaging without refraction?. New Journal of Physics, 2011, 13, 125006.	1.2	16
45	Force pattern characterisation of Caenorhabditis elegans in motion. International Journal of Computer Applications in Technology, 2010, 39, 137.	0.3	7
46	Resonant surface roughness interactions in planar superlenses. Microelectronic Engineering, 2010, 87, 887-889.	1.1	4
47	Photolithographic patterning of polymer-encapsulated optical oxygen sensors. Microelectronic Engineering, 2010, 87, 814-816.	1.1	14
48	Patterning of polymer-encapsulated optical oxygen sensors by electron beam lithography. , 2010, , .		1
49	Spatially Resolved Measurement of Dissolved Oxygen in Multistream Microfluidic Devices. IEEE Sensors Journal, 2010, 10, 1813-1819.	2.4	10
50	Automated vision-based force measurement of moving C. elegans. , 2010, , .		2
51	Visualization and measurement of dissolved oxygen concentrations in hydrodynamic flow focusing. , 2009, , .		2
52	Simulations of surface roughness effects in planar superlenses. Journal of Optics, 2009, 11, 105503.	1.5	16
53	Improved Analytical Models for Single- and Multi-layer Silver Superlenses. Materials Research Society Symposia Proceedings, 2009, 1182, 30.	0.1	4
54	Surface charging suppression using PEDOT/PSS in the fabrication of three dimensional structures on a quartz substrate. Microelectronic Engineering, 2009, 86, 535-538.	1.1	20

#	ARTICLE	IF	CITATIONS
55	An improved transfer-matrix model for optical superlenses. Optics Express, 2009, 17, 14260.	1.7	26
56	The MacDiarmid Institute for Advanced Materials and Nanotechnology: a New Zealand Centre of Research Excellence. International Journal of Nanotechnology, 2009, 6, 298.	0.1	0
57	THE MACDIARMID INSTITUTE AND NANOTECHNOLOGY RESEARCH IN NEW ZEALAND. , 2009, , 281-302.		0
58	Plasmon-enhanced optical transmission of nanostructured metallic multilayers. International Journal of Nanotechnology, 2009, 6, 222.	0.1	4
59	Fabrication of optical grayscale masks for tapered microfluidic devices. Microelectronic Engineering, 2008, 85, 1077-1082.	1.1	21
60	Patterning, integration and characterisation of polymer optical oxygen sensors for microfluidic devices. Lab on A Chip, 2008, 8, 1300.	3.1	67
61	Gold Nanohole Array Substrates as Immunobiosensors. Analytical Chemistry, 2008, 80, 2244-2249.	3.2	111
62	Image fidelity for single-layer and multi-layer silver superlenses. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2008, 25, 911.	0.8	34
63	Analysis and comparison of simulation techniques for silver superlenses. , 2008, , .		2
64	Finite element simulation of absorbance modulation optical lithography. , 2008, , .		0
65	Force Pattern Characterization of C. elegans in Motion. , 2008, , .		3
66	Negative permeability using planar-patterned metallic multilayer structures. Journal of Optics, 2007, 9, S385-S388.	1.5	1
67	Near-field imaging through plasmonic superlenses. Proceedings of SPIE, 2007, , .	0.8	1
68	Micro-patterning of polymer-based optical oxygen sensors for lab-on-chip applications. , 2007, , .		3
69	Subwavelength optical imaging of evanescent fields using reflections from plasmonic slabs. Optics Express, 2007, 15, 11542.	1.7	60
70	Selective Filling and Sintering of Copper Nanoclusters for Interconnect. IEEE Nanotechnology Magazine, 2007, 6, 556-560.	1.1	1
71	Fault Models and Device Yield of a Large Population of Room Temperature Operation Single-Electron Transistors. , 2007, , .		0
72	Analysis and optimization of multilayer silver superlenses for near-field optical lithography. Physica B: Condensed Matter, 2007, 394, 197-202.	1.3	28

#	ARTICLE	IF	CITATIONS
73	Experimental comparison of resolution and pattern fidelity in single- and double-layer planar lens lithography. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2006, 23, 461.	0.9	46
74	Three dimensional HSQ structures formed using multiple low energy electron beam lithography. <i>Microelectronic Engineering</i> , 2006, 83, 767-770.	1.1	7
75	A comparison of near-field lithography and planar lens lithography. <i>Current Applied Physics</i> , 2006, 6, 415-418.	1.1	5
76	Development of Si/SiO <sub>2</sub> super-lattices deposited by RF reactive sputtering. <i>Current Applied Physics</i> , 2006, 6, 491-494.	1.1	0
77	Super-resolution near-field lithography using planar silver lenses: A review of recent developments. <i>Microelectronic Engineering</i> , 2006, 83, 723-729.	1.1	49
78	Using surface-plasmon effects to improve process latitude in near-field optical lithography. , 2006, , .		1
79	Nanometre-scale electrochemical switches fabricated using a plasma-based sulphidation technique. , 2006, , .		2
80	Enhanced optical transmission through planar metallic films via excitation of surface plasmons. , 2006, , .		0
81	Imaging through planar silver lenses in the optical near field. <i>Journal of Optics</i> , 2005, 7, S176-S183.	1.5	56
82	Response to "Comment on "Submicron imaging with a planar silver lens" [Appl. Phys. Lett. 86, 126101 (2005)]. <i>Applied Physics Letters</i> , 2005, 86, 126102.	1.5	1
83	Surface-Plasmon-Enhanced Optical Transmission through Planar Metal Films. <i>Journal of Electromagnetic Waves and Applications</i> , 2005, 19, 1721-1728.	1.0	9
84	Super-resolution imaging through a planar silver layer. <i>Optics Express</i> , 2005, 13, 2127.	1.7	463
85	Templated-assembly of conducting antimony cluster wires. <i>Nanotechnology</i> , 2004, 15, 1382-1387.	1.3	32
86	Near-field optical lithography using a planar silver lens. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2004, 22, 3470.	1.6	23
87	Submicron imaging with a planar silver lens. <i>Applied Physics Letters</i> , 2004, 84, 4403-4405.	1.5	127
88	NANOSCALE OPTICAL PATTERNING USING EVANESCENT FIELDS AND SURFACE PLASMONS. <i>International Journal of Nanoscience</i> , 2004, 03, 405-417.	0.4	14
89	Analysis of silicon terahertz diffractive optics. <i>Current Applied Physics</i> , 2004, 4, 102-105.	1.1	16
90	Bideposited thin-film retardation plates for use at deep UV wavelengths. <i>Current Applied Physics</i> , 2004, 4, 106-107.	1.1	8

#	ARTICLE	IF	CITATIONS
91	Formation of Electrically Conducting Mesoscale Wires Through Self-Assembly of Atomic Clusters. IEEE Nanotechnology Magazine, 2004, 3, 61-66.	1.1	10
92	Calculated and measured transmittance of a tunable metallic photonic crystal filter for terahertz frequencies. Applied Physics Letters, 2003, 83, 5362-5364.	1.5	48
93	Tunable photonic crystal filter for terahertz frequency applications. , 2003, , .		3
94	Metallic tunable photonic crystal filter for terahertz frequencies. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2003, 21, 2878.	1.6	13
95	Formation of nanowires at the percolation threshold in rectangular 2D systems. , 2003, , .		0
96	Formation of electrically conducting mesoscale wires through self-assembly of atomic clusters. , 2003, , .		0
97	Finite-Size Effects in the Conductivity of Cluster Assembled Nanostructures. Physical Review Letters, 2002, 88, 226802.	2.9	81
98	Optical Nanolithography Using Evanescent Fields. Materials Research Society Symposia Proceedings, 2002, 739, 241.	0.1	0
99	Evanescent interferometric lithography. Applied Optics, 2001, 40, 1692.	2.1	55
100	Variable polarisation compensator using artificial dielectrics for millimetre and sub-millimetre waves. Electronics Letters, 2001, 37, 149.	0.5	4
101	Effects of Mask Materials on Near Field Optical Nanolithography. Materials Research Society Symposia Proceedings, 2001, 705, 711.	0.1	1
102	<title>Novel silicon bulk micromachining process for submillimeter rectangular waveguide fabrication</title>. , 2001, 4407, 372.		1
103	Direct nanoengineering and lithographic patterning of optically anisotropic thin films. Microelectronic Engineering, 2001, 57-58, 833-836.	1.1	3
104	70 nm Features on 140 nm period using evanescent near field optical lithography. Microelectronic Engineering, 2000, 53, 237-240.	1.1	27
105	Contrast in the evanescent near field of $\lambda/20$ period gratings for photolithography. Applied Optics, 2000, 39, 20.	2.1	36
106	A variable polarisation compensator using artificial dielectrics. Optics Communications, 1999, 163, 164-168.	1.0	11
107	Nanolithography using optical contact exposure in the evanescent near field. Microelectronic Engineering, 1999, 46, 85-88.	1.1	31
108	Sub-diffraction-limited patterning using evanescent near-field optical lithography. Applied Physics Letters, 1999, 75, 3560-3562.	1.5	193

#	ARTICLE	IF	CITATIONS
109	Performance enhancement of spectral-amplitude-coding optical CDMA using pulse-position modulation. IEEE Transactions on Communications, 1998, 46, 1176-1185.	4.9	252
110	Modeling of output resistance in SiGe heterojunction bipolar transistors with significant neutral base recombination. IEEE Transactions on Electron Devices, 1997, 44, 693-699.	1.6	4
111	Experimental method to extract AC collector-base resistance from SiGe HBT's. IEEE Transactions on Electron Devices, 1997, 44, 1944-1950.	1.6	4
112	Multilevel differential polarization shift keying. IEEE Transactions on Communications, 1997, 45, 95-102.	4.9	21
113	Electron transport in multiprobe quantum wires anomalous magnetoresistance effects. Journal of Applied Physics, 1995, 78, 330-343.	1.1	16
114	Lateral resonant tunneling through constrictions in a $\delta$ -doped GaAs layer. Applied Physics Letters, 1994, 64, 118-120.	1.5	6
115	Single-electron memory. Journal of Applied Physics, 1994, 75, 5123-5134.	1.1	146
116	Transport properties of dual quantum dots. Surface Science, 1994, 305, 659-663.	0.8	1
117	Negative longitudinal resistance in a mesoscopic wire. Applied Physics Letters, 1993, 62, 870-872.	1.5	8
118	Variable width and electron density quantum wires in GaAs/AlGaAs with ion-implanted gates and a surface Schottky gate. Applied Physics Letters, 1992, 60, 1618-1620.	1.5	12
119	Enhancement of resistance anomalies by diffuse boundary scattering in multiprobe ballistic conductors. Physical Review B, 1992, 46, 9796-9799.	1.1	15
120	Electron focusing with a double grid in AlGaAs/GaAs heterostructures. Applied Physics Letters, 1992, 60, 1093-1095.	1.5	9
121	Fabrication of quantum wires and point contacts in GaAs/AlGaAs heterostructures using focused ion beam implanted gates. Microelectronic Engineering, 1991, 13, 373-376.	1.1	7
122	The effect of mode coupling on ballistic electron transport in quantum wires. Journal of Physics Condensed Matter, 1991, 3, 5729-5740.	0.7	25
123	Fabrication of Free-Standing Single-Crystal Silicon Nanostructures for the Study of Thermal Transport and Defect Scattering in Low Dimensional Systems. Japanese Journal of Applied Physics, 1990, 29, 2675-2679.	0.8	2