

# Halina Bednarek-Ochyra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5743309/publications.pdf>

Version: 2024-02-01

120  
papers

2,391  
citations

147566

31  
h-index

264894

42  
g-index

121  
all docs

121  
docs citations

121  
times ranked

390  
citing authors

#	ARTICLE	IF	CITATIONS
1	New national and regional bryophyte records, 33. Journal of Bryology, 2012, 34, 281-291.	0.4	79
2	New and rare moss species from the Antarctic. Nova Hedwigia, 2008, 87, 457-477.	0.2	70
3	New and rare moss species from subantarctic South Georgia. Nova Hedwigia, 2002, 74, 121-147.	0.2	64
4	New national and regional bryophyte records, 35. Journal of Bryology, 2013, 35, 129-139.	0.4	63
5	<i>Racomitrium lamprocarpum</i> (M&Auml;ll. Hal.) Jaeg. &acirc; an addition to the moss flora of &Auml;les Kerguelen and the Subantarctic. Journal of Bryology, 1998, 20, 525-528.	0.4	61
6	<i>Bucklandiella allanfifei</i> (Grimmiaceae), a new moss species from New Zealand, with a note on South American <i>B. striatipila</i> . Journal of Bryology, 2010, 32, 245-255.	0.4	60
7	New national and regional bryophyte records, 31. Journal of Bryology, 2012, 34, 123-134.	0.4	58
8	A consideration of <i>Bucklandiella</i> (Bryophyta, Grimmiaceae) in South America, with a taxonomic re-assessment of <i>Racomitrium looseri</i> . Nova Hedwigia, 2012, 95, 153-163.	0.2	55
9	New national and regional bryophyte records, 17. Journal of Bryology, 2007, 29, 277-283.	0.4	52
10	New national and regional bryophyte records, 22. Journal of Bryology, 2009, 31, 201-210.	0.4	50
11	The Moss <i>Adelothecium bogotense</i> in Continental Africa, with a Review of Its World Range. Bryologist, 1992, 95, 287.	0.1	49
12	The Genus <i>Racomitrium</i> (Grimmiaceae) in Brazil, with the First Report of <i>R. subsecundum</i> in South America. Brittonia, 1999, 51, 93.	0.8	49
13	The Taxonomic Status of <i>Racomitrium Capense</i> (Bryophyta, Grimmiaceae) from South Africa. Cryptogamie, Bryologie, 2012, 33, 97-106.	0.1	49
14	<i>Bucklandiella angustissima</i> sp. nov. (Grimmiaceae), a New Austral Amphipacific Species with the Smallest Capsules and the Shortest Setae in the Genus. Cryptogamie, Bryologie, 2011, 32, 13-27.	0.1	48
15	New national and regional bryophyte records, 28. Journal of Bryology, 2011, 33, 237-247.	0.4	48
16	Diversity of Grimmiaceae Subfam. Racomitrioideae in Sub-Saharan Africa, Including an Addition of <i>Bucklandiella striatipila</i> to the Moss Flora of the Continent. Cryptogamie, Bryologie, 2013, 34, 3-12.	0.1	48
17	New national and regional bryophyte records, 36. Journal of Bryology, 2013, 35, 228-238.	0.4	47
18	New national and regional bryophyte records, 34. Journal of Bryology, 2013, 35, 62-70.	0.4	47

#	ARTICLE	IF	CITATIONS
19	New national and regional bryophyte records, 32. Journal of Bryology, 2012, 34, 231-246.	0.4	46
20	New national and regional bryophyte records, 40. Journal of Bryology, 2014, 36, 223-244.	0.4	46
21	New national and regional bryophyte records, 18. Journal of Bryology, 2008, 30, 161-167.	0.4	43
22	New national and regional bryophyte records, 26. Journal of Bryology, 2011, 33, 66-73.	0.4	43
23	New national and regional bryophyte records, 30. Journal of Bryology, 2012, 34, 45-51.	0.4	42
24	New national and regional bryophyte records, 39. Journal of Bryology, 2014, 36, 134-151.	0.4	42
25	New national and regional bryophyte records, 15. Journal of Bryology, 2007, 29, 139-142.	0.4	40
26	Mitochondrial phylogenomics supports splitting the traditionally conceived genus <i>Racomitrium</i> (Bryophyta: Grimmiaceae). <i>Nova Hedwigia</i> , 2015, 100, 293-317.	0.2	39
27	New national and regional bryophyte records, 21. Journal of Bryology, 2009, 31, 132-139.	0.4	38
28	On The Identity of <i>Ditrichum validinervium</i> (Bryophyta, Ditrichaceae). <i>Cryptogamie, Bryologie</i> , 2013, 34, 299-306.	0.1	35
29	<i>Bucklandiella seppeltii</i> , a new species of Grimmiaceae from Australasia, and its phylogenetic position based on molecular data. <i>Turkish Journal of Botany</i> , 2014, 38, 1214-1228.	0.5	35
30	New national and regional bryophyte records, 20. Journal of Bryology, 2009, 31, 54-62.	0.4	34
31	New national and regional bryophyte records, 48. Journal of Bryology, 2016, 38, 235-259.	0.4	32
32	New national and regional bryophyte records, 43. Journal of Bryology, 2015, 37, 128-147.	0.4	31
33	New national and regional bryophyte records, 42. Journal of Bryology, 2015, 37, 68-79.	0.4	30
34	New national and regional bryophyte records, 25. Journal of Bryology, 2010, 32, 311-322.	0.4	29
35	New national and regional bryophyte records, 13. Journal of Bryology, 2006, 28, 151-155.	0.4	27
36	New national and regional bryophyte records, 29. Journal of Bryology, 2011, 33, 316-323.	0.4	26

#	ARTICLE	IF	CITATIONS
37	New national and regional bryophyte records, 49. Journal of Bryology, 2016, 38, 327-347.	0.4	26
38	New national and regional bryophyte records, 5.. Journal of Bryology, 2002, 24, 88-91.	0.4	23
39	Schistidium deguchianum(Grimmiaceae), a new Andean species from Peru. Journal of Bryology, 2011, 33, 189-194.	0.4	23
40	New national and regional bryophyte records, 61. Journal of Bryology, 2019, 41, 364-384.	0.4	23
41	New national and regional bryophyte records, 19. Journal of Bryology, 2008, 30, 231-237.	0.4	22
42	New national and regional bryophyte records, 45. Journal of Bryology, 2015, 37, 308-329.	0.4	22
43	New national and regional bryophyte records, 58. Journal of Bryology, 2019, 41, 63-84.	0.4	22
44	New national and regional bryophyte records, 53. Journal of Bryology, 2017, 39, 368-387.	0.4	21
45	New national and regional bryophyte records, 7. Journal of Bryology, 2003, 25, 141-144.	0.4	20
46	New national and regional bryophyte records, 11. Journal of Bryology, 2005, 27, 163-163.	0.4	19
47	New national and regional bryophyte records, 47. Journal of Bryology, 2016, 38, 151-167.	0.4	19
48	New national and regional bryophyte records, 57. Journal of Bryology, 2018, 40, 399-419.	0.4	19
49	Racomitrium patagonicum, a new moss species from southern South America. Journal of Bryology, 2003, 25, 181-187.	0.4	18
50	New national and regional bryophyte records, 10. Journal of Bryology, 2004, 26, 305-309.	0.4	18
51	New national and regional bryophyte records, 59. Journal of Bryology, 2019, 41, 177-194.	0.4	18
52	Antipodal mosses: XVII. Bucklandiella longtonii (Bryopsida, Grimmiaceae), a new species with caducous leaf apices from subantarctic South Georgia. Nova Hedwigia, 2012, 94, 373-384.	0.2	17
53	New national and regional bryophyte records, 51. Journal of Bryology, 2017, 39, 177-190.	0.4	17
54	Bucklandiella lamprocarpa(Musci, Grimmiaceae) in the Central and Northern Andes. Cryptogamie, Bryologie, 2015, 36, 81-90.	0.1	16

#	ARTICLE	IF	CITATIONS
55	New national and regional bryophyte records, 55. Journal of Bryology, 2018, 40, 173-187.	0.4	16
56	On the identities of some neglected species of Grimmiaceae from Îles Kerguelen. Journal of Bryology, 2014, 36, 300-305.	0.4	15
57	Taxonomic Status of Two Subantarctic Species of <i>Philonotis</i> (Bartramiaceae, Musci). Cryptogamie, Bryologie, 2014, 35, 387-395.	0.1	15
58	A note on the moss genus <i>Codriophorus</i> P. Beauv.. Cryptogamie, Bryologie, 2001, 22, 105-111.	0.1	14
59	Two new species of liverworts from the subantarctic Prince Edward Islands. Nova Hedwigia, 2009, 89, 121-129.	0.2	13
60	Nomenclatural entanglements associated with <i>Racomitrium chlorocarpum</i> (Grimmiaceae). Phytotaxa, 2014, 188, 153.	0.1	13
61	Studies on <i>Schistidium</i> (Grimmiaceae, Bryophyta) in Europe, with particular reference to the Alps: I. A description of <i>S. marginale</i> sp. nov.. Phytotaxa, 2016, 247, 210.	0.1	13
62	New national and regional bryophyte records, 64. Journal of Bryology, 2020, 42, 393-412.	0.4	13
63	A Taxonomic Assessment of <i>Racomitrium steerei</i> (Grimmiaceae, Musci) from Venezuela. Herzogia, 2014, 27, 141-146.	0.1	12
64	New national and regional bryophyte records, 54. Journal of Bryology, 2018, 40, 74-97.	0.4	10
65	New national and regional bryophyte records, 62. Journal of Bryology, 2020, 42, 195-208.	0.4	10
66	New national and regional bryophyte records, 8. Journal of Bryology, 2003, 25, 217-221.	0.4	9
67	<i>Niphotrichum muticum</i> (Musci, Grimmiaceae), an addition to the moss flora of the Aleutian Islands. Botany, 2010, 88, 389-396.	0.5	9
68	Taxonomic status of <i>Grimmia procumbens</i> Mitt. (Bryophyta, Grimmiaceae) from Australia. Journal of Bryology, 2013, 35, 149-152.	0.4	9
69	<i>Dicranella hookeri</i> (Dicranaceae, Musci), An Addition to the Moss Flora of Continental Africa. Herzogia, 2013, 26, 169-174.	0.1	9
70	<i>Schistidium deceptionense</i> , A New Moss Species from the South Shetland Islands, Antarctica. Bryologist, 2003, 106, 569-574.	0.1	8
71	<i>Codriophorus corrugatus</i> (Bryopsida, Grimmiaceae), A New Species from East Asia and Southern Alaska. Bryologist, 2004, 107, 377-384.	0.1	8
72	Does <i>Racomitrium aciculare</i> Occur in China and South Africa?. Bryologist, 2004, 107, 197-201.	0.1	8

#	ARTICLE	IF	CITATIONS
73	<i>Streptocolea atrata</i> (Bryopsida, Grimmiaceae), Newly Found in Western North America, with a Review of its Global Distribution. <i>Bryologist</i> , 2004, 107, 542-549.	0.1	8
74	<i>Dilutineuron</i> , a new moss genus of the subfamily <i>Racomitrioideae</i> (Grimmiaceae, Bryophyta). <i>Acta Musei Silesiae: Scientiae Naturales</i> , 2015, 64, 163-168.	0.1	8
75	Range extensions of <i>Prasanthus suecicus</i> (Gymnomitriaceae, Marchantiophyta), with a review of its global distribution. <i>Nova Hedwigia</i> , 2010, 91, 459-469.	0.2	8
76	A new species of <i>Grimmia</i> (Grimmiaceae, Musci) from north-east Asia and Alaska. <i>Arctoa</i> , 2003, 12, 1-8.	0.3	8
77	Early Records of <i>Racomitrium</i> s. lat. (Grimmiaceae, Musci) in the Southern Hemisphere and the Correct Author Citations for <i>R. crispulum</i> and <i>R. rupestre</i> . <i>Cryptogamie, Bryologie</i> , 2015, 36, 143-154.	0.1	7
78	<i>Dicranoweisia fastigiata</i> , a New Synonym of <i>Hymenoloma antarcticum</i> (Seligeriaceae). <i>Cryptogamie, Bryologie</i> , 2015, 36, 41-45.	0.1	7
79	The rediscovery of <i>Dicranella circinata</i> (Dicranellaceae, Bryophyta), with comments on other southern South American species of <i>Dicranella</i> . <i>Nova Hedwigia</i> , 2010, 91, 361-376.	0.2	6
80	<i>Lepidozia cupressina</i> (Marchantiopsida, Lepidoziaceae) in Sub-Saharan Africa, with a Note on the Taxonomic Status of <i>L. chordulifera</i> . <i>Cryptogamie, Bryologie</i> , 2016, 37, 125-147.	0.1	6
81	<i>Entodon concinnus</i> (De Not.) Par. (Musci) – an addition to the moss flora of tropical Africa. <i>Arctoa</i> , 2004, 9, 129-132.	0.3	6
82	New national and regional bryophyte records, 68. <i>Journal of Bryology</i> , 2021, 43, 387-402.	0.4	6
83	The identity of <i>Racomitrium obtusifolium</i> (Musci, Grimmiaceae) from North America. <i>Cryptogamie, Bryologie</i> , 2001, 22, 41-46.	0.1	5
84	(2550) Proposal to conserve the name <i>Plagiomnium</i> against <i>Orthomnion</i> and <i>Orthomniopsis</i> (Bryophyta: Mniaceae). <i>Taxon</i> , 2017, 66, 1218-1220.	0.4	5
85	The earliest recognition of <i>Schistidium occidentale</i> (Grimmiaceae, Bryophyta), with a review of species of <i>Schistidium</i> subg. <i>Canalicularia</i> . <i>Arctoa</i> , 2015, 24, 32-36.	0.3	5
86	(Musci, Grimmiaceae), a new hydrophilous species from the Pacific Northwest with comments on in North America. <i>Cryptogamie, Bryologie</i> , 2000, 21, 275-284.	0.1	4
87	Effective date of publication of <i>Syntrichia pagorum</i> (Pottiaceae). <i>Journal of Bryology</i> , 2005, 27, 358-360.	0.4	4
88	<i>Platyhypnidium lusitanicum</i> versus <i>P. alopecuroides</i> (Brachytheciaceae). <i>Journal of Bryology</i> , 2006, 28, 64-66.	0.4	4
89	Discovery of <i>Grimmia incrasscapsulis</i> (Grimmiaceae, Bryopsida) in Papua New Guinea. <i>Nova Hedwigia</i> , 2010, 91, 389-398.	0.2	4
90	Lectotypification of <i>Hypnum boreale</i> (Bryopsida), an early name for a bryalean species and its taxonomic status. <i>Nova Hedwigia</i> , 2011, 93, 525-536.	0.2	4

#	ARTICLE	IF	CITATIONS
91	Grimmiaceae subfam. Racomitrioideae (Bryophyta) in Hungary. Polish Botanical Journal, 2016, 61, 23-51.	0.5	4
92	A major range extension of <i>Blindia robusta</i> (Seligeriaceae, Bryophyta) based on the type of <i>Ditrichum tenuinerve</i> . Telopea, 0, , 323-328.	0.4	4
93	Lectotypification of <i>Codriophorus aquaticus</i> (Bryopsida, Grimmiaceae). Bryologist, 2004, 107, 480-488.	0.1	3
94	Typification of <i>Codriophorus fascicularis</i> (Grimmiaceae). Taxon, 2005, 54, 1065-1074.	0.4	3
95	On the identity of <i>Dicranoweisia tenuis</i> (Bryophyta, Seligeriaceae), a neglected Indian species. Nova Hedwigia, 2013, 96, 471-477.	0.2	3
96	Discovery of sporophytes in <i>Ochyraea tatrensis</i> (Bryophyta, Amblystegiaceae). Nova Hedwigia, 2014, 99, 119-127.	0.2	3
97	Valid publication and typification of <i>Taxiphyllum deplanatum</i> (Hypnaceae) and other new names of moss taxa distributed in Sullivant's Musci Alleghanienses. Journal of Bryology, 2015, 37, 215-227.	0.4	3
98	(2384) Proposal to conserve the name <i>Bryum pallescens</i> against <i>Hypnum boreale</i> ( <i>Bryum boreale</i> ) (Bryaceae, Bryophyta). Taxon, 2015, 64, 1053-1054.	0.4	3
99	Nomenclatural Rectifications in the Moss Genus <i>Lembophyllum</i> (Lembophyllaceae). Cryptogamie, Bryologie, 2015, 36, 123-127.	0.1	3
100	The complete mitochondrial genome of <i>Niphotrichum ericoides</i> (Bryophyta, Grimmiaceae). Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2016, 27, 3065-3066.	0.7	3
101	The Answer to the Riddle of the Taxonomic Status of <i>Bucklandiella bartramii</i> (Bryophyta, Grimmiaceae). Herzogia, 2018, 31, 56-69.	0.1	3
102	<i>Osculatia</i> – an earlier name for a segregate of <i>Bryum</i> (Bryaceae, Bryophyta). Acta Musei Silesiae: Scientiae Naturales, 2018, 67, 71-79.	0.1	3
103	A brief survey of bryological studies in the Subantarctic, including <i>Macrocoma tenue</i> (Orthotrichaceae), a moss genus and species newly found in Îles Kerguelen. Acta Societatis Botanicorum Poloniae, 2018, 87, .	0.8	3
104	Effective dates of publication of two <i>Campylopus</i> species (Bryopsida, Dicranaceae). Nova Hedwigia, 2002, 75, 545-549.	0.2	2
105	The Correct Identity of <i>Grimmia strigosa</i> . Bryologist, 2003, 106, 431-434.	0.1	2
106	Pantemperate Distribution of <i>Bucklandiella sudetica</i> (Bryophyta, Grimmiaceae) in the Southern Hemisphere. Herzogia, 2018, 31, 48-55.	0.1	2
107	A new combination in <i>Torrentaria</i> (Brachytheciaceae, Bryophyta), with new records of <i>T. muelleri</i> in Australia. Telopea, 0, , 329-330.	0.4	2
108	Nomenclatural Notes on <i>Pterogonium</i> (Bryophyta, Leucodontaceae). Polish Botanical Journal, 2017, 62, 187-190.	0.5	2

#	ARTICLE	IF	CITATIONS
109	The Correct Name for <i>Didymodon Validus</i> (Bryophyta, Pottiaceae) at Variety Rank. Polish Botanical Journal, 2017, 62, 183-186.	0.5	2
110	The earliest recognition of (Musci, Grimmiaceae). Cryptogamie, Bryologie, 1999, 20, 181-184.	0.1	1
111	Moss flora of China, English Version, Volume 3. Grimmiaceae–Tetraphidaceae. Bryologist, 2004, 107, 136-138.	0.1	1
112	The complete mitochondrial genome of the South American endemic moss <i>Codriophorus laevigatus</i> (Grimmiaceae). Mitochondrial DNA, 2014, 27, 1-2.	0.6	1
113	The publication dates of <i>Fragmenta Floristica Et Geobotanica</i> (Ann. 1–45, 1954–2001). Polish Botanical Journal, 2015, 60, 1-6.	0.5	1
114	Occurrence of <i>Racomitrium pruinatum</i> (Grimmiaceae, Bryophyta) in New Guinea, with a Review of Gondwanan Mosses in the Tropics. <i>Herzogia</i> , 2017, 30, 412-426.	0.1	1
115	A Nomenclatural Rectification in the Widespread East Asian Species of <i>Dilutineuron</i> (Bryophyta). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>	0.1	1
116	Nomenclatural Novelties in the Bryaceae (Bryophyta). Polish Botanical Journal, 2017, 62, 169-173.	0.5	1
117	<i>Dicranodontium Schwabei</i> (Bryophyta, Dicranaceae) Revisited: Some Taxonomic and Nomenclatural Considerations. Polish Botanical Journal, 2017, 62, 175-182.	0.5	1
118	A New Synonym of <i>Dilutineuron Corrugatum</i> (Grimmiaceae, Bryophyta) from Japan. Polish Botanical Journal, 2017, 62, 191-195.	0.5	1
119	<i>Entosthodon productus</i> (Bryophyta, Funariaceae), an addition to the moss flora of the subantarctic <i>Åzles Crozet</i> . <i>Herzogia</i> , 2019, 32, 326.	0.1	1
120	<i>Distichophyllum shevockii</i> (Daltoniaceae), a New Moss Species from the Philippines. <i>Annales Botanici Fennici</i> , 2019, 56, 361.	0.0	0