Ronald Burton

List of Publications by Citations

Source: https://exaly.com/author-pdf/5743657/ronald-burton-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134 papers

5,907 citations

45 h-index

/3 g-index

141 ext. papers

6,685 ext. citations

avg, IF

6.26 L-index

#	Paper	IF	Citations
134	Natural selection and the evolution of mtDNA-encoded peptides: evidence for intergenomic co-adaptation. <i>Trends in Genetics</i> , 2001 , 17, 400-6	8.5	194
133	A disproportionate role for mtDNA in Dobzhansky-Muller incompatibilities?. <i>Molecular Ecology</i> , 2012 , 21, 4942-57	5.7	193
132	Nuclear and mitochondrial gene genealogies and allozyme polymorphism across a major phylogeographic break in the copepod Tigriopus californicus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 5197-201	11.5	190
131	Cytonuclear Genomic Interactions and Hybrid Breakdown. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2013 , 44, 281-302	13.5	183
130	Interpopulation hybrid breakdown maps to the mitochondrial genome. <i>Evolution; International Journal of Organic Evolution</i> , 2008 , 62, 631-8	3.8	180
129	Functional coadaptation between cytochrome c and cytochrome c oxidase within allopatric populations of a marine copepod. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 12955-8	11.5	166
128	INTRASPECIFIC PHYLOGEOGRAPHY ACROSS THE POINT CONCEPTION BIOGEOGRAPHIC BOUNDARY. <i>Evolution; International Journal of Organic Evolution</i> , 1998 , 52, 734-745	3.8	154
127	The sorry state of F2 hybrids: consequences of rapid mitochondrial DNA evolution in allopatric populations. <i>American Naturalist</i> , 2006 , 168 Suppl 6, S14-24	3.7	148
126	DISRUPTION OF MITOCHONDRIAL FUNCTION IN INTERPOPULATION HYBRIDS OF TIGRIOPUS CALIFORNICUS. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 1382-1391	3.8	147
125	Investigating the molecular basis of local adaptation to thermal stress: population differences in gene expression across the transcriptome of the copepod Tigriopus californicus. <i>BMC Evolutionary Biology</i> , 2012 , 12, 170	3	129
124	The recruitment sweepstakes has many winners: genetic evidence from the sea urchin Strongylocentrotus purpuratus. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 1445-53	3.8	122
123	HYBRID BREAKDOWN IN DEVELOPMENTAL TIME IN THE COPEPOD TIGRIOPUS CALIFORNICUS. <i>Evolution; International Journal of Organic Evolution</i> , 1990 , 44, 1814-1822	3.8	121
122	RNA-seq reveals regional differences in transcriptome response to heat stress in the marine snail Chlorostoma funebralis. <i>Molecular Ecology</i> , 2015 , 24, 610-27	5.7	109
121	Physiological effects of an allozyme polymorphism: glutamate-pyruvate transaminase and response to hyperosmotic stress in the copepod Tigriopus californicus. <i>Biochemical Genetics</i> , 1983 , 21, 239-51	2.4	108
120	Intraspecific Phylogeography Across the Point Conception Biogeographic Boundary. <i>Evolution; International Journal of Organic Evolution</i> , 1998 , 52, 734	3.8	102
119	CYTOCHROME C OXIDASE ACTIVITY IN INTERPOPULATION HYBRIDS OF A MARINE COPEPOD: A TEST FOR NUCLEAR-NUCLEAR OR NUCLEAR-CYTOPLASMIC COADAPTATION. <i>Evolution;</i> International Journal of Organic Evolution, 1999 , 53, 1972-1978	3.8	102
118	Mating system of the intertidal copepod Tigriopus californicus. <i>Marine Biology</i> , 1985 , 86, 247-252	2.5	100

(1981-2000)

117	Genetic heterogeneity among adult and recruit red sea urchins, Strongylocentrotus franciscanus. <i>Marine Biology</i> , 2000 , 136, 773-784	2.5	99
116	Evolution of interacting proteins in the mitochondrial electron transport system in a marine copepod. <i>Molecular Biology and Evolution</i> , 2004 , 21, 443-53	8.3	97
115	Evidence for compensatory evolution of ribosomal proteins in response to rapid divergence of mitochondrial rRNA. <i>Molecular Biology and Evolution</i> , 2013 , 30, 310-4	8.3	92
114	Genomic signatures of mitonuclear coevolution across populations of Tigriopus californicus. <i>Nature Ecology and Evolution</i> , 2018 , 2, 1250-1257	12.3	87
113	Genetic Architecture of Physiological Phenotypes: Empirical Evidence for Coadapted Gene Complexes. <i>American Zoologist</i> , 1999 , 39, 451-462		84
112	Tracing hybrid incompatibilities to single amino acid substitutions. <i>Molecular Biology and Evolution</i> , 2006 , 23, 559-64	8.3	82
111	Viability of cytochrome c genotypes depends on cytoplasmic backgrounds in Tigriopus californicus. <i>Evolution; International Journal of Organic Evolution</i> , 2001 , 55, 1592-9	3.8	82
110	GENETIC EVIDENCE FOR LONG TERM PERSISTENCE OF MARINE INVERTEBRATE POPULATIONS IN AN EPHEMERAL ENVIRONMENT. <i>Evolution; International Journal of Organic Evolution</i> , 1997 , 51, 993-998	3.8	75
109	Disruption of mitochondrial function in interpopulation hybrids of Tigriopus californicus. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 1382-91	3.8	74
108	Environmental influences on epistatic interactions: viabilities of cytochrome c genotypes in interpopulation crosses. <i>Evolution; International Journal of Organic Evolution</i> , 2003 , 57, 2286-92	3.8	71
107	DIFFERENTIATION AND INTEGRATION OF THE GENOME IN POPULATIONS OF THE MARINE COPEPOD TIGRIOPUS CALIFORNICUS. <i>Evolution; International Journal of Organic Evolution</i> , 1987 , 41, 504-513	3.8	71
106	Genotype-dependent variation of mitochondrial transcriptional profiles in interpopulation hybrids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15831-6	11.5	68
105	Hybrid Breakdown in Developmental Time in the Copepod Tigriopus californicus. <i>Evolution; International Journal of Organic Evolution</i> , 1990 , 44, 1814	3.8	63
104	Population Genetics of Tigriopus californicus (Copepoda: Harpacticoida): I. Population Structure Along the Central California Coast. <i>Marine Ecology - Progress Series</i> , 1979 , 1, 29-39	2.6	63
103	Population genetics of black abalone, Haliotis cracherodii, along the central California coast. <i>Journal of Experimental Marine Biology and Ecology</i> , 2000 , 254, 235-247	2.1	60
102	Elevated oxidative damage is correlated with reduced fitness in interpopulation hybrids of a marine copepod. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 20131521	4.4	59
101	Interpopulation patterns of divergence and selection across the transcriptome of the copepod Tigriopus californicus. <i>Molecular Ecology</i> , 2011 , 20, 560-72	5.7	57
100	POPULATION GENETICS OF TIGRIOPUS CALIFORNICUS. II. DIFFERENTIATION AMONG NEIGHBORING POPULATIONS. <i>Evolution; International Journal of Organic Evolution</i> , 1981 , 35, 1192-1205	3.8	56

99	Ecological novelty by hybridization: experimental evidence for increased thermal tolerance by transgressive segregation in Tigriopus californicus. <i>Evolution; International Journal of Organic Evolution</i> , 2014 , 68, 204-15	3.8	55
98	Assessing the fitness consequences of mitonuclear interactions in natural populations. <i>Biological Reviews</i> , 2019 , 94, 1089-1104	13.5	55
97	POPULATION GENETICS OF COASTAL AND ESTUARINE INVERTEBRATES: DOES LARVAL BEHAVIOR INFLUENCE POPULATION STRUCTURE? 1982 , 537-551		54
96	Three divergent mitochondrial genomes from California populations of the copepod Tigriopus californicus. <i>Gene</i> , 2007 , 403, 53-9	3.8	53
95	Cytonuclear conflict in interpopulation hybrids: the role of RNA polymerase in mtDNA transcription and replication. <i>Journal of Evolutionary Biology</i> , 2010 , 23, 528-38	2.3	52
94	Energetics of Osmoregulation in an Intertidal Copepod: Effects of Anoxia and lipid Reserves on the Pattern of Free Amino Accumulation. <i>Functional Ecology</i> , 1989 , 3, 81	5.6	52
93	Adaptation to a latitudinal thermal gradient within a widespread copepod species: the contributions of genetic divergence and phenotypic plasticity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017 , 284,	4.4	50
92	HYBRID BREAKDOWN IN PHYSIOLOGICAL RESPONSE: A MECHANISTIC APPROACH. <i>Evolution;</i> International Journal of Organic Evolution, 1990 , 44, 1806-1813	3.8	48
91	Proline biosynthesis genes and their regulation under salinity stress in the euryhaline copepod Tigriopus californicus. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2002 , 132, 739-50	2.3	46
90	Genetic structure of natural populations of the California black abalone (Haliotis cracherodii Leach, 1814), a candidate for endangered species status. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008 , 355, 47-58	2.1	45
89	Cytochrome C Oxidase Activity in Interpopulation Hybrids of a Marine Copepod: A Test for Nuclear-Nuclear or Nuclear-Cytoplasmic Coadaptation. <i>Evolution; International Journal of Organic Evolution</i> , 1999 , 53, 1972	3.8	45
88	Spatial ecology and conservation of Manta birostris in the Indo-Pacific. <i>Biological Conservation</i> , 2016 , 200, 178-183	6.2	44
87	Changes in free amino acid concentrations during osmotic response in the intertidal copepod Tigriopus californicus. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1982 , 73, 447	1-445	44
86	Genetic Evidence for Long Term Persistence of Marine Invertebrate Populations in an Ephemeral Environment. <i>Evolution; International Journal of Organic Evolution</i> , 1997 , 51, 993	3.8	43
85	Hybrid dysfunction and physiological compensation in gene expression. <i>Molecular Biology and Evolution</i> , 2015 , 32, 613-22	8.3	41
84	A new poecilogonous species of sea slug (Opisthobranchia: Sacoglossa) from California: comparison with the planktotrophic congener Alderia modesta (Lovfi, 1844). <i>Journal of Molluscan Studies</i> , 2007 , 73, 29-38	1.1	41
83	Multiple mating, paternity, and body size in a simultaneous hermaphrodite, Aplysia californica. <i>Behavioral Ecology</i> , 2003 , 14, 554-560	2.3	40
82	Population Genetics of Tigriopus Californicus. II. Differentiation Among Neighboring Populations. <i>Evolution; International Journal of Organic Evolution</i> , 1981 , 35, 1192	3.8	40

81	Molecular tools in marine ecology. <i>Journal of Experimental Marine Biology and Ecology</i> , 1996 , 200, 85-10	1 2.1	38
80	Linkage relationships among five enzyme-coding gene loci in the copepod Tigriopus californicus: a genetic confirmation of achiasmiatic meiosis. <i>Biochemical Genetics</i> , 1981 , 19, 1237-45	2.4	37
79	Population structure of the intertidal copepod Tigriopus californicus as revealed by field manipulation of allele frequencies. <i>Oecologia</i> , 1984 , 65, 108-111	2.9	36
78	Enhancement of red abalone Haliotis rufescens stocks at San Miguel Island: reassessing a success story. <i>Marine Ecology - Progress Series</i> , 2000 , 202, 303-308	2.6	35
77	Transcriptome-wide patterns of divergence during allopatric evolution. <i>Molecular Ecology</i> , 2016 , 25, 1478-93	5.7	34
76	Temporal attachment dynamics by distinct bacterial taxa during a dinoflagellate bloom. <i>Aquatic Microbial Ecology</i> , 2011 , 63, 111-122	1.1	33
75	Genomic evidence for ecological divergence against a background of population homogeneity in the marine snail Chlorostoma funebralis. <i>Molecular Ecology</i> , 2016 , 25, 3557-73	5.7	33
74	Interpopulation hybridization results in widespread viability selection across the genome in Tigriopus californicus. <i>BMC Genetics</i> , 2011 , 12, 54	2.6	32
73	Differentiation and Integration of the Genome in Populations of the Marine Copepod Tigriopus californicus. <i>Evolution; International Journal of Organic Evolution</i> , 1987 , 41, 504	3.8	32
72	Variation in Thermal Tolerance and Its Relationship to Mitochondrial Function Across Populations of. <i>Frontiers in Physiology</i> , 2019 , 10, 213	4.6	30
71	Phenotypic evidence for local adaptation to heat stress in the marine snail Chlorostoma (formerly Tegula) funebralis. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013 , 448, 360-366	2.1	30
70	Invasion of Hawaiian shores by an Atlantic barnacle. <i>Marine Ecology - Progress Series</i> , 1998 , 165, 119-126	2.6	30
69	High-throughput molecular identification of fish eggs using multiplex suspension bead arrays. <i>Molecular Ecology Resources</i> , 2012 , 12, 57-66	8.4	29
68	Molecular evolution at the cytochrome oxidase subunit 2 gene among divergent populations of the intertidal copepod, Tigriopus californicus. <i>Journal of Molecular Evolution</i> , 2006 , 62, 753-64	3.1	28
67	Regulation of proline synthesis during osmotic stress in the copepod Tigriopus californicus. <i>The Journal of Experimental Zoology</i> , 1991 , 259, 166-173		28
66	Monitoring Spawning Activity in a Southern California Marine Protected Area Using Molecular Identification of Fish Eggs. <i>PLoS ONE</i> , 2015 , 10, e0134647	3.7	28
65	Strong selective effects of mitochondrial DNA on the nuclear genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 6616-6621	11.5	27
64	Reverse genetics in the tide pool: knock-down of target gene expression via RNA interference in the copepod Tigriopus californicus. <i>Molecular Ecology Resources</i> , 2015 , 15, 868-79	8.4	27

63	Amino acid synthesis during hyperosmotic stress in penaeus aztecus postlarvae. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1993 , 106, 49-56		27
62	Evaluating the performance of captive breeding techniques for conservation hatcheries: a case study of the delta smelt captive breeding program. <i>Journal of Heredity</i> , 2013 , 104, 92-104	2.4	26
61	Variation in cytochrome-c oxidase activity is not maternally inherited in the copepod Tigriopus californicus. <i>Heredity</i> , 1998 , 80, 668-674	3.6	26
60	Characterization of the glutamate dehydrogenase gene and its regulation in a euryhaline copepod. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2003 , 135, 639-46	2.3	26
59	Early life stages are not always the most sensitive: heat stress responses in the copepod Tigriopus californicus. <i>Marine Ecology - Progress Series</i> , 2014 , 517, 75-83	2.6	26
58	DISRUPTION OF MITOCHONDRIAL FUNCTION IN INTERPOPULATION HYBRIDS OF TIGRIOPUS CALIFORNICUS. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 1382	3.8	23
57	Isolation and characterization of cytochrome c from the marine copepod Tigriopus californicus. <i>Gene</i> , 2000 , 248, 15-22	3.8	23
56	A gene-based SNP resource and linkage map for the copepod Tigriopus californicus. <i>BMC Genomics</i> , 2011 , 12, 568	4.5	22
55	Hybrid Breakdown in Physiological Response: A Mechanistic Approach. <i>Evolution; International Journal of Organic Evolution</i> , 1990 , 44, 1806	3.8	22
54	Genomic scans reveal multiple mito-nuclear incompatibilities in population crosses of the copepod Tigriopus californicus. <i>Evolution; International Journal of Organic Evolution</i> , 2019 , 73, 609-620	3.8	21
53	Temporal and spatial distributions of marine Synechococcus in the Southern California Bight assessed by hybridization to bead-arrays. <i>Marine Ecology - Progress Series</i> , 2011 , 426, 133-147	2.6	21
52	Regulation of proline synthesis in osmotic response: Effects of protein synthesis inhibitors. <i>The Journal of Experimental Zoology</i> , 1991 , 259, 272-277		20
51	Unexpected genetic differentiation between recently recolonized populations of a long-lived and highly vagile marine mammal. <i>Ecology and Evolution</i> , 2013 , 3, 3701-12	2.8	19
50	Dynamics of marine bacterial and phytoplankton populations using multiplex liquid bead array technology. <i>Environmental Microbiology</i> , 2010 , 12, 975-89	5.2	18
49	VIABILITY OF CYTOCHROME C GENOTYPES DEPENDS ON CYTOPLASMIC BACKGROUNDS IN TIGRIOPUS CALIFORNICUS. <i>Evolution; International Journal of Organic Evolution</i> , 2001 , 55, 1592	3.8	18
48	Multiple paternity in leopard shark (Triakis semifasciata) litters sampled from a predominantly female aggregation in La Jolla, California, USA. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013 , 446, 110-114	2.1	17
47	Incorporation of 14C-bicarbonate into the free amino acid pool during hyperosmotic stress in an intertidal copepod. <i>The Journal of Experimental Zoology</i> , 1986 , 238, 55-61		17
46	Estimating diversity of crabs (Decapoda: Brachyura) in a no-take marine protected area of the SW Atlantic coast through DNA barcoding of larvae. <i>Systematics and Biodiversity</i> , 2016 , 14, 288-302	1.7	16

(2009-2005)

45	Unusual structure of ribosomal DNA in the copepod Tigriopus californicus: intergenic spacer sequences lack internal subrepeats. <i>Gene</i> , 2005 , 344, 105-13	3.8	16
44	DNA sequencing of fish eggs and larvae reveals high species diversity and seasonal changes in spawning activity in the southeastern Gulf of California. <i>Marine Ecology - Progress Series</i> , 2018 , 592, 159	- 17 9	16
43	Multiple Modes of Adaptation: Regulatory and Structural Evolution in a Small Heat Shock Protein Gene. <i>Molecular Biology and Evolution</i> , 2018 , 35, 2110-2119	8.3	15
42	VARIATION IN ALCOHOL DEHYDROGENASE ACTIVITY AND FLOOD TOLERANCE IN WHITE CLOVER, TRIFOLIUM REPENS. <i>Evolution; International Journal of Organic Evolution</i> , 1992 , 46, 721-734	3.8	15
41	Application of bead array technology to community dynamics of marine phytoplankton. <i>Marine Ecology - Progress Series</i> , 2005 , 288, 75-85	2.6	15
40	Ribosomal RNA gene silencing in interpopulation hybrids of Tigriopus californicus: nucleolar dominance in the absence of intergenic spacer subrepeats. <i>Genetics</i> , 2006 , 173, 1479-86	4	14
39	Exposure to fluctuating salinity enhances free amino acid accumulation inTigriopus californicus (Copepoda). <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology,</i> 1988 , 158, 99-105	2.2	14
38	Genetics of mitochondrial glutamate-oxaloacetate transaminase (GOT-2) in Tigriopus californicus. <i>Biochemical Genetics</i> , 1984 , 22, 339-47	2.4	13
37	Molecular Markers, Natural History, and Conservation of Marine Animals. <i>BioScience</i> , 2009 , 59, 831-840	5.7	12
36	Variation in Alcohol Dehydrogenase Activity and Flood Tolerance in White Clover, Trifolium repens. <i>Evolution; International Journal of Organic Evolution</i> , 1992 , 46, 721	3.8	12
35	Depth regulatory behavior of the first stage zoea larvae of the sand crab Emerita analoga Stimpson (Decapoda: Hippidae). <i>Journal of Experimental Marine Biology and Ecology</i> , 1979 , 37, 255-270	2.1	12
34	Diversifying selection underlies the origin of allozyme polymorphism at the phosphoglucose isomerase locus in Tigriopus californicus. <i>PLoS ONE</i> , 2012 , 7, e40035	3.7	12
33	Variation in developmental temperature alters adulthood plasticity of thermal tolerance in. <i>Journal of Experimental Biology</i> , 2019 , 222,	3	12
32	Ecologically Relevant Temperature Ramping Rates Enhance the Protective Heat Shock Response in an Intertidal Ectotherm. <i>Physiological and Biochemical Zoology</i> , 2019 , 92, 152-162	2	11
31	Genetic structure of leopard shark (Triakis semifasciata) populations along the Pacific coast of North America. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015 , 472, 151-157	2.1	11
30	Twins or not? Genetic analysis of putative twins in Antarctic fur seals, Arctocephalus gazella, on the South Shetland Islands. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012 , 412, 13-19	2.1	11
29	ENVIRONMENTAL INFLUENCES ON EPISTATIC INTERACTIONS: VIABILITIES OF CYTOCHROME C GENOTYPES IN INTERPOPULATION CROSSES. <i>Evolution; International Journal of Organic Evolution</i> , 2003 , 57, 2286	3.8	11
28	Microsatellite and Mitochondrial Genetic Comparisons between Northern and Southern Populations of California Grunion (Leuresthes tenuis). <i>Copeia</i> , 2009 , 2009, 465-474	1.1	10

27	Efficacy of metabarcoding for identification of fish eggs evaluated with mock communities. <i>Ecology and Evolution</i> , 2020 , 10, 3463-3476	2.8	9
26	THE RECRUITMENT SWEEPSTAKES HAS MANY WINNERS: GENETIC EVIDENCE FROM THE SEA URCHIN STRONGYLOCENTROTUS PURPURATUS. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 1445	3.8	9
25	Isolation and cross-amplification of microsatellites in pink abalone (Haliotis corrugata). <i>Molecular Ecology Resources</i> , 2008 , 8, 701-3	8.4	8
24	High male reproductive success in a low-density Antarctic fur seal (Arctocephalus gazella) breeding colony. <i>Behavioral Ecology and Sociobiology</i> , 2014 , 68, 597-604	2.5	7
23	Improving metabarcoding taxonomic assignment: A case study of fishes in a large marine ecosystem. <i>Molecular Ecology Resources</i> , 2021 , 21, 2546-2564	8.4	7
22	Hybridization between delta smelt and two other species within the family Osmeridae in the San Francisco Bay-Delta. <i>Conservation Genetics</i> , 2014 , 15, 489-494	2.6	6
21	Trehalase polymorphism in Drosophila melanogaster. <i>Biochemical Genetics</i> , 1986 , 24, 715-9	2.4	6
20	Sex-specific rejection in mate-guarding pair formation in the intertidal copepod, Tigriopus californicus. <i>PLoS ONE</i> , 2017 , 12, e0183758	3.7	5
19	Impacts of ecology and behavior on Antarctic fur seal remating and relatedness. <i>Journal of Experimental Marine Biology and Ecology</i> , 2016 , 476, 72-77	2.1	4
18	Regional patterns of thermal stress and constitutive gene expression in the marine snail Chlorostoma funebralis in northern and southern California. <i>Marine Ecology - Progress Series</i> , 2016 , 556, 143-159	2.6	4
17	Genetic assessment of the population connectivity of the red urchin (Strongylocentrotus franciscanus). <i>Journal of Experimental Marine Biology and Ecology</i> , 2012 , 432-433, 47-54	2.1	3
16	Allele-Specific Expression and Evolution of Gene Regulation Underlying Acute Heat Stress Response and Local Adaptation in the Copepod Tigriopus californicus. <i>Journal of Heredity</i> , 2020 , 111, 539-547	2.4	2
15	Population genetics and conservation implications for the endangered delta smelt in the San Francisco Bay-Delta. <i>Conservation Genetics</i> , 2011 , 12, 1421-1434	2.6	2
14	Consequences of knockdown on gene expression during the heat shock response in. <i>Journal of Experimental Biology</i> , 2020 , 223,	3	2
13	Recovery from hybrid breakdown reveals a complex genetic architecture of mitonuclear incompatibilities. <i>Molecular Ecology</i> , 2021 , 30, 6403-6416	5.7	2
12	The role of mitonuclear incompatibilities in allopatric speciation <i>Cellular and Molecular Life Sciences</i> , 2022 , 79, 103	10.3	1
11	Mitochondrial DNA has strong selective effects across the nuclear genome		1
10	Individual Culturing of Tigriopus Copepods and Quantitative Analysis of Their Mate-guarding Behavior. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	1

LIST OF PUBLICATIONS

9	Evidence for hybrid breakdown in production of red carotenoids in the marine invertebrate Tigriopus californicus. <i>PLoS ONE</i> , 2021 , 16, e0259371	3.7	О
8	Admixture in Africanized honey bees () from Panamlto San Diego, California (U.S.A.) <i>Ecology and Evolution</i> , 2022 , 12, e8580	2.8	O
7	Interbreeding between two populations of Acartia californiensis (Copepoda: Calanoida): a laboratory study. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1999 , 79, 945-948	1.1	
6	The importance of making testable predictions: A cautionary tale. <i>PLoS ONE</i> , 2020 , 15, e0236541	3.7	
5	Spatial and temporal variation in the species diversity of coastal California fish eggs. <i>Marine Ecology - Progress Series</i> , 2021 , 669, 139-149	2.6	
4	The importance of making testable predictions: A cautionary tale 2020 , 15, e0236541		
3	The importance of making testable predictions: A cautionary tale 2020 , 15, e0236541		
2	The importance of making testable predictions: A cautionary tale 2020 , 15, e0236541		

The importance of making testable predictions: A cautionary tale **2020**, 15, e0236541