

Chien-Jen Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5744308/chien-jen-chen-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236
papers

24,023
citations

80
h-index

152
g-index

242
ext. papers

26,621
ext. citations

8.4
avg, IF

6.42
L-index

#	Paper	IF	Citations
236	Serum soluble programmed cell death 1 levels predict spontaneous functional cure in inactive carriers with chronic hepatitis B.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 ,	6.1	2
235	Incidence of hepatocellular carcinoma in a community-based Taiwanese population without chronic HBV/HCV infection.. <i>JHEP Reports</i> , 2022 , 4, 100410	10.3	0
234	Serum soluble programmed death-1 levels predict the spontaneous HBeAg seroclearance in chronic hepatitis B.. <i>Journal of Gastroenterology</i> , 2022 , 1	6.9	
233	Identifying Epstein-Barr virus peptide sequences associated with differential IgG antibody response. <i>International Journal of Infectious Diseases</i> , 2021 , 114, 65-71	10.5	
232	Epidemiology of Virus Infection and Human Cancer. <i>Recent Results in Cancer Research</i> , 2021 , 217, 13-45	1.5	5
231	Association between arsenic exposure, DNA damage, and urological cancers incidence: A long-term follow-up study of residents in an arseniasis endemic area of northeastern Taiwan. <i>Chemosphere</i> , 2021 , 266, 129094	8.4	5
230	Immunologic markers and risk of hepatocellular carcinoma in hepatitis B virus- and hepatitis C virus-infected individuals. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 833-842	6.1	6
229	Epidemiology and Natural History of Hepatitis B Virus Infection: Time-Dependent Driving Factors of Chronic Hepatitis B Progression 2021 , 143-167		
228	Reproductive and environmental exposures and the breast cancer risk in Taiwanese women. <i>Scientific Reports</i> , 2021 , 11, 15656	4.9	1
227	Joint effects of genomic markers and urinary methylation capacity associated with inorganic arsenic metabolism on the occurrence of cancers among residents in arseniasis-endemic areas: A cohort subset with average fifteen-year follow-up.. <i>Biomedical Journal</i> , 2020 ,	7.1	1
226	Prediagnostic concentrations of circulating bile acids and hepatocellular carcinoma risk: REVEAL-HBV and HCV studies. <i>International Journal of Cancer</i> , 2020 , 147, 2743-2753	7.5	10
225	Cigarette smoking increases the risk of nasopharyngeal carcinoma through the elevated level of IgA antibody against Epstein-Barr virus capsid antigen: A mediation analysis. <i>Cancer Medicine</i> , 2020 , 9, 1867-1876	4.8	7
224	Phthalate exposure and prostate cancer in a population-based nested case-control study. <i>Environmental Research</i> , 2020 , 181, 108902	7.9	21
223	Multilaboratory Assessment of Epstein-Barr Virus Serologic Assays: the Case for Standardization. <i>Journal of Clinical Microbiology</i> , 2019 , 57,	9.7	4
222	Body mass index and the risk of head and neck cancer in the Chinese population. <i>Cancer Epidemiology</i> , 2019 , 60, 208-215	2.8	5
221	Level of Hepatitis B (HB) Core Antibody Associates With Seroclearance of HBV DNA and HB Surface Antigen in HB e Antigen-Seronegative Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 172-181.e1 ¹³	6.9	
220	Taiwan's health-care system and administration are independent of China. <i>Lancet, The</i> , 2019 , 394, 1516	40	2

219	Whole-Exome Sequencing of Nasopharyngeal Carcinoma Families Reveals Novel Variants Potentially Involved in Nasopharyngeal Carcinoma. <i>Scientific Reports</i> , 2019 , 9, 9916	4.9	13
218	Taiwan: Environmental Health Concerns 2019 , 1-10		
217	Involuntary smoking and the risk of head and neck cancer in an East Asian population. <i>Cancer Epidemiology</i> , 2019 , 59, 173-177	2.8	6
216	Association Between High Levels of Hepatitis B Core Antibody and Seroclearance of Hepatitis B e Antigen in Individuals With Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1413-1415	6.9	6
215	Patterns of Interindividual Variability in the Antibody Repertoire Targeting Proteins Across the Epstein-Barr Virus Proteome. <i>Journal of Infectious Diseases</i> , 2018 , 217, 1923-1931	7	12
214	Global elimination of viral hepatitis and hepatocellular carcinoma: opportunities and challenges. <i>Gut</i> , 2018 , 67, 595-598	19.2	16
213	Identification of a Novel, EBV-Based Antibody Risk Stratification Signature for Early Detection of Nasopharyngeal Carcinoma in Taiwan. <i>Clinical Cancer Research</i> , 2018 , 24, 1305-1314	12.9	34
212	Evaluation of Total and IgA-Specific Antibody Targeting Epstein-Barr Virus Glycoprotein 350 and Nasopharyngeal Carcinoma Risk. <i>Journal of Infectious Diseases</i> , 2018 , 218, 886-891	7	7
211	Aflatoxin B exposure increases the risk of hepatocellular carcinoma associated with hepatitis C virus infection or alcohol consumption. <i>European Journal of Cancer</i> , 2018 , 94, 37-46	7.5	34
210	Human leukocyte antigen variants and risk of hepatocellular carcinoma modified by hepatitis C virus genotypes: A genome-wide association study. <i>Hepatology</i> , 2018 , 67, 651-661	11.2	24
209	Elevated antibodies against Epstein-Barr virus among individuals predicted to carry nasopharyngeal carcinoma susceptibility variants. <i>Journal of General Virology</i> , 2018 , 99, 1268-1273	4.9	2
208	A Glycomarker for Short-term Prediction of Hepatocellular Carcinoma: A Longitudinal Study With Serial Measurements. <i>Clinical and Translational Gastroenterology</i> , 2018 , 9, 183	4.2	4
207	Aflatoxin B exposure increases the risk of cirrhosis and hepatocellular carcinoma in chronic hepatitis B virus carriers. <i>International Journal of Cancer</i> , 2017 , 141, 711-720	7.5	62
206	High hepatitis C viral load and genotype 2 are strong predictors of chronic kidney disease. <i>Kidney International</i> , 2017 , 92, 703-709	9.9	23
205	Clinical Efficacy and Post-Treatment Seromarkers Associated with the Risk of Hepatocellular Carcinoma among Chronic Hepatitis C Patients. <i>Scientific Reports</i> , 2017 , 7, 3718	4.9	13
204	Hepatitis C viral load, genotype, and increased risk of developing end-stage renal disease: REVEAL-HCV study. <i>Hepatology</i> , 2017 , 66, 784-793	11.2	46
203	Diet and the risk of head-and-neck cancer among never-smokers and smokers in a Chinese population. <i>Cancer Epidemiology</i> , 2017 , 46, 20-26	2.8	14
202	Dose-Response Relationship between Inorganic Arsenic Exposure and Lung Cancer among Arseniasis Residents with Low Methylation Capacity. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 756-761	4	16

201	Serum Levels of M2BPGi as Short-Term Predictors of Hepatocellular Carcinoma in Untreated Chronic Hepatitis B Patients. <i>Scientific Reports</i> , 2017 , 7, 14352	4.9	19
200	Plasma DNA methylation marker and hepatocellular carcinoma risk prediction model for the general population. <i>Carcinogenesis</i> , 2017 , 38, 1021-1028	4.6	25
199	Telomere Length and Risk of Hepatocellular Carcinoma: A Nested Case-control Study in Taiwan Cancer Screening Program Cohort. <i>Anticancer Research</i> , 2017 , 37, 637-644	2.3	3
198	Lower liver cancer risk with antiviral therapy in chronic hepatitis B patients with normal to minimally elevated ALT and no cirrhosis. <i>Medicine (United States)</i> , 2016 , 95, e4433	1.8	25
197	Long-term Effects of Hepatitis B Immunization of Infants in Preventing Liver Cancer. <i>Gastroenterology</i> , 2016 , 151, 472-480.e1	13.3	125
196	Incidence and survival of adult cancer patients in Taiwan, 2002-2012. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 1076-1088	3.2	159
195	Fanconi anemia genes in lung adenocarcinoma- a pathway-wide study on cancer susceptibility. <i>Journal of Biomedical Science</i> , 2016 , 23, 23	13.3	12
194	Mediation Analysis of Hepatitis B and C in Relation to Hepatocellular Carcinoma Risk. <i>Epidemiology</i> , 2016 , 27, 14-20	3.1	15
193	Mediation effect of hepatitis B and C on mortality. <i>European Journal of Epidemiology</i> , 2016 , 31, 625-33	12.1	4
192	Real-world risk score for hepatocellular carcinoma (RWS-HCC): a clinically practical risk predictor for HCC in chronic hepatitis B. <i>Gut</i> , 2016 , 65, 887-8	19.2	25
191	Incorporating Serum Level of Hepatitis B Surface Antigen or Omitting Level of Hepatitis B Virus DNA Does not Affect Calculation of Risk for Hepatocellular Carcinoma in Patients Without Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 461-468.e2	6.9	18
190	Fine Particle Pollution, Alanine Transaminase, and Liver Cancer: A Taiwanese Prospective Cohort Study (REVEAL-HBV). <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	80
189	The rs2296651 (S267F) variant on NTCP (SLC10A1) is inversely associated with chronic hepatitis B and progression to cirrhosis and hepatocellular carcinoma in patients with chronic hepatitis B. <i>Gut</i> , 2016 , 65, 1514-21	19.2	64
188	Alcohol Drinking Mediates the Association between Polymorphisms of ADH1B and ALDH2 and Hepatitis B-Related Hepatocellular Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 693-9	4	21
187	High Levels of Antibody that Neutralize B-cell Infection of Epstein-Barr Virus and that Bind EBV gp350 Are Associated with a Lower Risk of Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2016 , 22, 3451-7	12.9	25
186	A GWAS Meta-analysis and Replication Study Identifies a Novel Locus within CLPTM1L/TERT Associated with Nasopharyngeal Carcinoma in Individuals of Chinese Ancestry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 188-192	4	33
185	Partial Least Square Discriminant Analysis Discovered a Dietary Pattern Inversely Associated with Nasopharyngeal Carcinoma Risk. <i>PLoS ONE</i> , 2016 , 11, e0155892	3.7	8
184	Natural History of HBV Infection in the Community. <i>Molecular and Translational Medicine</i> , 2016 , 249-276	0.4	2

183	Differences in hepatitis viral etiology of hepatocellular carcinoma in Taiwan and China. <i>Hepatology</i> , 2016 , 64, 1008-9	11.2	4
182	Serum Levels of Hepatitis B Surface Antigen and DNA Can Predict Inactive Carriers With Low Risk of Disease Progression. <i>Hepatology</i> , 2016 , 64, 381-9	11.2	76
181	Risk and predictors of hepatocellular carcinoma for chronic hepatitis B patients with newly developed cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1971-1977	4	18
180	Effects of Arsenic in Drinking Water on Risk of Hepatitis B Cirrhosis in Persons With and Without Chronic Viral Hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1347-1355.e4	6.9	12
179	R331W Missense Mutation of Oncogene YAP1 Is a Germline Risk Allele for Lung Adenocarcinoma With Medical Actionability. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2303-10	2.2	62
178	A review of the burden of hepatitis C virus infection in China, Japan, South Korea and Taiwan. <i>Hepatology International</i> , 2015 , 9, 378-90	8.8	68
177	Oral lesions, chronic diseases and the risk of head and neck cancer. <i>Oral Oncology</i> , 2015 , 51, 1082-7	4.4	24
176	Polymorphisms near the IFNL3 Gene Associated with HCV RNA Spontaneous Clearance and Hepatocellular Carcinoma Risk. <i>Scientific Reports</i> , 2015 , 5, 17030	4.9	23
175	Significant reduction in end-stage liver diseases burden through the national viral hepatitis therapy program in Taiwan. <i>Hepatology</i> , 2015 , 61, 1154-62	11.2	70
174	Association of Environmental Arsenic Exposure, Genetic Polymorphisms of Susceptible Genes, and Skin Cancers in Taiwan. <i>BioMed Research International</i> , 2015 , 2015, 892579	3	19
173	Quality assessment and improvement of nationwide cancer registration system in Taiwan: a review. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 291-6	2.8	147
172	Author's response: Hepatitis B virus seromarkers clearance and risk of hepatocellular carcinoma: serious risks of misinterpretation. <i>Gut</i> , 2015 , 64, 186-7	19.2	
171	Slow decline of hepatitis B burden in general population: Results from a population-based survey and longitudinal follow-up study in Taiwan. <i>Journal of Hepatology</i> , 2015 , 63, 354-63	13.4	45
170	Predicting Hepatitis B Virus (HBV) Surface Antigen Seroclearance in HBV e Antigen-Negative Patients With Chronic Hepatitis B: External Validation of a Scoring System. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1566-73	7	13
169	Epidemiology of Virus Infection and Human Cancer 2015 , 23-47		1
168	Comparison of genome-wide DNA methylation in urothelial carcinomas of patients with and without arsenic exposure. <i>Environmental Research</i> , 2014 , 128, 57-63	7.9	25
167	Decision making on management of adult patients with acute appendicitis. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 1139-41	2.9	
166	Distinct seromarkers predict different milestones of chronic hepatitis B progression. <i>Hepatology</i> , 2014 , 60, 77-86	11.2	26

165	Health hazards and mitigation of chronic poisoning from arsenic in drinking water: Taiwan experiences. <i>Reviews on Environmental Health</i> , 2014 , 29, 13-9	3.8	36
164	Plasma adipokines and risk of hepatocellular carcinoma in chronic hepatitis B virus-infected carriers: a prospective study in taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1659-74		20
163	Development and validation of a clinical scoring system for predicting risk of HCC in asymptomatic individuals seropositive for anti-HCV antibodies. <i>PLoS ONE</i> , 2014 , 9, e94760	3.7	31
162	Spontaneous seroclearance of hepatitis B seromarkers and subsequent risk of hepatocellular carcinoma. <i>Gut</i> , 2014 , 63, 1648-57	19.2	129
161	Epstein-Barr virus serology as a potential screening marker for nasopharyngeal carcinoma among high-risk individuals from multiplex families in Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1213-9	4	43
160	Burden of total and cause-specific mortality related to tobacco smoking among adults aged ≥45 years in Asia: a pooled analysis of 21 cohorts. <i>PLoS Medicine</i> , 2014 , 11, e1001631	11.6	76
159	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
158	Incomplete hepatitis B immunization, maternal carrier status, and increased risk of liver diseases: a 20-year cohort study of 3.8 million vaccinees. <i>Hepatology</i> , 2014 , 60, 125-32	11.2	33
157	Hepatitis C virus genotype 1b increases cumulative lifetime risk of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2014 , 135, 1119-26	7.5	48
156	Lifetime risk of distinct upper aerodigestive tract cancers and consumption of alcohol, betel and cigarette. <i>International Journal of Cancer</i> , 2014 , 135, 1480-6	7.5	20
155	Screening frequency and atypical cells and the prediction of cervical cancer risk. <i>Obstetrics and Gynecology</i> , 2014 , 123, 1003-1011	4.9	6
154	Epidemiology of virus infection and human cancer. <i>Recent Results in Cancer Research</i> , 2014 , 193, 11-32	1.5	42
153	Risk calculators for hepatocellular carcinoma in patients affected with chronic hepatitis B in Asia. <i>World Journal of Gastroenterology</i> , 2014 , 20, 6244-51	5.6	23
152	Epidemiology and natural history of hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9270-80	5.6	105
151	EGFR exon 19 in-frame deletion and polymorphisms of DNA repair genes in never-smoking female lung adenocarcinoma patients. <i>International Journal of Cancer</i> , 2013 , 132, 449-58	7.5	10
150	Lifetime risk of urothelial carcinoma and lung cancer in the arseniasis-endemic area of Northeastern Taiwan. <i>Journal of Asian Earth Sciences</i> , 2013 , 77, 332-337	2.8	12
149	Thirty-year outcomes of the national hepatitis B immunization program in Taiwan. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 974-6	27.4	156
148	Intratypic variants of human papillomavirus type 16 and risk of cervical neoplasia in Taiwan. <i>Journal of Medical Virology</i> , 2013 , 85, 1567-76	19.7	16

147	The association of diabetes mellitus with subsequent internal cancers in the arsenic-exposed area of Taiwan. <i>Journal of Asian Earth Sciences</i> , 2013 , 73, 452-459	2.8	2
146	A predictive scoring system for the seroclearance of HBsAg in HBeAg-seronegative chronic hepatitis B patients with genotype B or C infection. <i>Journal of Hepatology</i> , 2013 , 58, 853-60	13.4	71
145	Urinary arsenic profiles and the risks of cancer mortality: a population-based 20-year follow-up study in arseniasis-endemic areas in Taiwan. <i>Environmental Research</i> , 2013 , 122, 25-30	7.9	44
144	Synergistic effects of family history of hepatocellular carcinoma and hepatitis B virus infection on risk for incident hepatocellular carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1636-45.e1-3	6.9	61
143	Prediction models of long-term cirrhosis and hepatocellular carcinoma risk in chronic hepatitis B patients: risk scores integrating host and virus profiles. <i>Hepatology</i> , 2013 , 58, 546-54	11.2	223
142	Synergism between obesity and alcohol in increasing the risk of hepatocellular carcinoma: a prospective cohort study. <i>American Journal of Epidemiology</i> , 2013 , 177, 333-42	3.8	128
141	Use of arsenic-induced palmoplantar hyperkeratosis and skin cancers to predict risk of subsequent internal malignancy. <i>American Journal of Epidemiology</i> , 2013 , 177, 202-12	3.8	41
140	Predictability of liver-related seromarkers for the risk of hepatocellular carcinoma in chronic hepatitis B patients. <i>PLoS ONE</i> , 2013 , 8, e61448	3.7	30
139	Associations of human leukocyte antigen class II genotypes with human papillomavirus 18 infection and cervical intraepithelial neoplasia risk. <i>Cancer</i> , 2012 , 118, 223-31	6.4	13
138	Male Gender Is a Risk Factor for Recurrent Appendicitis following Nonoperative Treatment: Reply. <i>World Journal of Surgery</i> , 2012 , 36, 488-489	3.3	2
137	Incidence and determinants of spontaneous seroclearance of hepatitis B e antigen and DNA in patients with chronic hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2012 , 10, 527-34.e1-2	6.9	25
136	Natural history of chronic hepatitis B: what exactly has REVEAL revealed?. <i>Liver International</i> , 2012 , 32, 1333-41	7.9	90
135	Fifteen-year population attributable fractions and causal pies of risk factors for newly developed hepatocellular carcinomas in 11,801 men in Taiwan. <i>PLoS ONE</i> , 2012 , 7, e34779	3.7	13
134	Evaluation of human leukocyte antigen-A (HLA-A), other non-HLA markers on chromosome 6p21 and risk of nasopharyngeal carcinoma. <i>PLoS ONE</i> , 2012 , 7, e42767	3.7	29
133	Genome-wide DNA methylation profiles in hepatocellular carcinoma. <i>Hepatology</i> , 2012 , 55, 1799-808	11.2	151
132	Chronic hepatitis C virus infection increases mortality from hepatic and extrahepatic diseases: a community-based long-term prospective study. <i>Journal of Infectious Diseases</i> , 2012 , 206, 469-77	7	382
131	Lowered risk of nasopharyngeal carcinoma and intake of plant vitamin, fresh fish, green tea and coffee: a case-control study in Taiwan. <i>PLoS ONE</i> , 2012 , 7, e41779	3.7	28
130	Changes in serum levels of HBV DNA and alanine aminotransferase determine risk for hepatocellular carcinoma. <i>Gastroenterology</i> , 2011 , 141, 1240-8, 1248.e1-2	13.3	170

129	Risk estimation for hepatocellular carcinoma in chronic hepatitis B (REACH-B): development and validation of a predictive score. <i>Lancet Oncology, The</i> , 2011 , 12, 568-74	21.7	427
128	Natural history of chronic hepatitis B REVEALed. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 628-38	4	197
127	Prevalence of genotype-specific human papillomavirus infection and cervical neoplasia in Taiwan: a community-based survey of 10,602 women. <i>International Journal of Cancer</i> , 2011 , 128, 1192-203	7.5	26
126	Unique variants of human papillomavirus genotypes 52 and 58 and risk of cervical neoplasia. <i>International Journal of Cancer</i> , 2011 , 129, 965-73	7.5	38
125	EGFR L858R mutation and polymorphisms of genes related to estrogen biosynthesis and metabolism in never-smoking female lung adenocarcinoma patients. <i>Clinical Cancer Research</i> , 2011 , 17, 2149-58	12.9	26
124	Prognostic utility of anti-EBV antibody testing for defining NPC risk among individuals from high-risk NPC families. <i>Clinical Cancer Research</i> , 2011 , 17, 1906-14	12.9	45
123	Lifetime risk and sex difference of hepatocellular carcinoma among patients with chronic hepatitis B and C. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3643-50	2.2	150
122	Familial tendency and risk of nasopharyngeal carcinoma in taiwan: effects of covariates on risk. <i>American Journal of Epidemiology</i> , 2011 , 173, 292-9	3.8	27
121	Persistence of type-specific human papillomavirus infection and increased long-term risk of cervical cancer. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1387-96	9.7	129
120	Community and personal risk factors for hepatitis C virus infection: a survey of 23,820 residents in Taiwan in 1991-2. <i>Gut</i> , 2011 , 60, 688-94	19.2	47
119	Arseniasis in the World: From Endemic to Pandemic 2011 , 1-20		3
118	Association between Ingested Arsenic and Cataracts 2011 , 161-178		
117	Arsenic in drinking water and risk of urinary tract cancer: a follow-up study from northeastern Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 101-10	4	97
116	Hepatitis C virus seromarkers and subsequent risk of hepatocellular carcinoma: long-term predictors from a community-based cohort study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 4587-93	2.2	127
115	Nomograms for risk of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2437-44	2.2	204
114	Hepatitis C virus infection and increased risk of cerebrovascular disease. <i>Stroke</i> , 2010 , 41, 2894-900	6.7	113
113	Cancer trends in Taiwan. <i>Japanese Journal of Clinical Oncology</i> , 2010 , 40, 897-904	2.8	159
112	Carriers of inactive hepatitis B virus are still at risk for hepatocellular carcinoma and liver-related death. <i>Gastroenterology</i> , 2010 , 138, 1747-54	13.3	234

111	Incidence and determinants of spontaneous hepatitis B surface antigen seroclearance: a community-based follow-up study. <i>Gastroenterology</i> , 2010 , 139, 474-82	13.3	190
110	Ingested arsenic, characteristics of well water consumption and risk of different histological types of lung cancer in northeastern Taiwan. <i>Environmental Research</i> , 2010 , 110, 455-62	7.9	93
109	Optimal anthropometric factor cutoffs for hyperglycemia, hypertension and dyslipidemia for the Taiwanese population. <i>Atherosclerosis</i> , 2010 , 210, 585-9	3.1	50
108	Hepatitis B virus infection and hepatocellular carcinoma among parous Taiwanese women: nationwide cohort study. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1019-27	9.7	44
107	Aflatoxin B1 exposure, hepatitis B virus infection, and hepatocellular carcinoma in Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 846-53	4	96
106	Decreased incidence of hepatocellular carcinoma in hepatitis B vaccinees: a 20-year follow-up study. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1348-55	9.7	446
105	Interactive effect of cigarette smoking with human 8-oxoguanine DNA N-glycosylase 1 (hOGG1) polymorphisms on the risk of lung cancer: a case-control study in Taiwan. <i>American Journal of Epidemiology</i> , 2009 , 170, 695-702	3.8	42
104	A polymorphism in the APE1 gene promoter is associated with lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 223-9	4	68
103	Independent effect of EBV and cigarette smoking on nasopharyngeal carcinoma: a 20-year follow-up study on 9,622 males without family history in Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1218-26	4	71
102	Increased risk of QT prolongation associated with atherosclerotic diseases in arseniasis-endemic area in southwestern coast of Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2009 , 239, 320-4	4.6	27
101	Hepatitis B virus DNA levels and outcomes in chronic hepatitis B. <i>Hepatology</i> , 2009 , 49, S72-84	11.2	242
100	Comparative genomic hybridization study of arsenic-exposed and non-arsenic-exposed urinary transitional cell carcinoma. <i>Toxicology and Applied Pharmacology</i> , 2008 , 227, 229-38	4.6	11
99	Metabolic factors and risk of hepatocellular carcinoma by chronic hepatitis B/C infection: a follow-up study in Taiwan. <i>Gastroenterology</i> , 2008 , 135, 111-21	13.3	408
98	Human papillomavirus typing with a polymerase chain reaction-based genotyping array compared with type-specific PCR. <i>Journal of Clinical Virology</i> , 2008 , 42, 361-7	14.5	33
97	Associations between hepatitis B virus genotype and mutants and the risk of hepatocellular carcinoma. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 1134-43	9.7	483
96	Long-term tracking of hepatitis B viral load and the relationship with risk for hepatocellular carcinoma in men. <i>Carcinogenesis</i> , 2008 , 29, 106-12	4.6	66
95	Risk and predictors of mortality associated with chronic hepatitis B infection. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 921-31	6.9	166
94	Long-term outcomes in hepatitis B: the REVEAL-HBV study. <i>Clinics in Liver Disease</i> , 2007 , 11, 797-816, viii	4.6	146

93	Quality assurance of genotyping array for detection and typing of human papillomavirus. <i>Journal of Virological Methods</i> , 2007 , 140, 1-9	2.6	44
92	Urinary arsenic profile affects the risk of urothelial carcinoma even at low arsenic exposure. <i>Toxicology and Applied Pharmacology</i> , 2007 , 218, 99-106	4.6	107
91	A review of the epidemiologic literature on the role of environmental arsenic exposure and cardiovascular diseases. <i>Toxicology and Applied Pharmacology</i> , 2007 , 222, 315-26	4.6	185
90	Arsenic and diabetes and hypertension in human populations: a review. <i>Toxicology and Applied Pharmacology</i> , 2007 , 222, 298-304	4.6	129
89	Serum hepatitis B virus DNA as a predictor of the development of cirrhosis and hepatocellular carcinoma. <i>Current Hepatitis Reports</i> , 2007 , 6, 9-16		12
88	Dose-response relationship between ingested arsenic and cataracts among residents in Southwestern Taiwan. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2007 , 42, 1843-51	2.3	14
87	Polycyclic aromatic hydrocarbon- and aflatoxin-albumin adducts, hepatitis B virus infection and hepatocellular carcinoma in Taiwan. <i>Cancer Letters</i> , 2007 , 252, 104-14	9.9	32
86	Effects of arsenic exposure and genetic polymorphisms of p53, glutathione S-transferase M1, T1, and P1 on the risk of carotid atherosclerosis in Taiwan. <i>Atherosclerosis</i> , 2007 , 192, 305-12	3.1	49
85	Secular trends and geographic variations of hepatitis B virus and hepatitis C virus-associated hepatocellular carcinoma in Taiwan. <i>International Journal of Cancer</i> , 2006 , 119, 1946-52	7.5	100
84	Bayesian Model Averaging With Applications to Benchmark Dose Estimation for Arsenic in Drinking Water. <i>Journal of the American Statistical Association</i> , 2006 , 101, 9-17	2.8	56
83	Risk of hepatocellular carcinoma across a biological gradient of serum hepatitis B virus DNA level. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 65-73	27.4	2205
82	Nationwide hepatitis B vaccination program in Taiwan: effectiveness in the 20 years after it was launched. <i>Epidemiologic Reviews</i> , 2006 , 28, 126-35	4.1	167
81	Predicting cirrhosis risk based on the level of circulating hepatitis B viral load. <i>Gastroenterology</i> , 2006 , 130, 678-86	13.3	1203
80	Long-term trends and geographic variations in the survival of patients with hepatocellular carcinoma: analysis of 11,312 patients in Taiwan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 1561-6	4	47
79	Time-dependent events in natural history of occult hepatitis B virus infection: the importance of population-based long-term follow-up study with repeated measurements. <i>Journal of Hepatology</i> , 2005 , 42, 438-40	13.4	20
78	Biomarkers of exposure, effect, and susceptibility of arsenic-induced health hazards in Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2005 , 206, 198-206	4.6	149
77	Hepatitis B virus genotype and DNA level and hepatocellular carcinoma: a prospective study in men. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 265-72	9.7	459
76	Ingested arsenic, cigarette smoking, and lung cancer risk: a follow-up study in arseniasis-endemic areas in Taiwan. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2984-90	27.4	190

75	Seropositivity of hepatitis B e antigen and hepatocellular carcinoma. <i>Annals of Medicine</i> , 2004 , 36, 215-24.5		38
74	Epidemiology and Etiology of Nasopharyngeal Carcinoma: Gene-Environment Interaction. <i>Cancer Reviews: Asia-Pacific</i> , 2003 , 01, 1-19		9
73	Prevalence of non-insulin-dependent diabetes mellitus and related vascular diseases in southwestern arseniasis-endemic and nonendemic areas in Taiwan. <i>Environmental Health Perspectives</i> , 2003 , 111, 155-59	8.4	105
72	Risk of hepatocellular carcinoma and habits of alcohol drinking, betel quid chewing and cigarette smoking: a cohort of 2416 HBsAg-seropositive and 9421 HBsAg-seronegative male residents in Taiwan. <i>Cancer Causes and Control</i> , 2003 , 14, 241-50	2.8	105
71	Long-term arsenic exposure and ischemic heart disease in arseniasis-hyperendemic villages in Taiwan. <i>Toxicology Letters</i> , 2003 , 137, 15-21	4.4	190
70	The effects of chronic arsenic exposure from drinking water on the neurobehavioral development in adolescence. <i>NeuroToxicology</i> , 2003 , 24, 747-53	4.4	244
69	Polymorphisms in XRCC1 and glutathione S-transferase genes and hepatitis B-related hepatocellular carcinoma. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1485-8	9.7	84
68	Incidence and cofactors of hepatitis C virus-related hepatocellular carcinoma: a prospective study of 12,008 men in Taiwan. <i>American Journal of Epidemiology</i> , 2003 , 157, 674-82	3.8	177
67	Polymorphisms in cyclin D1 gene and hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2002 , 33, 125-129		33
66	Interaction of hepatitis B virus, chemical carcinogen, and genetic susceptibility: multistage hepatocarcinogenesis with multifactorial etiology. <i>Hepatology</i> , 2002 , 36, 1046-9	11.2	93
65	Biological gradient between long-term arsenic exposure and carotid atherosclerosis. <i>Circulation</i> , 2002 , 105, 1804-9	16.7	205
64	Association of HLA class I and II alleles and extended haplotypes with nasopharyngeal carcinoma in Taiwan. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 1780-9	9.7	166
63	Cancer epidemiology and control in Taiwan: a brief review. <i>Japanese Journal of Clinical Oncology</i> , 2002 , 32 Suppl, S66-81	2.8	143
62	Hepatitis B e antigen and the risk of hepatocellular carcinoma. <i>New England Journal of Medicine</i> , 2002 , 347, 168-74	59.2	1002
61	Polymorphisms in cyclin D1 gene and hepatocellular carcinoma 2002 , 33, 125		2
60	An intervention trial on efficacy of atropine and multi-focal glasses in controlling myopic progression. <i>Acta Ophthalmologica</i> , 2001 , 79, 233-6		139
59	Use of bacterially expressed EBNA-1 protein cloned from a nasopharyngeal carcinoma (NPC) biopsy as a screening test for NPC patients. <i>Journal of Medical Virology</i> , 2001 , 64, 51-7	19.7	20
58	Persistent hyperendemicity of hepatitis C virus infection in Taiwan: The important role of iatrogenic risk factors. <i>Journal of Medical Virology</i> , 2001 , 65, 30-34	19.7	65

57	Genetic polymorphisms of XRCC1 and risk of the esophageal cancer. <i>International Journal of Cancer</i> , 2001 , 95, 240-6	7.5	100
56	Serologic markers of Epstein-Barr virus infection and nasopharyngeal carcinoma in Taiwanese men. <i>New England Journal of Medicine</i> , 2001 , 345, 1877-82	59.2	353
55	Incidence of transitional cell carcinoma and arsenic in drinking water: a follow-up study of 8,102 residents in an arseniasis-endemic area in northeastern Taiwan. <i>American Journal of Epidemiology</i> , 2001 , 153, 411-8	3.8	331
54	Effect of prolonged radiation exposure on the thyroid gland of residents living in 60Co-contaminated rebar buildings. <i>International Journal of Radiation Biology</i> , 2001 , 77, 1117-22	2.9	15
53	Persistent hyperendemicity of hepatitis C virus infection in Taiwan: The important role of iatrogenic risk factors 2001 , 65, 30		3
52	Dietary exposure to nitrite and nitrosamines and risk of nasopharyngeal carcinoma in Taiwan. <i>International Journal of Cancer</i> , 2000 , 86, 603-9	7.5	101
51	Genetic polymorphisms of p53 and GSTP1, but not NAT2, are associated with susceptibility to squamous-cell carcinoma of the esophagus. <i>International Journal of Cancer</i> , 2000 , 89, 458-64	7.5	94
50	Familial risk of hepatocellular carcinoma among chronic hepatitis B carriers and their relatives. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 1159-64	9.7	167
49	Androgen-receptor gene CAG repeats, plasma testosterone levels, and risk of hepatitis B-related hepatocellular carcinoma. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 2023-8	9.7	105
48	Epidemiology of hepatitis B virus infection in the Asia-Pacific region. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15 Suppl, E3-6	4	169
47	Plasma selenium levels and risk of hepatocellular carcinoma among men with chronic hepatitis virus infection. <i>American Journal of Epidemiology</i> , 1999 , 150, 367-74	3.8	129
46	Plasma carotenoids, glutathione S-transferase M1 and T1 genetic polymorphisms, and risk of hepatocellular carcinoma: independent and interactive effects. <i>American Journal of Epidemiology</i> , 1999 , 149, 621-9	3.8	66
45	PTEN/MMAC1 mutations in hepatocellular carcinomas. <i>Oncogene</i> , 1999 , 18, 3181-5	9.2	104
44	Cigarette smoking, alcohol consumption and risk of nasopharyngeal carcinoma in Taiwan. <i>Cancer Causes and Control</i> , 1999 , 10, 201-7	2.8	105
43	A p53 genetic polymorphism as a modulator of hepatocellular carcinoma risk in relation to chronic liver disease, familial tendency, and cigarette smoking in hepatitis B carriers. <i>Hepatology</i> , 1999 , 29, 697-702	11.2	112
42	Seroepidemiology of human parvovirus B19 in Taiwan. <i>Journal of Medical Virology</i> , 1999 , 57, 169-173	19.7	34
41	Transmission of hepatitis C virus in Taiwan: Prevalence and risk factors based on a nationwide survey. <i>Journal of Medical Virology</i> , 1999 , 59, 290-296	19.7	121
40	Seroepidemiology of human parvovirus B19 in Taiwan 1999 , 57, 169		3

39	Transmission of hepatitis C virus in Taiwan: Prevalence and risk factors based on a nationwide survey 1999 , 59, 290		9
38	Overexpression of mutant p53 and c-erbB-2 proteins and mutations of the p15 and p16 genes in human gastric carcinoma: with respect to histological subtypes and stages. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998 , 13, 305-10	4	29
37	Antibody against the Epstein-Barr virus BHRF1 protein, a homologue of Bcl-2, in patients with nasopharyngeal carcinoma. <i>Journal of Medical Virology</i> , 1998 , 56, 179-85	19.7	10
36	Low serum carotene level and increased risk of ischemic heart disease related to long-term arsenic exposure. <i>Atherosclerosis</i> , 1998 , 141, 249-57	3.1	119
35	CYP2E1 genetic polymorphisms and risk of nasopharyngeal carcinoma in Taiwan. <i>Journal of the National Cancer Institute</i> , 1997 , 89, 1207-12	9.7	162
34	Universal hepatitis B vaccination in Taiwan and the incidence of hepatocellular carcinoma in children. Taiwan Childhood Hepatoma Study Group. <i>New England Journal of Medicine</i> , 1997 , 336, 1855-9	59.2	1411
33	Increased prevalence of Helicobacter pylori infection among patients affected with intestinal-type gastric cancer at non-cardiac locations. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1997 , 12, 425-8	4	15
32	Different viral aetiology of hepatocellular carcinoma between two hepatitis B and C endemic townships in Taiwan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1997 , 12, 547-50	4	42
31	Epidemiological characteristics and risk factors of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1997 , 12, S294-308	4	369
30	Evaluation of multiple antibodies to Epstein-Barr virus as markers for detecting patients with nasopharyngeal carcinoma. <i>Journal of Medical Virology</i> , 1997 , 52, 262-269	19.7	42
29	Seroprevalences of hepatitis B and C viruses and Helicobacter pylori infection in a small, isolated population at high risk of gastric and liver cancer. <i>International Journal of Cancer</i> , 1997 , 71, 776-9	7.5	5
28	Human papillomavirus types 52 and 58 are prevalent in cervical cancer from Chinese women. <i>International Journal of Cancer</i> , 1997 , 73, 775-6	7.5	38
27	Dose-response relationship between prevalence of cerebrovascular disease and ingested inorganic arsenic. <i>Stroke</i> , 1997 , 28, 1717-23	6.7	203
26	Seroprevalences of hepatitis B and C viruses and Helicobacter pylori infection in a small, isolated population at high risk of gastric and liver cancer 1997 , 71, 776		3
25	Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. <i>Atherosclerosis</i> , 1996 , 120, 125-33	3.1	155
24	Aflatoxin exposure and risk of hepatocellular carcinoma in Taiwan. <i>International Journal of Cancer</i> , 1996 , 67, 620-5	7.5	169
23	Dose-response relationship between ischemic heart disease mortality and long-term arsenic exposure. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 504-10	9.4	246
22	Aflatoxin exposure and risk of hepatocellular carcinoma in Taiwan 1996 , 67, 620		2

21	Aflatoxin exposure and risk of hepatocellular carcinoma in Taiwan 1996 , 67, 620		8
20	Diagnosis of gastric adenocarcinoma using a scoring system: combined assay of serological markers of <i>Helicobacter pylori</i> infection, pepsinogen I and gastrin. <i>Journal of Gastroenterology</i> , 1995 , 30, 156-61	6.9	2
19	Significance of exposure assessment to analysis of cancer risk from inorganic arsenic in drinking water in Taiwan. <i>Risk Analysis</i> , 1995 , 15, 475-84	3.9	40
18	Cytochrome P450 2E1 and glutathione S-transferase M1 polymorphisms and susceptibility to hepatocellular carcinoma. <i>Gastroenterology</i> , 1995 , 109, 1266-73	13.3	151
17	Increased Prevalence of Hypertension and Long-term Arsenic Exposure. <i>Hypertension</i> , 1995 , 25, 53-60	8.5	309
16	Seroepidemiology of human T-lymphotropic virus type I infection among intravenous drug abusers in Taiwan. <i>Journal of Medical Virology</i> , 1994 , 42, 264-7	19.7	2
15	Clinicopathologic study of 208 patients with early gastric cancer in Taiwan: a comparison between Eastern and Western countries. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1994 , 9, 344-9	4	9
14	Ingested inorganic arsenic and prevalence of diabetes mellitus. <i>American Journal of Epidemiology</i> , 1994 , 139, 484-92	3.8	274
13	Current seroepidemiology of rubella virus infection among female residents in Taiwan. <i>Journal of Medical Virology</i> , 1993 , 41, 174-8	19.7	4
12	Association between glucose-6-phosphate dehydrogenase deficiency and neonatal jaundice: interaction with multiple risk factors. <i>International Journal of Epidemiology</i> , 1992 , 21, 947-52	7.8	19
11	Seroepidemiology and evaluation of passive surveillance during 1988-1989 measles outbreak in Taiwan. <i>International Journal of Epidemiology</i> , 1992 , 21, 1165-74	7.8	22
10	Aflatoxin B1 DNA adducts in smeared tumor tissue from patients with hepatocellular carcinoma. <i>Hepatology</i> , 1992 , 16, 1150-1155	11.2	39
9	Current seroepidemiology of hepatitis D virus infection among hepatitis B surface antigen carriers of general and high-risk populations in Taiwan. <i>Journal of Medical Virology</i> , 1992 , 38, 97-101	19.7	15
8	Aflatoxin B1 DNA adducts in smeared tumor tissue from patients with hepatocellular carcinoma 1992 , 16, 1150		2
7	Effects of hepatitis B virus, alcohol drinking, cigarette smoking and familial tendency on hepatocellular carcinoma. <i>Hepatology</i> , 1991 , 13, 398-406	11.2	186
6	Effects of hepatitis B virus, alcohol drinking, cigarette smoking and familial tendency on hepatocellular carcinoma 1991 , 13, 398		16
5	Blackfoot disease. <i>Lancet, The</i> , 1990 , 336, 442	40	28
4	Dose-response relation between arsenic concentration in well water and mortality from cancers and vascular diseases. <i>American Journal of Epidemiology</i> , 1989 , 130, 1123-32	3.8	544

3	Seroepidemiological studies on hepatitis B and D viruses infection among five ethnic groups in southern Taiwan. <i>Journal of Medical Virology</i> , 1988 , 26, 411-8	19.7	35
2	Arsenic and cancers. <i>Lancet, The</i> , 1988 , 1, 414-5	40	300
1	Antibodies to Epstein-Barr virus-specific DNase in patients with nasopharyngeal carcinoma and control groups. <i>Journal of Medical Virology</i> , 1987 , 23, 11-21	19.7	39