

Haibo Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5744737/publications.pdf>

Version: 2024-02-01

110
papers

5,807
citations

117625

34
h-index

74163

75
g-index

110
all docs

110
docs citations

110
times ranked

4928
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploration of the Exceptional Capacitive Deionization Performance of CoMn ₂ O ₄ Microspheres Electrode. Energy and Environmental Materials, 2023, 6, .	12.8	8
2	Performance of a novel epoxy crack sealant for asphalt pavements. International Journal of Pavement Engineering, 2022, 23, 3068-3081.	4.4	11
3	Enhancing the Li ⁺ Diffusion in Li ₃ VO ₄ by Coupling with Reduced Graphene Oxide for Lithium-Ion Batteries. Current Nanoscience, 2022, 18, 61-67.	1.2	3
4	Highly Efficient Capacitive Deionization Enabled by NiCo ₄ MnO _{8.5} Electrodes. Global Challenges, 2022, 6, 2100095.	3.6	3
5	In situ growth of NaTiO ₂ nanotubes on Ti ₃ C ₂ Fx for enhanced sodium ion batteries. Materials Letters, 2022, 309, 131457.	2.6	7
6	<i>In situ</i> preparation of an anatase/rutile-TiO ₂ /Ti ₃ C ₂ T _x hybrid electrode for durable sodium ion batteries. RSC Advances, 2022, 12, 12219-12225.	3.6	1
7	Highly graphitic porous carbon prepared <i>via</i> K ₂ FeO ₄ -assisted KOH activation for supercapacitors. New Journal of Chemistry, 2022, 46, 14338-14345.	2.8	8
8	Reconfiguring the interface charge of Co@Carbon polyhedron for enhanced capacitive deionization. Chemical Engineering Journal, 2022, 447, 137438.	12.7	22
9	A Brief Review on High-Performance Capacitive Deionization Enabled by Intercalation Electrodes. Global Challenges, 2021, 5, 2000054.	3.6	26
10	Interfacial engineering of polyhedral carbon@hollowed carbon@SiO ₂ nanobox with tunable structure for enhanced lithium ion battery. Applied Surface Science, 2021, 538, 148039.	6.1	21
11	A novel phosphatizing strategy to engineering CoO/Co _{1.94} P@carbon polyhedron heterostructures for enhanced lithium-ion battery. Journal of Materials Science, 2021, 56, 3346-3353.	3.7	5
12	Engineering of 3D Na _x CoO ₂ nanostructures for enhanced capacitive deionization: performance and mechanism. Environmental Science: Nano, 2021, 8, 657-665.	4.3	6
13	Preparation of TiO ₂ /Ti ₃ C ₂ T _x Composite for Hybrid Capacitive Deionization. Wuji Cailiao Xuebao/Journal of Inorganic Materials, 2021, 36, 283.	1.3	9
14	Promoting the uptake of chloride ions by ZnCo-Cl layered double hydroxide electrodes for enhanced capacitive deionization. Environmental Science: Nano, 2021, 8, 1886-1895.	4.3	14
15	Understanding the Enhanced Capacitive Desalination Performance of Spherical ZnCo ₂ O ₄ Electrode. Advanced Materials Interfaces, 2021, 8, 2100125.	3.7	2
16	Synthesis of lithium vanadate/reduced graphene oxide with strong coupling for enhanced capacitive extraction of lithium ions. Separation and Purification Technology, 2021, 262, 118294.	7.9	9
17	Templated synthesis of nano-LiCoO ₂ cathode for lithium-ion batteries with enhanced rate capability. Materials Letters, 2021, 303, 130570.	2.6	4
18	Enabling Enhanced Lithium Ion Storage Performance of Graphdiyne by Doping with Group-15 Elements: A First-Principles Study. ACS Omega, 2021, 6, 1456-1464.	3.5	2

#	ARTICLE	IF	CITATIONS
19	The Hydrolyzed Mil-88B(Fe) With Improved Surface Area for High-Capacity Lithium Ion Battery. <i>Frontiers in Energy Research</i> , 2021, 9, .	2.3	6
20	Improving the water transpiration in a solar steam generation device. <i>Water Science and Technology: Water Supply</i> , 2020, 20, 59-64.	2.1	2
21	One-step synthesis of MoS ₂ nanoparticles with different morphologies for electromagnetic wave absorption. <i>Applied Surface Science</i> , 2020, 502, 144129.	6.1	48
22	Reduced graphene oxide supported quasi-two-dimensional ZnCo ₂ O ₄ nanosheets for lithium ion batteries with high electrochemical stability. <i>Nanotechnology</i> , 2020, 31, 045402.	2.6	9
23	The pseudo-capacitive deionization behaviour of CuAl-mixed metal oxides. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 296-302.	2.4	8
24	Heteroatom doping modified hierarchical mesoporous carbon derived from ZIF-8 for capacitive deionization with enhanced salt removal rate. <i>Separation and Purification Technology</i> , 2020, 231, 115918.	7.9	30
25	Engineering of a bowl-like Si@rGO architecture for an improved lithium ion battery via a synergistic effect. <i>Nanotechnology</i> , 2020, 31, 095402.	2.6	12
26	Na _{0.71} CoO ₂ promoted sodium uptake via faradaic reaction for highly efficient capacitive deionization. <i>Separation and Purification Technology</i> , 2020, 234, 116090.	7.9	27
27	Vertically-aligned growth of CuAl-layered double oxides on reduced graphene oxide for hybrid capacitive deionization with superior performance. <i>Environmental Science: Nano</i> , 2020, 7, 764-772.	4.3	19
28	The feasibility of hollow echinus-like NiCo ₂ O ₄ nanocrystals for hybrid capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 283-289.	2.4	10
29	Recent Progress on the Stability of Perovskite Solar Cells in a Humid Environment. <i>Journal of Physical Chemistry C</i> , 2020, 124, 27251-27266.	3.1	43
30	Template-Sacrificing Synthesis of Ni-Co Layered Double Hydroxides Polyhedron as Advanced Anode for Lithium Ions Battery. <i>Frontiers in Chemistry</i> , 2020, 8, 581653.	3.6	8
31	Role of Explicitly Included Solvents on Ultrafast Electron Injection and Recombination Dynamics at TiO ₂ /Dye Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 49174-49181.	8.0	4
32	Exploration of Energy Storage Materials for Water Desalination via Next-Generation Capacitive Deionization. <i>Frontiers in Chemistry</i> , 2020, 8, 415.	3.6	19
33	Ultrathin carbon boosted sodium storage performance in aqueous electrolyte. <i>Functional Materials Letters</i> , 2020, 13, 2030002.	1.2	10
34	A facile strategy to prepare NiCoP nanoparticles wrapped in nitrogen doped porous carbon spheres for high-performance lithium-ion battery. <i>Materials Letters</i> , 2020, 269, 127648.	2.6	1
35	Lithium-Ion Batteries: In Situ Growth of CoP ₃ /Carbon Polyhedron/CoO/NF Nanoarrays as Binder-Free Anode for Lithium-Ion Batteries with Enhanced Specific Capacity (Small 11/2020). <i>Small</i> , 2020, 16, 2070059.	10.0	4
36	Sequential-template synthesis of hollowed carbon polyhedron@SiC@Si for lithium-ion battery with high capacity and electrochemical stability. <i>Applied Surface Science</i> , 2020, 514, 145920.	6.1	17

#	ARTICLE	IF	CITATIONS
37	Elucidating the capacitive desalination behavior of Na _x CoO ₂ : the significance of electrochemical pre-activation. <i>Nanoscale</i> , 2020, 12, 7586-7594.	5.6	21
38	In Situ Growth of CoP ₃ /Carbon Polyhedron/CoO/NF Nanoarrays as Binder-Free Anode for Lithium-Ion Batteries with Enhanced Specific Capacity. <i>Small</i> , 2020, 16, 1907468.	10.0	23
39	The lithium ions storage behavior of heteroatom-mediated echinus-like porous carbon spheres: From co-doping to multi-atom doping. <i>Journal of Colloid and Interface Science</i> , 2020, 567, 54-64.	9.4	6
40	The improved anode performance enabled by Ni ₂ P@C embedded in echinus-like porous carbon for lithium-ion battery. <i>Nanotechnology</i> , 2020, 31, 215405.	2.6	10
41	Designing hollowed carbon@Si cubic nanobox@reduced graphene oxide nanostructures for lithium-ion battery with high capacity and long cyclic stability. <i>Functional Materials Letters</i> , 2020, 13, 2050042.	1.2	3
42	Construction of 3D nanoarchitectural porous carbon supported carbon nanotubes@CoP with enhanced lithium ions storage performance. <i>Chemical Physics Letters</i> , 2019, 732, 136633.	2.6	8
43	A facile strategy to prepare (N, Ni, P) tri-doped echinus-like porous carbon spheres as advanced anode for lithium ion batteries. <i>Nanotechnology</i> , 2019, 30, 495403.	2.6	5
44	Two-step sintering of submicro-grain Ni _{0.54} Mn _{1.26} Fe _{1.20} O ₄ NTC ceramics with an excellent electrical performance. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 20144-20153.	2.2	10
45	Pseudo-capacitive behavior induced dual-ion hybrid deionization system based on Ag@rGO@Na _{1.1} V ₃ O _{7.9} @rGO. <i>Journal of Materials Chemistry A</i> , 2019, 7, 16892-16901.	10.3	78
46	Rational design of reduced graphene oxide film for solar thermal desalination. <i>Water Science and Technology: Water Supply</i> , 2019, 19, 1704-1710.	2.1	11
47	Rational synthesis of graphitic porous carbon with high content nitrogen doping via ultra-fast pyrolysis of ZIF-8 for electrochemical capacitor with enhanced performance. <i>Functional Materials Letters</i> , 2019, 12, 1951004.	1.2	1
48	Robust synthesis of carbon@Na ₄ Ti ₉ O ₂₀ core-shell nanotubes for hybrid capacitive deionization with enhanced performance. <i>Desalination</i> , 2019, 449, 69-77.	8.2	98
49	Preparation of nitrogen-doped graphitic porous carbon towards capacitive deionization with high adsorption capacity and rate capability. <i>Separation and Purification Technology</i> , 2019, 211, 233-241.	7.9	51
50	Mesoporous carbon derived from ZIF-8 for high efficient electrosorption. <i>Desalination</i> , 2019, 451, 133-138.	8.2	85
51	Heterostructured graphene@Na ₄ Ti ₉ O ₂₀ nanotubes for asymmetrical capacitive deionization with ultrahigh desalination capacity. <i>Chemical Engineering Journal</i> , 2018, 343, 8-15.	12.7	127
52	Metal-organic-framework derived carbon polyhedron and carbon nanotube hybrids as electrode for electrochemical supercapacitor and capacitive deionization. <i>Electrochimica Acta</i> , 2018, 263, 85-93.	5.2	121
53	Random oriented hexagonal nickel hydroxide nanoplates grown on graphene as binder free anode for lithium ion battery with high capacity. <i>Chemical Physics Letters</i> , 2018, 699, 167-170.	2.6	11
54	Hydrothermal synthesis of Zn-doped Ni-Mn-Al-O thin films toward high-performance negative temperature coefficient thermistor. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 9025-9032.	2.2	8

#	ARTICLE	IF	CITATIONS
55	Weaving ZIF-67 by employing carbon nanotubes to constitute hybrid anode for lithium ions battery. <i>Materials Letters</i> , 2018, 212, 143-146.	2.6	17
56	Preferential electrosorption of anions by C/Na _{0.7} MnO ₂ asymmetrical electrodes. <i>Separation and Purification Technology</i> , 2018, 191, 322-327.	7.9	26
57	Capacity fading of nanoporous carbon electrode derived from ZIF-8 during insertion-desertion of lithium ions. <i>Chemical Physics Letters</i> , 2018, 712, 7-12.	2.6	11
58	Advances in the charging mechanisms for supercapacitor by <i>in situ</i> characterization methods. <i>Scientia Sinica Chimica</i> , 2018, 48, 31-44.	0.4	1
59	One-step synthesis of Ni-Mn-Al-O thin film on Al ₂ O ₃ substrate via hydrothermal method. <i>Microelectronic Engineering</i> , 2017, 182, 53-56.	2.4	3
60	Mechanical and optical properties of transparent alumina obtained by rapid vacuum sintering. <i>Ceramics International</i> , 2017, 43, 420-426.	4.8	24
61	Preparation of SiO ₂ nanocomposites with aligned distributing glass fibre using freeze-drying process. <i>Processing and Application of Ceramics</i> , 2017, 11, 201-205.	0.8	2
62	On the origin of enhanced electrochemical behavior of oxidized activated carbon. <i>Chemical Physics</i> , 2016, 475, 54-60.	1.9	3
63	Improved capacitive deionization performance by coupling TiO ₂ nanoparticles with carbon nanotubes. <i>Separation and Purification Technology</i> , 2016, 171, 93-100.	7.9	51
64	Uniform carbon hollow sphere for highly efficient electrosorption. <i>Journal of Porous Materials</i> , 2016, 23, 1575-1580.	2.6	11
65	Ultrahigh Performance of Novel Capacitive Deionization Electrodes based on A Three-Dimensional Graphene Architecture with Nanopores. <i>Scientific Reports</i> , 2016, 6, 18966.	3.3	105
66	Hydrothermally synthesized graphene and Fe ₃ O ₄ nanocomposites for high performance capacitive deionization. <i>RSC Advances</i> , 2016, 6, 11967-11972.	3.6	52
67	An insight into the improved capacitive deionization performance of activated carbon treated by sulfuric acid. <i>Electrochimica Acta</i> , 2015, 176, 755-762.	5.2	49
68	The study of capacitive deionization behavior of a carbon nanotube electrode from the perspective of charge efficiency. <i>Water Science and Technology</i> , 2015, 71, 83-88.	2.5	16
69	Sulfonated Reduced Graphene Oxide: A High Performance Anode Material for Lithium Ion Battery. <i>Nano</i> , 2015, 10, 1550054.	1.0	1
70	Visible-light assisted reduction of graphene oxide and its potential applications in water treatment. <i>Functional Materials Letters</i> , 2014, 07, 1450015.	1.2	0
71	A high charge efficiency electrode by self-assembling sulphonated reduced graphene oxide onto carbon fibre: towards enhanced capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3484.	10.3	76
72	Nitrogen-doped reduced graphene oxide for high-performance flexible all-solid-state micro-supercapacitors. <i>Journal of Materials Chemistry A</i> , 2014, 2, 18125-18131.	10.3	158

#	ARTICLE	IF	CITATIONS
73	The capacitive deionization behaviour of a carbon nanotube and reduced graphene oxide composite. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6335.	10.3	154
74	Large scale synthesized sulphonated reduced graphene oxide: a high performance material for electrochemical capacitors. <i>RSC Advances</i> , 2013, 3, 14954.	3.6	16
75	FABRICATION AND CHARACTERIZATION OF Ni-Mn-Si-Al-O NTC THERMISTOR AND ITS APPLICATION AS TEMPERATURE WIRE SENSOR. <i>Functional Materials Letters</i> , 2013, 06, 1350039.	1.2	2
76	Carbon nanotube and carbon nanofiber composite films grown on different graphite substrate for capacitive deionization. <i>Desalination and Water Treatment</i> , 2013, 51, 3988-3994.	1.0	19
77	The study of membrane capacitive deionization from charge efficiency. <i>Desalination and Water Treatment</i> , 2012, 42, 210-215.	1.0	16
78	Electrophoretic deposition of carbon nanotubes film electrodes for capacitive deionization. <i>Journal of Electroanalytical Chemistry</i> , 2012, 666, 85-88.	3.8	103
79	Reduced graphene oxide and activated carbon composites for capacitive deionization. <i>Journal of Materials Chemistry</i> , 2012, 22, 15556.	6.7	223
80	Kinetics and isotherm studies on electrosorption of NaCl by activated carbon fiber, carbon nanotube and carbon nanotube-carbon nanofiber composite film. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 55-58.	0.8	5
81	Electrophoretic deposition of carbon nanotubes-polyacrylic acid composite film electrode for capacitive deionization. <i>Electrochimica Acta</i> , 2012, 66, 106-109.	5.2	85
82	Synthesis of TiO ₂ -graphene composites via visible-light photocatalytic reduction of graphene oxide. <i>Journal of Materials Research</i> , 2011, 26, 970-973.	2.6	23
83	Reduced graphene oxide-carbon nanotubes composite films by electrophoretic deposition method for supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2011, 661, 270-273.	3.8	53
84	Electrosorption of different cations and anions with membrane capacitive deionization based on carbon nanotube/nanofiber electrodes and ion-exchange membranes. <i>Desalination and Water Treatment</i> , 2011, 30, 266-271.	1.0	22
85	Carbon nanotube-chitosan composite electrodes for electrochemical removal of Cu(II) ions. <i>Journal of Alloys and Compounds</i> , 2011, 509, 5667-5671.	5.5	57
86	Microwave-assisted synthesis of graphene-ZnO nanocomposite for electrochemical supercapacitors. <i>Journal of Alloys and Compounds</i> , 2011, 509, 5488-5492.	5.5	197
87	Electrosorption Behavior of Carbon Nanotube and Carbon Nanofiber Film Electrodes. <i>Current Physical Chemistry</i> , 2011, 1, 16-26.	0.2	6
88	Ion-exchange membrane capacitive deionization: A new strategy for brackish water desalination. <i>Desalination</i> , 2011, 275, 62-66.	8.2	247
89	Enhancement of electrosorption capacity of activated carbon fibers by grafting with carbon nanofibers. <i>Electrochimica Acta</i> , 2011, 56, 3164-3169.	5.2	30
90	A comparative study on electrosorptive behavior of carbon nanotubes and graphene for capacitive deionization. <i>Journal of Electroanalytical Chemistry</i> , 2011, 653, 40-44.	3.8	220

#	ARTICLE	IF	CITATIONS
91	Electrical Removal Behavior of Carbon Nanotube and Carbon Nanofiber Film in CuCl ₂ Solution: Kinetics and Thermodynamics Study. International Journal of Electrochemistry, 2011, 2011, 1-8.	2.4	3
92	Novel Graphene-Like Electrodes for Capacitive Deionization. Environmental Science & Technology, 2010, 44, 8692-8697.	10.0	392
93	Kinetics and thermodynamics study for electrosorption of NaCl onto carbon nanotubes and carbon nanofibers electrodes. Chemical Physics Letters, 2010, 485, 161-166.	2.6	121
94	Using graphene nano-flakes as electrodes to remove ferric ions by capacitive deionization. Separation and Purification Technology, 2010, 75, 8-14.	7.9	174
95	Electrochemical behaviors of grapheneâ€“ZnO and grapheneâ€“SnO ₂ composite films for supercapacitors. Electrochimica Acta, 2010, 55, 4170-4173.	5.2	404
96	Regeneration of carbon nanotube and nanofibre composite film electrode for electrical removal of cupric ions. Water Science and Technology, 2010, 61, 1427-1432.	2.5	15
97	OPTICAL TRANSITION OF POROUS SILICON PREPARED AT DIFFERENT ANODIZATION TEMPERATURES. Surface Review and Letters, 2009, 16, 351-354.	1.1	1
98	SURFACE METALIZATION ON THE PHOTO-EMISSION, PHOTO-ABSORPTION AND CORE-LEVEL SHIFT OF NANOSOLID SILICON. Surface Review and Letters, 2009, 16, 265-270.	1.1	2
99	Ferric ion adsorption and electrodesorption by carbon nanotubes and nanofibres films. Water Science and Technology, 2009, 59, 1657-1663.	2.5	17
100	Electrosorption behavior of cations with carbon nanotubes and carbon nanofibres composite film electrodes. Thin Solid Films, 2009, 517, 1616-1619.	1.8	128
101	Carbon nanotubeâ€“ZnO nanocomposite electrodes for supercapacitors. Solid State Ionics, 2009, 180, 1525-1528.	2.7	142
102	Capacitive behavior of grapheneâ€“ZnO composite film for supercapacitors. Journal of Electroanalytical Chemistry, 2009, 634, 68-71.	3.8	320
103	Carbon nanotubeâ€“zinc oxide electrode and gel polymer electrolyte for electrochemical supercapacitors. Journal of Alloys and Compounds, 2009, 480, L17-L19.	5.5	112
104	Electron field emission from screen-printed graphene films. Nanotechnology, 2009, 20, 425702.	2.6	140
105	Electrosorption behavior of graphene in NaCl solutions. Journal of Materials Chemistry, 2009, 19, 6773.	6.7	352
106	Electrosorptive desalination by carbon nanotubes and nanofibres electrodes and ion-exchange membranes. Water Research, 2008, 42, 4923-4928.	11.3	281
107	Study of electrochemical supercapacitors utilizing carbon nanotubes electrodes and PVA-hybrid polyacid electrolytes. , 2008, , .		0
108	Electrosorption of different cations and anions with membrane capacitive deionization based on carbon nanotube/nanofiber electrodes and ion-exchange membranes. , 0, , 266-271.		0

#	ARTICLE	IF	CITATIONS
109	The study of membrane capacitive deionization from charge efficiency. , 0, 42, 210-215.		0
110	Engineering of porous graphene oxide membranes for solar steam generation with improved efficiency. Environmental Science: Water Research and Technology, 0, , .	2.4	4