

Eleanor J Mitchell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5745052/publications.pdf>

Version: 2024-02-01

43
papers

1,104
citations

686830

13
h-index

414034

32
g-index

47
all docs

47
docs citations

47
times ranked

1575
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of the two most commonly used treatments for pyoderma gangrenosum: results of the STOP GAP randomised controlled trial. <i>BMJ</i> , The, 2015, 350, h2958-h2958.	3.0	192
2	Daily emollient during infancy for prevention of eczema: the BEEP randomised controlled trial. <i>Lancet</i> , The, 2020, 395, 962-972.	6.3	178
3	Quadrupling Inhaled Glucocorticoid Dose to Abort Asthma Exacerbations. <i>New England Journal of Medicine</i> , 2018, 378, 902-910.	13.9	119
4	Randomised trial of cord clamping and initial stabilisation at very preterm birth. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018, 103, F6-F14.	1.4	109
5	It is unprecedented: trial management during the COVID-19 pandemic and beyond. <i>Trials</i> , 2020, 21, 784.	0.7	94
6	Effectiveness and cost-effectiveness of daily all-over-body application of emollient during the first year of life for preventing atopic eczema in high-risk children (The BEEP trial): protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 343.	0.7	56
7	Clinical outcomes and response of patients applying topical therapy for pyoderma gangrenosum: A prospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 940-949.	0.6	53
8	Silk garments plus standard care compared with standard care for treating eczema in children: A randomised, controlled, observer-blind, pragmatic trial (CLOTHES Trial). <i>PLoS Medicine</i> , 2017, 14, e1002280.	3.9	41
9	UK Dermatology Clinical Trials Network's STOP GAP trial (a multicentre trial of prednisolone versus) <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50</i> 51.	0.7	38
10	Cord pilot trial - immediate versus deferred cord clamping for very preterm birth (before 32 weeks) <i>Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50</i>	0.7	25
11	Randomised controlled trial of silk therapeutic garments for the management of atopic eczema in children: the CLOTHES trial. <i>Health Technology Assessment</i> , 2017, 21, 1-260.	1.3	24
12	Randomised trial of cord clamping at very preterm birth: outcomes at 2 years. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 292-298.	1.4	20
13	Ciclosporin compared with prednisolone therapy for patients with pyoderma gangrenosum: cost-effectiveness analysis of the STOP GAP trial. <i>British Journal of Dermatology</i> , 2017, 177, 1527-1536.	1.4	19
14	Impacted fetal head during second stage Caesarean birth: A prospective observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 272, 77-81.	0.5	13
15	A multi-centre, parallel group superiority trial of silk therapeutic clothing compared to standard care for the management of eczema in children (CLOTHES Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 390.	0.7	10
16	The views of children and young people on the use of silk garments for the treatment of eczema: a nested qualitative study within the <sc>CLOTH</sc> ing for the relief of Eczema Symptoms () <i>Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50</i>	0.7	10
17	Reduced fetal movement intervention Trial-2 (ReMIT-2): protocol for a pilot randomised controlled trial of standard care informed by the result of a placental growth factor (PIGF) blood test versus standard care alone in women presenting with reduced fetal movement at or after 36+ weeks gestation. <i>Trials</i> , 2018, 19, 531.	0.7	9
18	Feasibility of using an Early Warning Score for preterm or low birthweight infants in a low-resource setting: results of a mixed-methods study at a national referral hospital in Kenya. <i>BMJ Open</i> , 2020, 10, e039061.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Home interventions and light therapy for the treatment of vitiligo (HI-Light Vitiligo Trial): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e018649.	0.8	8
20	Cord pilot trial: update to randomised trial protocol. <i>Trials</i> , 2015, 16, 407.	0.7	7
21	Is speed of healing a good predictor of eventual healing of pyoderma gangrenosum?. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 1216-1220.e2.	0.6	7
22	Timing of umbilical cord clamping for preterm infants in low-and-middle-income countries: A survey of current practice. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 264, 15-20.	0.5	7
23	Clinical trial management: a profession in crisis?. <i>Trials</i> , 2022, 23, 357.	0.7	6
24	Women's experiences of participating in a randomised trial comparing alternative policies for timing of cord clamping at very preterm birth: a questionnaire study. <i>Trials</i> , 2019, 20, 225.	0.7	5
25	Do investigator meetings improve recruitment rates in clinical trials? A retrospective before-and-after study of data from nine multi-centre clinical trials. <i>Trials</i> , 2020, 21, 514.	0.7	5
26	A programme of research to set priorities and reduce uncertainties for the prevention and treatment of skin disease. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-488.	0.4	5
27	FourFold Asthma Study (FAST): a study protocol for a randomised controlled trial evaluating the clinical cost-effectiveness of temporarily quadrupling the dose of inhaled steroid to prevent asthma exacerbations. <i>Trials</i> , 2016, 17, 499.	0.7	4
28	Identifying women giving birth preterm and care at the time of birth: a prospective audit of births at six hospitals in India, Kenya, Pakistan and Uganda. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 439.	0.9	4
29	Where do we go from here? " Opportunities and barriers to the career development of trial managers: a survey of UK-based trial management professionals. <i>Trials</i> , 2020, 21, 384.	0.7	4
30	Temporarily quadrupling the dose of inhaled steroid to prevent asthma exacerbations: FAST. <i>Health Technology Assessment</i> , 2018, 22, 1-82.	1.3	4
31	The FEED1 trial: protocol for a randomised controlled trial of full milk feeds versus intravenous fluids with gradual feeding for preterm infants (30-33 weeks gestational age). <i>Trials</i> , 2022, 23, 64.	0.7	4
32	When an external pilot is successful, should it be possible to transform it into an internal pilot by continuing recruitment into the full trial is ready? A case study of the cord pilot trial. <i>Trials</i> , 2015, 16, .	0.7	3
33	Cord pilot trial, comparing alternative policies for timing of cord clamping before 32 weeks gestation: follow-up for women up to one year. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 78.	0.9	3
34	Standard care informed by the result of a placental growth factor blood test versus standard care alone in women with reduced fetal movement at or after 36+0 weeks gestation: a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2020, 6, 23.	0.5	3
35	Investigating the effect of independent, blinded digital image assessment on the STOP GAP trial. <i>Trials</i> , 2017, 18, 53.	0.7	2
36	The acceptability to women of techniques for managing an impacted fetal head at caesarean section and of randomised trials evaluating those techniques: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 103.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Parents, healthcare professionals and other stakeholders's experiences of caring for babies born too soon in a low-resource setting: a qualitative study of essential newborn care for preterm infants in Kenya. <i>BMJ Open</i> , 2021, 11, e043802.	0.8	1
38	Implementing two-stage consent pathway in neonatal trials. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2023, 108, 79-82.	1.4	1
39	Value and engagement: what can clinical trials learn from techniques used in not-for-profit marketing?. <i>Trials</i> , 2022, 23, .	0.7	1
40	No drug, no trial? Think again!. <i>Trials</i> , 2015, 16, .	0.7	0
41	Full Milk Feeds from Day 1. <i>Neonatology</i> , 2019, 116, 67-67.	0.9	0
42	TANDEM TRIAL: a factorial randomised controlled trial of dose and review schedule of bevacizumab (Avastin) for neovascular macular degeneration in the East Midlands. <i>BMJ Open Ophthalmology</i> , 2020, 5, e000588.	0.8	0
43	Methodology over metrics: response to Van Calster et al. <i>Journal of Clinical Epidemiology</i> , 2021, , .	2.4	0