

Mousumi Basu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5745573/publications.pdf>

Version: 2024-02-01

32
papers

188
citations

1307366

7
h-index

1199470

12
g-index

34
all docs

34
docs citations

34
times ranked

102
citing authors

#	ARTICLE	IF	CITATIONS
1	Visible light driven degradation of brilliant green dye using titanium based ternary metal oxide photocatalyst. Results in Physics, 2019, 12, 1850-1858.	2.0	39
2	Methylene Blue/PVA composite film for flexible, wide-scale UV-Vis laser cut-off filter. Materials Research Express, 2019, 6, 075332.	0.8	19
3	Delafossite type CuCo _{0.5} Ti _{0.5} O ₂ composite structure: A futuristic ceramics for supercapacitor and EMI shielding application. Ceramics International, 2021, 47, 9907-9922.	2.3	19
4	Prospective use of a normally dispersive step-index chalcogenide fiber in nonlinear pulse reshaping. Applied Optics, 2018, 57, 3348.	0.9	12
5	Propagation of short soliton pulses through a parabolic index fiber with dispersion decreasing along length. Optics Communications, 2008, 281, 3361-3368.	1.0	11
6	Performance of different normal dispersion fibers to generate triangular optical pulses. Optical and Quantum Electronics, 2017, 49, 1.	1.5	8
7	Potential use of nonlinearity-induced virtual gain on parabolic pulse formation in highly nonlinear tapered fiber system. Journal of Optics (United Kingdom), 2019, 21, 045503.	1.0	7
8	Colossal dielectric and room temperature ferromagnetic response in CCoTO delafossite type nanostructure. Solid State Sciences, 2020, 102, 106136.	1.5	7
9	Nonlinear pulse reshaping in a typically designed silicon on insulator waveguide and its application to generate high repetition rate pulse train. Journal of Optics (United Kingdom), 0, , .	1.0	7
10	Nonlinear pulse reshaping in a designed erbium-doped fiber amplifier with a multicladded index profile. Optical Engineering, 2013, 52, 086104.	0.5	6
11	Silica based highly nonlinear fibers to generate parabolic self-similar pulses. Optical and Quantum Electronics, 2015, 47, 2615-2635.	1.5	6
12	Triangular pulse generation by using chalcogenide fibers and creation of tunable High frequency oscillations from the Interaction of reshaped pulse pair. Optik, 2020, 204, 164208.	1.4	6
13	Efficient dispersion tailoring by designing alternately arranged dispersion compensating fibers and fiber amplifiers to create self-similar parabolic pulses. Optics and Laser Technology, 2010, 42, 1301-1307.	2.2	5
14	Investigation of giant dielectric and room temperature ferromagnetic response of facile CZTO nanostructure. Journal of Materials Science: Materials in Electronics, 2019, 30, 13108-13117.	1.1	5
15	Parabolic pulse regeneration in normal dispersion-decreasing fibers and its equivalent substitutes in presence of third-order dispersion. Applied Physics B: Lasers and Optics, 2019, 125, 1.	1.1	4
16	Flexible alizarin red/PVA composites with colossal dielectric and high power laser filtering properties. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	1.1	4
17	Time-transformation technique for generation of optical pulse multiplets in a single mode anomalous dispersion optical fiber. Applied Optics, 2021, 60, 9809.	0.9	4
18	Generation of stable temporal doublet by a single-mode silicon core optical fiber. Journal of Optics (United Kingdom), 2022, 24, 055503.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Parabolic and semiparabolic pulse dynamics in optical fibers. <i>Optical Engineering</i> , 2015, 54, 016108.	0.5	3
20	An efficient way of third-order dispersion compensation for reshaping parabolic pulses through normal dispersion fiber amplifier. <i>Journal of Optics (United Kingdom)</i> , 2018, 20, 095503.	1.0	3
21	Optical properties of Bromothymol Blue/PVA Composite: Development of flexible high performance laser filter. <i>Journal of Polymer Research</i> , 2021, 28, 1.	1.2	2
22	Efficient generation of triangular optical pulses in an erbium-doped chalcogenide fiber amplifier by exploiting the time transformation technique. <i>Applied Optics</i> , 2020, 59, 11371.	0.9	2
23	Dispersion-Compensating Graded Index Multiclad Fiber: Optimization for Dispersion-Managed WDM Transmission Systems. <i>Fiber and Integrated Optics</i> , 2007, 26, 49-61.	1.7	1
24	Study of parabolic self-similar optical pulse generation in single mode fibers using variational approximation for the LP mode. <i>Optik</i> , 2016, 127, 8386-8393.	1.4	1
25	Designing suitable dispersion decreasing active fibers to generate parabolic pulses in presence of macrobending. <i>Optical and Quantum Electronics</i> , 2017, 49, 1.	1.5	1
26	Third-order optical nonlinearity of the CuCo _{0.5} Ti _{0.5} O ₂ nanostructure under 120 fs laser irradiation. <i>Applied Optics</i> , 2019, 58, 9163.	0.9	1
27	Flexible, H-bond mediated bromophenol blue/poly(vinyl alcohol) composite for efficient laser filter application. <i>Optical and Quantum Electronics</i> , 2022, 54, 1.	1.5	1
28	Theoretical Design of Normal Dispersion Decreasing Fiber Amplifier to Obtain Self-Similar Parabolic Pulses and Its Practical Aspects. , 2008, , .		0
29	Efficient parabolic similariton generation by third order dispersion compensation. , 2012, , .		0
30	Application of time transformation approach in optical pulse compression and supercontinuum generation by using suitable choices of fiber optic system. <i>Optik</i> , 2020, 204, 164200.	1.4	0
31	Interaction of a Pair of Parabolic Self-similar Pulses in Nonlinearity Varying Chalcogenide Fibers (NVCFs). <i>Lecture Notes in Networks and Systems</i> , 2021, , 275-281.	0.5	0
32	Time-transformation technique: An approach to achieve supercontinuum in normal dispersion fiber optic cascaded system along with phase modulator. <i>Optik</i> , 2022, 252, 168502.	1.4	0