## Lawrence A Kingsley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5746220/publications.pdf

Version: 2024-02-01

38738 37202 10,235 167 50 96 citations h-index g-index papers 167 167 167 9027 docs citations citing authors all docs times ranked

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Legacy effect on neuropsychological function in HIV-infected men on combination antiretroviral therapy. Aids, 2022, 36, 19-27.   | 2.2 | 9         |
| 2  | Cardiovascular risk score associations with frailty in men and women with or at risk for HIV. Aids, 2022, 36, 237-347.   | 2.2 | 3         |
| 3  | Diabetes mellitus is associated with declines in physical function among men with and without HIV.<br>Aids, 2022, Publish Ahead of Print, .  | 2.2 | 1         |
| 4  | Suboptimal HIV suppression is associated with progression of coronary artery stenosis: The Multicenter AIDS Cohort Study (MACS) longitudinal coronary CT angiography study. Atherosclerosis, 2022, 353, 33-40.   | 0.8 | 6         |
| 5  | Associations of HIV persistence, cigarette smoking, inflammation, and pulmonary dysfunction in people with HIV on antiretroviral therapy. Medicine (United States), 2022, 101, e29264.   | 1.0 | 1         |
| 6  | Risk for incident diabetes is greater in prediabetic men with HIV than without HIV. Aids, 2021, 35, 1605-1614.   | 2.2 | 6         |
| 7  | Longitudinal Changes in Sex Hormone–Binding Globulin in Men With HIV. Journal of Acquired Immune<br>Deficiency Syndromes (1999), 2021, 87, 1178-1186.  | 2.1 | 6         |
| 8  | The combined effects of age and HIV on the anatomic distribution of cortical and cancellous bone in the femoral neck among men and women. Aids, 2021, Publish Ahead of Print, 2513-2522.   | 2.2 | 2         |
| 9  | Short Communication: Plasma Lymphocyte Activation Gene 3 and Subclinical Coronary Artery Disease in the Multicenter AIDS Cohort Study. AIDS Research and Human Retroviruses, 2021, 37, 842-845.  | 1.1 | 1         |
| 10 | HIV serostatus and incident coronary artery stenosis in men with a baseline zero coronary artery calcium. Aids, 2021, 35, 2061-2063.   | 2.2 | 0         |
| 11 | Coronary artery plaque progression and cardiovascular risk scores in men with and without<br>HIV-infection. Aids, 2021, Publish Ahead of Print, .  | 2.2 | 3         |
| 12 | The association of adipose tissue area with subclinical coronary atherosclerosis progression in men with and without HIV. Aids, 2021, 35, 2549-2551.   | 2.2 | 0         |
| 13 | Brain structural correlates of trajectories to cognitive impairment in men with and without HIV disease. Brain Imaging and Behavior, 2020, 14, 821-829.  | 2.1 | 13        |
| 14 | A novel density-volume calcium score by non-contrast CT predicts coronary plaque burden on coronary CT angiography: Results from the MACS (Multicenter AIDS cohort study). Journal of Cardiovascular Computed Tomography, 2020, 14, 266-271.           | 1.3 | 7         |
| 15 | Associations between QT interval subcomponents, HIV serostatus, and inflammation. Annals of Noninvasive Electrocardiology, 2020, 25, e12705.   | 1.1 | 13        |
| 16 | Association Between Inflammatory Pathways and Phenotypes of Pulmonary Dysfunction Using Cluster Analysis in Persons Living With HIV and HIV-Uninfected Individuals. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 189-196.         | 2.1 | 12        |
| 17 | Application of Selected Muscle Strength and Body Mass Cut Points for the Diagnosis of Sarcopenia in Men and Women With or at Risk for HIV Infection. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1338-1345. | 3.6 | 12        |
| 18 | Lung Function, Coronary Artery Disease, and Mortality in HIV. Annals of the American Thoracic Society, 2019, 16, 687-697.  | 3.2 | 15        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | HIV Infection Is Associated with Greater Left Ventricular Mass in the Multicenter AIDS Cohort Study. AIDS Research and Human Retroviruses, 2019, 35, 755-761.                              | 1.1 | 5         |
| 20 | HIV infection is an independent risk factor for decreased 6-minute walk test distance. PLoS ONE, 2019, 14, e0212975.   | 2.5 | 13        |
| 21 | Inflammatory biomarkers and subclinical carotid atherosclerosis in HIV-infected and HIV-uninfected men in the Multicenter AIDS Cohort Study. PLoS ONE, 2019, 14, e0214735.                 | 2.5 | 40        |
| 22 | Greater IL-6, D-dimer, and ICAM-1 Levels Are Associated With Lower Small HDL Particle Concentration in the Multicenter AIDS Cohort Study. Open Forum Infectious Diseases, 2019, 6, ofz474. | 0.9 | 4         |
| 23 | Sex hormone-binding globulin levels are inversely associated with nonalcoholic fatty liver disease in HIV-infected and –uninfected men. Open Forum Infectious Diseases, 2019, 6, ofz468.   | 0.9 | 3         |
| 24 | Cross-sectional analysis of cognitive function using multivariate normative comparisons in men with HIV disease. Aids, 2019, 33, 2115-2124.  | 2.2 | 19        |
| 25 | Proteinuria Is Associated With Increased Risk of Fragility Fracture in Men With or at Risk of HIV Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e85-e91.    | 2.1 | 2         |
| 26 | Associations between lipids and subclinical coronary atherosclerosis. Aids, 2019, 33, 1053-1061.   | 2.2 | 6         |
| 27 | Predictors of electrocardiographic QT interval prolongation in men with HIV. Heart, 2019, 105, 559-565.  | 2.9 | 31        |
| 28 | Effect of Testosterone Use on Bone Mineral Density in HIV-Infected Men. AIDS Research and Human Retroviruses, 2019, 35, 75-80.   | 1.1 | 9         |
| 29 | Decreased Lung Function and All-Cause Mortality in HIV-infected Individuals. Annals of the American Thoracic Society, 2018, 15, 192-199.   | 3.2 | 49        |
| 30 | Long-term kidney function, proteinuria, and associated risks among HIV-infected and uninfected men. Aids, 2018, 32, 1247-1256.   | 2.2 | 9         |
| 31 | Vitamin D status and immune function reconstitution in HIV-infected men initiating therapy. Aids, 2018, 32, 1069-1076.   | 2.2 | 7         |
| 32 | Metabolic health across the BMI spectrum in HIV-infected and HIV-uninfected men. Aids, 2018, 32, 49-57.  | 2.2 | 10        |
| 33 | Factors Associated With Progression of Lung Function Abnormalities in HIV-Infected Individuals.<br>Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 501-509.              | 2.1 | 17        |
| 34 | Carotid artery atherosclerosis is associated with mortality in HIV-positive women and men. Aids, 2018, 32, 2393-2403.  | 2.2 | 22        |
| 35 | Systemic Inflammation Characterizes Lack of Metabolic Health in Nonobese HIV-Infected Men.<br>Mediators of Inflammation, 2018, 2018, 1-10.   | 3.0 | 5         |
| 36 | Vitamin D Metabolites in Aging HIV-Infected Men: Does Inflammation Play a Role?. AIDS Research and Human Retroviruses, 2018, 34, 1067-1074.  | 1.1 | 1         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Tropheryma whipplei colonization in HIV-infected individuals is not associated with lung function or inflammation. PLoS ONE, 2018, 13, e0205065.   | 2.5  | 12        |
| 38 | Neuropsychological phenotypes among men with and without HIV disease in the multicenter AIDS cohort study. Aids, 2018, 32, 1679-1688.  | 2.2  | 14        |
| 39 | Abdominal obesity, sarcopenia, and osteoporosis are associated with frailty in men living with and without HIV. Aids, 2018, 32, 1257-1266.   | 2.2  | 54        |
| 40 | Inflammation, Immune Activation, Immunosenescence, and Hormonal Biomarkers in the Frailty-Related Phenotype of Men with or at Risk for HIV. Journal of Infectious Diseases, 2017, 215, jiw523.                       | 4.0  | 51        |
| 41 | An increased rate of fracture occurs a decade earlier in HIV+ compared with HIVâ <sup>*</sup> men. Aids, 2017, 31, 1435-1443.  | 2.2  | 47        |
| 42 | Association of Macrophage Inflammation Biomarkers With Progression of Subclinical Carotid Artery Atherosclerosis in HIV-Infected Women and Men. Journal of Infectious Diseases, 2017, 215, 1352-1361.                | 4.0  | 87        |
| 43 | Glomerular filtration rate and proteinuria associations with coronary artery calcium among<br>HIV-infected and HIV-uninfected men in the Multicenter AIDS Cohort Study. Coronary Artery Disease,<br>2017, 28, 17-22. | 0.7  | 5         |
| 44 | Vitamin D Status and Kidney Function Decline in HIV-Infected Men: A Longitudinal Study in the Multicenter AIDS Cohort Study. AIDS Research and Human Retroviruses, 2017, 33, 1140-1148.                              | 1.1  | 4         |
| 45 | Use of rosuvastatin in HIV-associated chronic obstructive pulmonary disease. Aids, 2017, 31, 539-544.  | 2.2  | 16        |
| 46 | Vitamin D Deficiency and Metabolism in HIV-Infected and HIV-Uninfected Men in the Multicenter AIDS Cohort Study. AIDS Research and Human Retroviruses, 2017, 33, 261-270.  | 1.1  | 9         |
| 47 | Assessment of coronary artery calcium by chest CT compared with EKG-gated cardiac CT in the multicenter AIDS cohort study. PLoS ONE, 2017, 12, e0176557.   | 2.5  | 17        |
| 48 | The Association of Inflammatory Markers With Nonalcoholic Fatty Liver Disease Differs by Human Immunodeficiency Virus Serostatus. Open Forum Infectious Diseases, 2017, 4, ofx153.                                   | 0.9  | 10        |
| 49 | Longitudinal Changes Over 10 Years in Free Testosterone Among HIV-Infected and HIV-Uninfected Men.<br>Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 71, 57-64.                                       | 2.1  | 15        |
| 50 | Anatomic Fat Depots and Coronary Plaque Among Human Immunodeficiency Virus-Infected and Uninfected Men in the Multicenter AIDS Cohort Study. Open Forum Infectious Diseases, 2016, 3, ofw098.                        | 0.9  | 24        |
| 51 | Novel relationships of markers of monocyte activation and endothelial dysfunction with pulmonary dysfunction in HIV-infected persons. Aids, 2016, 30, 1327-1339.   | 2.2  | 51        |
| 52 | Safety and utilization of peripherally inserted central catheters versus midline catheters at a large academic medical center. American Journal of Infection Control, 2016, 44, 1458-1461.                           | 2.3  | 60        |
| 53 | Associations between antiretroviral use and subclinical coronary atherosclerosis. Aids, 2016, 30, 2477-2486.   | 2.2  | 18        |
| 54 | Correlation of the lung microbiota with metabolic profiles in bronchoalveolar lavage fluid in HIV infection. Microbiome, 2016, 4, 3.   | 11.1 | 83        |

| #  | Article  | IF               | Citations         |
|----|--|------------------|-------------------|
| 55 | Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 114-118.   | 2.1              | 25                |
| 56 | Comparison of Insulin Resistance to Coronary Atherosclerosis in Human Immunodeficiency Virus Infected and Uninfected Men (from the Multicenter AIDS Cohort Study). American Journal of Cardiology, 2016, 117, 993-1000.                      | 1.6              | 14                |
| 57 | Extra-coronary calcification (aortic valve calcification, mitral annular calcification, aortic valve) Tj ETQq1 1 0.784 Multicenter AIDS Cohort Study. Journal of Cardiovascular Computed Tomography, 2016, 10, 229-236.                      | 1314 rgBT<br>1.3 | /Overlock 10<br>6 |
| 58 | A Cross-sectional Study of the Association Between Chronic Hepatitis C Virus Infection and Subclinical Coronary Atherosclerosis Among Participants in the Multicenter AIDS Cohort Study. Journal of Infectious Diseases, 2016, 213, 257-265. | 4.0              | 38                |
| 59 | Inflammatory Markers Associated With Subclinical Coronary Artery Disease: The Multicenter AIDS Cohort Study. Journal of the American Heart Association, 2016, 5, .   | 3.7              | 65                |
| 60 | Associations between Tobacco, Alcohol, and Drug Use with Coronary Artery Plaque among HIV-Infected and Uninfected Men in the Multicenter AIDS Cohort Study. PLoS ONE, 2016, 11, e0147822.  | 2.5              | 32                |
| 61 | Lipid levels in HIV-positive men receiving anti-retroviral therapy are not associated with copy number variation of reverse cholesterol transport pathway genes. BMC Research Notes, 2015, 8, 697.   | 1.4              | O                 |
| 62 | Incidence and progression of coronary artery calcium in HIV-infected and HIV-uninfected men. Aids, 2015, 29, 2427-2434.  | 2.2              | 11                |
| 63 | Cohort Profile: Recruitment cohorts in the neuropsychological substudy of the Multicenter AIDS Cohort Study. International Journal of Epidemiology, 2015, 44, 1506-1516.   | 1.9              | 58                |
| 64 | Topographic Diversity of the Respiratory Tract Mycobiome and Alteration in HIV and Lung Disease. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 932-942.   | 5 <b>.</b> 6     | 113               |
| 65 | Low-Density Lipoprotein Cholesterol Levels and Statin Treatment by HIV Status Among Multicenter AIDS Cohort Study Men. AIDS Research and Human Retroviruses, 2015, 31, 593-602.  | 1.1              | 18                |
| 66 | HIV Infection Is Associated With Progression of Subclinical Carotid Atherosclerosis. Clinical Infectious Diseases, 2015, 61, 640-650.  | 5.8              | 112               |
| 67 | HIV and coronary arterial remodeling from the Multicenter AIDS Cohort Study (MACS).<br>Atherosclerosis, 2015, 241, 716-722.  | 0.8              | 22                |
| 68 | No association between Apoîµ4 alleles, HIV infection, age, neuropsychological outcome, or death. Journal of NeuroVirology, 2015, 21, 24-31.  | 2.1              | 35                |
| 69 | Elevated Levels of Monocyte Activation Markers Are Associated With Subclinical Atherosclerosis in Men With and Those Without HIV Infection. Journal of Infectious Diseases, 2015, 211, 1219-1228.  | 4.0              | 159               |
| 70 | Mixed membership trajectory models of cognitive impairment in the multicenter AIDS cohort study. Aids, 2015, 29, 713-721.  | 2.2              | 24                |
| 71 | Physical Activity and Its Association with Insulin Resistance in Multicenter AIDS Cohort Study Men. AIDS Research and Human Retroviruses, 2015, 31, 1250-1256.   | 1.1              | 14                |
| 72 | Circulating Mediators of Inflammation and Immune Activation in AIDS-Related Non-Hodgkin Lymphoma. PLoS ONE, 2014, 9, e99144.   | 2.5              | 9                 |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Self-Reported Body Fat Change in HIV-Infected Men Is a Marker of Decline in Physical Health-Related Quality of Life with Aging, Independent of Co-Morbidity. PLoS ONE, 2014, 9, e114166.                     | 2.5 | 7         |
| 74 | Pulmonary Function in HIV-Infected Recreational Drug Users in the Era of Anti-Retroviral Therapy. Journal of AIDS & Clinical Research, 2014, 05, .   | 0.5 | 16        |
| 75 | Inaccuracy of haemoglobin A1c among HIV-infected men: effects of CD4 cell count, antiretroviral therapies and haematological parameters. Journal of Antimicrobial Chemotherapy, 2014, 69, 3360-3367.         | 3.0 | 55        |
| 76 | Epicardial fat is associated with duration of antiretroviral therapy and coronary atherosclerosis. Aids, 2014, 28, 1635-1644.  | 2.2 | 32        |
| 77 | Morning free and total testosterone in HIV-infected men: implications for the assessment of hypogonadism. AIDS Research and Therapy, 2014, 11, 6.  | 1.7 | 46        |
| 78 | Pulmonary symptoms and diagnoses are associated with HIV in the MACS and WIHS cohorts. BMC Pulmonary Medicine, 2014, 14, 75.   | 2.0 | 52        |
| 79 | Risk Factors for Fatty Liver in the Multicenter AIDS Cohort Study. American Journal of Gastroenterology, 2014, 109, 695-704.   | 0.4 | 106       |
| 80 | Comparison of Racial Differences in Plaque Composition and Stenosis Between HIV-Positive and HIV-Negative Men from the Multicenter AIDS Cohort Study. American Journal of Cardiology, 2014, 114, 369-375.    | 1.6 | 5         |
| 81 | Associations Between HIV Infection and Subclinical Coronary Atherosclerosis. Annals of Internal Medicine, 2014, 160, 458.  | 3.9 | 271       |
| 82 | Lower adiponectin is associated with subclinical cardiovascular disease among HIV-infected men. Aids, 2014, 28, 901-909.   | 2.2 | 32        |
| 83 | Factors Affecting Glomerular Filtration Rate, as Measured by Iohexol Disappearance, in Men with or at Risk for HIV Infection. PLoS ONE, 2014, 9, e86311.   | 2.5 | 12        |
| 84 | Lipodystrophy and Inflammation Predict Later Grip Strength in HIV-Infected Men: The MACS Body Composition Substudy. AIDS Research and Human Retroviruses, 2013, 29, 1138-1145.                               | 1.1 | 26        |
| 85 | Contribution of Genetic Background, Traditional Risk Factors, and HIV-Related Factors to Coronary Artery Disease Events in HIV-Positive Persons. Clinical Infectious Diseases, 2013, 57, 112-121.            | 5.8 | 56        |
| 86 | HAART-Associated Dyslipidemia Varies by Biogeographical Ancestry in the Multicenter AIDS Cohort Study. AIDS Research and Human Retroviruses, 2013, 29, 871-879.  | 1.1 | 12        |
| 87 | HIV Infection Is Associated With Reduced Pulmonary Diffusing Capacity. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 271-278.  | 2.1 | 97        |
| 88 | The Impact of HAART on the Respiratory Complications of HIV Infection: Longitudinal Trends in the MACS and WIHS Cohorts. PLoS ONE, 2013, 8, e58812.  | 2.5 | 42        |
| 89 | Marginal Structural Models for Case-Cohort Study Designs to Estimate the Association of Antiretroviral Therapy Initiation With Incident AIDS or Death. American Journal of Epidemiology, 2012, 175, 381-390. | 3.4 | 15        |
| 90 | The Impact of Impaired Kidney Function and HIV Infection on the Risk of Anemia. AIDS Research and Human Retroviruses, 2012, 28, 1666-1671.   | 1.1 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Replication of RYR3 gene polymorphism association with cIMT among HIV-infected whites. Aids, 2012, 26, 1571-1573.   | 2.2 | 7         |
| 92  | Herpes simplex virus type 2 (HSV-2) as a coronary atherosclerosis risk factor in HIV-infected men: Multicenter AIDS Cohort Study. Atherosclerosis, 2012, 223, 433-436.  | 0.8 | 23        |
| 93  | The parametric gâ€formula to estimate the effect of highly active antiretroviral therapy on incident AIDS or death. Statistics in Medicine, 2012, 31, 2000-2009.  | 1.6 | 89        |
| 94  | Factors affecting brain structure in men with HIV disease in the post-HAART era. Neuroradiology, 2012, 54, 113-121.   | 2.2 | 117       |
| 95  | Comparison of QlAsymphony Automated and QlAamp Manual DNA Extraction Systems for Measuring Epstein-Barr Virus DNA Load in Whole Blood Using Real-Time PCR. Journal of Molecular Diagnostics, 2011, 13, 695-700. | 2.8 | 10        |
| 96  | Subcortical brain atrophy persists even in HAART-regulated HIV disease. Brain Imaging and Behavior, 2011, 5, 77-85.   | 2.1 | 154       |
| 97  | Low physical function as a risk factor for incident diabetes mellitus and insulin resistance. Future Virology, 2011, 6, 439-449.  | 1.8 | 5         |
| 98  | Asymptomatic Primary Merkel Cell Polyomavirus Infection among Adults. Emerging Infectious Diseases, 2011, 17, 1371-1380.  | 4.3 | 86        |
| 99  | Serologic Responses to Pneumocystis Proteins in HIV Patients With and Without Pneumocystis jirovecii Pneumonia. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, 190-196.                      | 2.1 | 28        |
| 100 | Sex Hormones, Insulin Resistance, and Diabetes Mellitus Among Men With or at Risk for HIV Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 58, 173-180.                                 | 2.1 | 30        |
| 101 | Cancer incidence in the multicenter aids cohort study before and during the HAART era. Cancer, 2010, 116, 5507-5516.  | 4.1 | 136       |
| 102 | Genetic Variants in Nuclear-Encoded Mitochondrial Genes Influence AIDS Progression. PLoS ONE, 2010, 5, e12862.  | 2.5 | 42        |
| 103 | Augmentation pressure and subendocardial viability ratio are associated with microalbuminuria and with poor renal function in type $1$ diabetes. Diabetes and Vascular Disease Research, 2010, 7, 216-224.      | 2.0 | 35        |
| 104 | Time Scale and Adjusted Survival Curves for Marginal Structural Cox Models. American Journal of Epidemiology, 2010, 171, 691-700.   | 3.4 | 54        |
| 105 | Using Marginal Structural Measurement-Error Models to Estimate the Long-term Effect of Antiretroviral Therapy on Incident AIDS or Death. American Journal of Epidemiology, 2010, 171, 113-122.                  | 3.4 | 25        |
| 106 | Cardiovascular Autonomic Neuropathy, HDL Cholesterol, and Smoking Correlate With Arterial Stiffness Markers Determined 18 Years Later in Type 1 Diabetes. Diabetes Care, 2010, 33, 652-657.                     | 8.6 | 80        |
| 107 | Association Between Human Immunodeficiency Virus Infection and Stiffness of the Common Carotid Artery. Stroke, 2010, 41, 2163-2170.   | 2.0 | 73        |
| 108 | Pulse wave analysis and prevalent cardiovascular disease in type 1 diabetes. Atherosclerosis, 2010, 213, 469-474.   | 0.8 | 30        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Effect of Highly Active Antiretroviral Therapy on Incident AIDS Using Calendar Period as an Instrumental Variable. American Journal of Epidemiology, 2009, 169, 1124-1132.  | 3.4 | 30        |
| 110 | Longâ€Term Serologic Responses to thePneumocystis jiroveciiMajor Surface Glycoprotein in HIVâ€Positive Individuals With and WithoutP. jiroveciiInfection. Journal of Infectious Diseases, 2009, 199, 1335-1344.                                       | 4.0 | 30        |
| 111 | Mitochondrial DNA Haplogroups Influence Lipoatrophy After Highly Active Antiretroviral Therapy.<br>Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 51, 111-116.   | 2.1 | 69        |
| 112 | Fat distribution and longitudinal anthropometric changes in HIV-infected men with and without clinical evidence of lipodystrophy and HIV-uninfected controls: A substudy of the Multicenter AIDS Cohort Study. AIDS Research and Therapy, 2009, 6, 8. | 1.7 | 47        |
| 113 | Host Genetic Influences on Highly Active Antiretroviral Therapy Efficacy and AIDS-Free Survival. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 48, 263-271.   | 2.1 | 42        |
| 114 | Antiretroviral Therapy is Associated With an Atherogenic Lipoprotein Phenotype Among HIV-1-Infected Men in the Multicenter AIDS Cohort Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 48, 281-288.                              | 2.1 | 73        |
| 115 | Mitochondrial DNA haplogroups influence AIDS progression. Aids, 2008, 22, 2429-2439.  | 2.2 | 78        |
| 116 | Self-reported low physical function is associated with diabetes mellitus and insulin resistance in HIV-positive and HIV-negative men. Future HIV Therapy, 2008, 2, 539-549.   | 0.4 | 4         |
| 117 | Subclinical coronary atherosclerosis, HIV infection and antiretroviral therapy: Multicenter AIDS Cohort Study. Aids, 2008, 22, 1589-1599.   | 2.2 | 104       |
| 118 | Low CD4+ T-cell count as a major atherosclerosis risk factor in HIV-infected women and men. Aids, 2008, 22, 1615-1624.  | 2.2 | 226       |
| 119 | Ten-Year Predicted Coronary Heart Disease Risk in HIV-Infected Men and Women. Clinical Infectious Diseases, 2007, 45, 1074-1081.  | 5.8 | 193       |
| 120 | Longitudinal increases in waist circumference are associated with HIV-serostatus, independent of antiretroviral therapy. Aids, 2007, 21, 1731-1738.   | 2.2 | 40        |
| 121 | Impacts of HIV infection and HAART use on quality of life. Quality of Life Research, 2006, 15, 941-949.   | 3.1 | 82        |
| 122 | Longitudinal Anthropometric Changes in HIV-Infected and HIV-Uninfected Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 43, 356-362.  | 2.1 | 30        |
| 123 | Use of a Multiantigen Detection Algorithm for Diagnosis of Kaposi's Sarcoma-Associated Herpesvirus Infection. Journal of Clinical Microbiology, 2006, 44, 3734-3741.  | 3.9 | 42        |
| 124 | A Novel Pattern of Lipoaccumulation in HIV-Infected Men. JAMA - Journal of the American Medical Association, 2006, 296, 763.  | 7.4 | 11        |
| 125 | Patterns of the hazard of death after AIDS through the evolution of antiretroviral therapy: 1984–2004. Aids, 2005, 19, 2009-2018.   | 2.2 | 117       |
| 126 | Cumulative exposure to nucleoside analogue reverse transcriptase inhibitors is associated with insulin resistance markers in the Multicenter AIDS Cohort Study. Aids, 2005, 19, 1375-1383.  | 2.2 | 216       |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 127 | Antiretroviral Therapy and the Prevalence and Incidence of Diabetes Mellitus in the Multicenter AIDS Cohort Study. Archives of Internal Medicine, 2005, 165, 1179.   | 3.8  | 715       |
| 128 | Prevalence and clinical predictors of Pneumocystis colonization among HIV-infected men. Aids, 2004, 18, 793-798.   | 2.2  | 100       |
| 129 | High incidence and prevalence of HIV-1 infection in high risk population in Calcutta, India.<br>International Journal of STD and AIDS, 2003, 14, 463-468.  | 1.1  | 16        |
| 130 | Impact of HIV Infection and HAART on Serum Lipids in Men. JAMA - Journal of the American Medical Association, 2003, 289, 2978.   | 7.4  | 516       |
| 131 | Effect of Highly Active Antiretroviral Therapy on Time to Acquired Immunodeficiency Syndrome or Death using Marginal Structural Models. American Journal of Epidemiology, 2003, 158, 687-694.  | 3.4  | 234       |
| 132 | Detection of Epstein-Barr Virus Genomes in Peripheral Blood B Cells from Solid-Organ Transplant Recipients by Fluorescence In Situ Hybridization. Journal of Clinical Microbiology, 2002, 40, 2533-2544.                               | 3.9  | 32        |
| 133 | Evaluation of Chlamydia pneumoniae and Mycoplasma pneumoniae as Etiologic Agents of Persistent<br>Cough in Adolescents and Adults. Journal of Clinical Microbiology, 2002, 40, 637-640.  | 3.9  | 25        |
| 134 | Primary human herpesvirus 8 infection generates a broadly specific CD8+ T-cell response to viral lytic cycle proteins. Blood, 2001, 97, 2366-2373.   | 1.4  | 97        |
| 135 | Human Immunodeficiency Virus Type 1 Env Sequences from Calcutta in Eastern India: Identification of Features That Distinguish Subtype C Sequences in India from Other Subtype C Sequences. Journal of Virology, 2001, 75, 10479-10487. | 3.4  | 90        |
| 136 | Adenotonsillectomy in Children with von Willebrand Disease. Survey of Anesthesiology, 2000, 44, 37-38.   | 0.1  | 0         |
| 137 | Short Communication: Relationship of CD4+ T Cell Counts and HIV Type 1 Viral Loads in Untreated, Infected Adolescents. AIDS Research and Human Retroviruses, 2000, 16, 959-963.  | 1.1  | 29        |
| 138 | Human Immunodeficiency Virus Type 1 Shedding Pattern in Semen Correlates with the Compartmentalization of Viral Quasi Species between Blood and Semen. Journal of Infectious Diseases, 2000, 182, 79-87.                               | 4.0  | 153       |
| 139 | Estimating the effect of zidovudine on Kaposi's sarcoma from observational data using a rank preserving structural failure-time model., 1998, 17, 1073-1102.   |      | 29        |
| 140 | Early levels of CD4, neopterin, and beta 2-microglobulin indicate future disease progression. Journal of Clinical Immunology, 1997, 17, 43-52.   | 3.8  | 14        |
| 141 | Kaposi's sarcoma-associated herpesvirus infection prior to onset of Kaposi's sarcoma. Aids, 1996, 10, 175-180.   | 2.2  | 301       |
| 142 | KSHV antibodies among Americans, Italians and Ugandans with and without Kaposi's sarcoma. Nature Medicine, 1996, 2, 925-928.   | 30.7 | 819       |
| 143 | Seroconversion to Antibodies against Kaposi's Sarcoma–Associated Herpesvirus–Related Latent<br>Nuclear Antigens before the Development of Kaposi's Sarcoma. New England Journal of Medicine, 1996,<br>335, 233-241.                    | 27.0 | 583       |
| 144 | Alcohol consumption as a cofactor in the progression of HIV infection and AIDS. Alcohol, 1995, 12, 547-552.  | 1.7  | 30        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | The effectiveness of interventions on incubation of AIDS as measured by secular increases within a population. Statistics in Medicine, 1994, 13, 2127-2139.                                   | 1.6 | 21        |
| 146 | A method to test for a recent increase in HIV-1 seroconversion incidence: Results from the multicenter AIDS cohort study (MACS). Statistics in Medicine, 1993, 12, 153-164.                   | 1.6 | 4         |
| 147 | Enhanced Expression of Human Immunodeficiency Virus Type 1 Correlates with Development of AIDS. Virology, 1993, 196, 586-595.   | 2.4 | 82        |
| 148 | Trends in the Incidence of Outcomes Defining Acquired Immunodeficiency Syndrome (AIDS) in the Multicenter AIDS Cohort Study: 1985–1991. American Journal of Epidemiology, 1993, 137, 423-438. | 3.4 | 174       |
| 149 | Factors Associated with Participation in Hiv Antibody Screening and Results Disclosure. Health and Social Work, 1993, 18, 248-258.  | 1.0 | 10        |
| 150 | Substance use and sexual behavior among homosexual men at risk for HIV infection: Psychosocial moderators. Psychology and Health, 1992, 7, 259-272.   | 2.2 | 22        |
| 151 | Estimation of time since exposure for a prevalent cohort. Statistics in Medicine, 1992, 11, 939-952.  | 1.6 | 49        |
| 152 | Hand preference, immune system disorder and cognitive function among gay/bisexual men: The multicenter aids cohort study (MACS). Neuropsychologia, 1992, 30, 229-235.                         | 1.6 | 23        |
| 153 | Temporal Trends in Human Immunodeficiency Virus type 1 Seroconversion 1984–1989. American Journal of Epidemiology, 1991, 134, 331-339.  | 3.4 | 73        |
| 154 | Estimating the 1978–1990 and Future Spread of Human Immunodeficiency Virus Type 1 in Subgroups of Homosexual Men. American Journal of Epidemiology, 1991, 134, 1190-1205.                     | 3.4 | 38        |
| 155 | Recreational drug use and sexual behavior change in a cohort of homosexual men. Aids, 1990, 4, 759-766.   | 2.2 | 93        |
| 156 | Estimating the distribution of times from HIV seroconversion to aids using multiple imputation. Statistics in Medicine, 1990, 9, 505-514.   | 1.6 | 97        |
| 157 | Sexual Transmission Efficiency of Hepatitis B Virus and Human Immunodeficiency Virus Among Homosexual Men. JAMA - Journal of the American Medical Association, 1990, 264, 230.                | 7.4 | 76        |
| 158 | HBV, HIV, and the Proscription of Intercourse-Reply. JAMA - Journal of the American Medical Association, 1990, 264, 2625.   | 7.4 | 0         |
| 159 | ACQUIRED IMMUNODEFICIENCY SYNDROME (AIDS)-FREE TIME AFTER HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) SEROCONVERSION IN HOMOSEXUAL MEN. American Journal of Epidemiology, 1989, 130, 530-539. | 3.4 | 232       |
| 160 | Enhanced Antibody Responses to Epstein-Barr Virus in HIV-Infected Homosexual Men. Journal of Infectious Diseases, 1989, 159, 472-479.   | 4.0 | 57        |
| 161 | An epidemiologic approach to the study of retinopathy: the Pittsburgh diabetic morbidity and retinopathy studies. Diabetes Research and Clinical Practice, 1988, 4, 99-109.                   | 2.8 | 36        |
| 162 | FACTORS ASSOCIATED WITH PREVALENT HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION IN THE MULTICENTER AIDS COHORT STUDY. American Journal of Epidemiology, 1987, 126, 568-575.                    | 3.4 | 199       |

| #   | Article   | IF  | CITATION |
|-----|---|-----|----------|
| 163 | The Epidemic of AIDS: A Failure of Public Health Policy. Milbank Quarterly, 1986, 64, 56.   | 4.4 | 14       |
| 164 | Excretion of Cytomegalovirus in Semen Associated with HTLV-III Seropositivity in Asymptomatic Homosexual Men. Journal of Medical Virology, 1986, 20, 17-22.               | 5.0 | 15       |
| 165 | Marketing strategies for recruiting gay men into AIDS research and education projects. Journal of Community Health, 1986, 11, 222-232.                                    | 3.8 | 19       |
| 166 | VIROLOGIC, IMMUNOLOGIC, AND EPIDEMIOLOGIC ASSOCIATIONS WITH AIDS AMONG GAY MALES IN A LOW INCIDENCE AREA. Annals of the New York Academy of Sciences, 1984, 437, 544-548. | 3.8 | 3        |
| 167 | The Association Between Long-term Diabetic Control and Early Retinopathy. Ophthalmology, 1984, 91, 763-769.   | 5.2 | 76       |