
Masahiko Fujihara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5746732/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predictors of adverse clinical outcomes after successful infrapopliteal intervention. Catheterization and Cardiovascular Interventions, 2012, 80, 861-871.	0.7	132
2	Endovascular therapy by CO ₂ angiography to prevent contrastâ€induced nephropathy in patients with chronic kidney disease: A prospective multicenter trial of CO ₂ angiography registry. Catheterization and Cardiovascular Interventions, 2015, 85, 870-877.	0.7	69
3	Two-Year Efficacy and Safety Results from the IMPERIAL Randomized Study of the Eluvia Polymer-Coated Drug-Eluting Stent and the Zilver PTX Polymer-free Drug-Coated Stent. CardioVascular and Interventional Radiology, 2021, 44, 368-375.	0.9	55
4	Lumen Gain After Endovascular Therapy in <i>C</i> alcified Superficial Femoral Artery <i>O</i> cclusive <i>D</i> iseas <i>e</i> Assessed by Intravascular Ultrasound (CODE Study). Journal of Endovascular Therapy, 2019, 26, 322-330.	0.8	47
5	1-Year Outcomes of Fluoropolymer-Based Drug-Eluting Stent in Femoropopliteal Practice. JACC: Cardiovascular Interventions, 2022, 15, 630-638.	1.1	42
6	Intravascular Ultrasound–Guided Interventions for Below-the-Knee Disease in Patients With Chronic Limb-Threatening Ischemia. Journal of Endovascular Therapy, 2020, 27, 565-574.	0.8	21
7	Five-Year Patency and its Predictors after Endovascular Therapy for Aortoiliac Occlusive Disease. Journal of Atherosclerosis and Thrombosis, 2019, 26, 989-996.	0.9	19
8	Outcomes of Zilver PTX stent implantation for the treatment of complex femoropopliteal artery disease. Heart and Vessels, 2016, 31, 152-157.	0.5	17
9	A Novel Angiographic Risk Score for Femoropopliteal Interventions. Journal of Endovascular Therapy, 2020, 27, 967-973.	0.8	17
10	One-Year Outcomes of Endovascular Therapy for Aortoiliac Lesions. Circulation: Cardiovascular Interventions, 2019, 12, e007441.	1.4	16
11	Mortality Risk Following Application of a Paclitaxel-Coated Stent in Femoropopliteal Lesions. Journal of Endovascular Therapy, 2019, 26, 593-599.	0.8	14
12	Spot stenting versus full coverage stenting after endovascular therapy for femoropopliteal artery lesions. Journal of Vascular Surgery, 2019, 70, 1166-1176.	0.6	14
13	Vessel Diameter Evaluated by Intravascular Ultrasound Versus Angiography. Journal of Endovascular Therapy, 2022, 29, 343-349.	0.8	14
14	Appropriate hemostasis by routine use of ultrasound echo-guided transfemoral access and vascular closure devices after lower extremity percutaneous revascularization. Cardiovascular Intervention and Therapeutics, 2017, 32, 233-240.	1.2	12
15	Clinical Safety and Efficacy of Rotational Atherectomy in Japanese Patients with Peripheral Arterial Disease Presenting Femoropopliteal Lesions: The J-SUPREME and J-SUPREME II Trials. Journal of Endovascular Therapy, 2022, 29, 240-247.	0.8	10
16	24-Month Efficacy and Safety Results from Japanese Patients in the IMPERIAL Randomized Study of the Eluvia Drug-Eluting Stent and the Zilver PTX Drug-Coated Stent. CardioVascular and Interventional Radiology, 2021, 44, 1367-1374.	0.9	9
17	Impact of Institutional Volume on Critical In-Hospital Complications Adjusted for Patient- and Limb-Related Characteristics: An Analysis of a Nationwide Japanese Registry of Endovascular Interventions for PAD. Journal of Endovascular Therapy, 2020, 27, 739-748.	0.8	9
18	Subintimal Versus Intraluminal Approach for Femoropopliteal Chronic Total Occlusions Treated With Intravascular Ultrasound Guidance. Journal of the American Heart Association, 2021, 10, e021903.	1.6	8

Masahiko Fujihara

#	Article	IF	CITATIONS
19	Short- and mid-term results of balloon angioplasty for renal artery fibromuscular dysplasia. Cardiovascular Intervention and Therapeutics, 2014, 29, 293-299.	1.2	7
20	Roles of Angioplasty With Drug-Coated Balloon for Chronic Ischemia in Wound Healing. Journal of Endovascular Therapy, 2021, 28, 778-787.	0.8	7
21	Nitinol stent implantation for femoropopliteal disease in patients on hemodialysis: results of the 3-year retrospective multicenter APOLLON study. Heart and Vessels, 2016, 31, 1476-1483.	0.5	6
22	Independent predictors of loss of primary patency at 1 year after aortoiliac stent implantation. Heart and Vessels, 2020, 35, 614-619.	0.5	6
23	Clinical outcomes of endovascular procedure using VIABAHN ® VBX covered stent in complex aortoiliac artery disease: Result from AVOCADO study. Catheterization and Cardiovascular Interventions, 2021, 98, 928-937.	0.7	4
24	Inverse association of diabetes and dialysis with the severity of femoropopliteal lesions and chronic total occlusion: a cross-sectional study of 2056 cases. BMC Cardiovascular Disorders, 2020, 20, 514.	0.7	3
25	IVUS Assessment of the Crossing Pathway of an Intraluminal Reentry Device Used in the Primary Treatment of Infrainguinal Chronic Total Occlusions. Journal of Endovascular Therapy, 2020, 27, 69-76.	0.8	1
26	Similar one-year primary patency rates of common femoral artery angioplasty alone when performed utilizing drug-coated versus noncoated balloons for the treatment of peripheral artery disease. Vascular Medicine, 2022, , 1358863X2210804.	0.8	0
27	Vascular Pathology and Impact of Stent Eccentricity for Stent Restenosis in Femoropopliteal Endovascular Therapy. Journal of Vascular and Interventional Radiology, 2022, , .	0.2	0